



MEDICAL LIBRARY

(MINISTRY OF HEALTH.)





Report of the

Birth & Marriages

Health-Reminder Ret'd



22500993379

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be reborrowed for a further period upon written request provided it is not required by another officer.

21214 6410/3646a 5m(2) 7/24 J.P.D207 Gp.132

24

ELEVENTH
DETAILED ANNUAL REPORT


OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1868.



ELEVENTH

DETAILED ANNUAL REPORT
REPORT

OF THE

REGISTRAR-GENERAL

RIGHT HON. LORDS OF THE PRIVY COUNCIL

THE LONDON & WESTMINSTER DISTRICTS

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOMec
Call	Cur
No.	WA

PRINTED BY MURRAY AND GIBB

1881

REPORT.

TO THE

RIGHT HON^{BLE}. GATHORNE HARDY, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *July 20, 1868.*

SIR,

At the close of the year 1865 I submitted a general abstract of the births, deaths, and marriages registered in Scotland, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80. I have now the honour to forward to you my Detailed Report for the same year, with relative tables.

During the year 1865 both marriages and births rose high above their average, which may be attributed to the generally prosperous state of the country, which caused money to be plentiful, while provisions were abundant, cheap, and good, and all trades and manufactures were in full operation.

Unfortunately the deaths were high, and an epidemic of fever prevailed over the country.

This was the second year during which the Vaccination Act (26 and 27 Vict. cap. 108) had been in operation in Scotland; and though the period has been too short to permit positive conclusions to be drawn as to its efficacy in diminishing the deaths from Small-pox, it will be seen, from the facts mentioned in this Report, that it promises to prove a success.

As we are now tabulating separately the different forms of Continued Fever, instead of mixing them together under the one heading Typhus, some interesting facts are brought to light as to the prevalence in different localities of the several forms of fever.

Weather, but especially temperature, seeming to be the chief agent in regulating the mortality in Scotland, I directed that a few additional tables should be added to this Report, showing the close connection between these.

As scarcity and high price of provisions in other countries is invariably followed by a great increase of the deaths, a table is added which shows that in Scotland, at the present day, scarcity and high price of provisions do not of themselves increase the mortality; and that if a high mortality co-exists, it is owing to other aiding causes which allow the scarcity to exert its full power.

The state of elementary education, as exhibited in the proportions of men and women able to sign their names in the marriage registers, continues to be satisfactory, seeing that 88·58 per cent. of the men, and 77·78 per cent. of the women who married were able to sign their names in writing.

To complete the series of Mortality Tables for the decennial period 1855–1864, I have appended to this Report a few additional tables, in which the age is combined with the cause of death.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Stark to the Registrar-General,	ix
Table of Estimated Population, with the number of Births, Deaths, and Marriages registered in Scotland during each of the eleven years 1855 to 1865 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts, during each of the eleven years 1855 to 1865,	x
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1865,	xi
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1865,	xii

BIRTHS.

Births in 1865, and their Proportion to the Population in 1865, with relative Tables,	x
Tables showing particulars relative to the Births during each of the eleven years 1855 to 1865,	xi-xiv

MARRIAGES.

Number of Marriages in 1865, and their Proportion to the Population,	xv
Relative fertility of Scottish and English Females,	xvi
Number and Proportion of Marriages celebrated according to the Rites of the several Religious Denominations in 1865, and from 1855 to 1865, with relative Tables,	xix
Number and Proportion of Persons marrying under 21 and under 25 years of age, with relative Tables,	xx
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xxiv
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xxiv

DEATHS.

Number of Deaths in Scotland in 1865, and their Proportion to the Population,	xxv
Death-rates in Scotland, and in its Insular, Mainland-Rural, and Town Districts, also in each of its Eight Principal Towns, during each of the eleven years 1855 to 1865,	xxvi
Death-rates in Males and Females	xxvi

	Page
Tables of Deaths at different ages in Scotland, its Three Great Groups of Districts, and in each of its Eight Principal Towns, during 1865,	xxviii
Causes of Death in 1865, with relative Tables,	xxxii
Small-pox Deaths for eleven years, and particulars relative to Vaccination in Scotland for years 1864 and 1865, with relative Tables,	xxxvii
Different forms of Fever prevalent in Scotland,	xl
The Eighteen most fatal Diseases in Scotland and England in 1865,	xliii

INFLUENCE OF EXTERNAL AGENCIES IN 1865.

Influence of Season on the Births,	xliii
Influence of Weather, and in particular mean temperature, on the Death-rate, and on the mortality of different classes of Disease,	xliii
Table showing the Meteorology of Scotland during each month of the year 1865, together with the Monthly and Daily number of Births, Deaths, and Marriages,	xliv
Table showing the number of Deaths Weekly in the Eight Principal Towns of Scotland, together with the Highest, Lowest, and Mean Temperatures, and the fall of Rain during every Week of the year 1865,	xlvii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Diseases, in the Eight Principal Towns of Scotland, during each month of the year 1865,	xlviii
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the eleven years 1855-1865, showing that high price of provisions has no apparent effect on the Death-rate in Scotland,	1
Table showing the value of the Imports, Exports, quantity of Grains, and other leading articles of Food or Commerce, imported into Great Britain in 1863, 1864, and 1865, etc. etc.,	li

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1865, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County,	1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages during the year 1865, also of the Illegitimate Births, in every Registration District,	2-23
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1865, in the Insular, the Mainland-Rural, and Town Districts of Scotland,	23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1865; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks,	24
Table of the Civil Condition of the Parties who married in 1865; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex,	25
Table of the Ages of all Males who married in Scotland and its Counties in 1865,	26
Table of the Ages of all Females who married in Scotland and its Counties in 1865,	28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1864, together with the Population of these Counties and Towns in 1851 and 1861,	30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1865, together with the Male Population of these Counties and Towns in 1851 and 1861,	32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1865, together with the Female Population of these Counties and Towns in 1851 and 1861,	34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1865,	36-39
Do. Males,	40-43
Do. Females,	44-47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1864, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts,	48-51
Do. Males,	52-55
Do. Females,	56-59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life,	60-63
Do. Males,	64-67
Do. Females,	68-71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life,	72-75
Do. Males,	76-79
Do. Females,	80-83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life,	84-87
Do. Males,	88-91
Do. Females,	92-95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life,	96-99
Do. Males,	100-103
Do. Females,	104-107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life,	108-111
Do. Males,	112-115
Do. Females,	116-119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life,	120-123
Do. Males,	124-127
Do. Females,	128-131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life,	132-135
Do. Males,	136-139
Do. Females,	140-143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life,	144-147
Do. Males,	148-151
Do. Females,	152-155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life,	156-159
Do. Males,	160-163
Do. Females,	164-167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life,	168-171
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life,	172-175
Table of the Causes of Death in both Sexes in Leith at different Periods of Life,	176-179
Table of the Causes of Death in both Sexes in Perth at different Periods of Life,	180-183
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1865, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1865,	184

APPENDIX TABLES.

Table of the Causes of Death at all Ages in Both Sexes in Scotland during the ten years 1855 to 1864,	186-189
Do. Males,	190-193
Do. Females,	194-197
Table of the Causes of Death in Scotland during each of the ten years 1855 to 1864, .	198
Table of the Causes of Death in the Insular Districts of Scotland during each of the ten years 1855 to 1864,	200
Table of the Causes of Death in the Mainland-Rural Districts during each of the ten years 1855 to 1864,	202
Table of the Causes of Death in the Town Districts during each of the ten years 1855 to 1864,	204
Table of Proportion of Deaths from different causes in every million persons during the ten years 1855-1864,	206
Table of Proportion of Deaths from different causes in every 100,000 Deaths from specified causes during the ten years 1855-1864,	207
Table of the Total Number of Deaths at different ages in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during the ten years 1855-1864,	208
Table of the Mean Annual Per-centage of Deaths to the Population at each age in Scotland and its Three Great Groups of Districts during the ten years 1855-64,	208

Constitution of the Compound Districts,	209
Index to Districts,	210

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1865, to which this Report refers, was notable alike for the general commercial and manufacturing prosperity of the country, and for the lowness of the price of provisions, excepting towards the close of the year, when the prevalence of Rinderpest among the cattle raised the price of butcher meat high above the average. Marriages were accordingly more numerous in Scotland than they had ever previously been; and as this was the third year when a high marriage-rate prevailed, the birth-rate during the year was also the highest on record.

To counterbalance this a high death-rate prevailed, partly attributable to the increased mortality from fever which was epidemic during the year; and it is worthy of note, that while epidemic fever prevailed among the human race, that virulent disease known as Rinderpest decimated our cattle.

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the eleven years 1855 to 1864, and their Proportion to the Population; showing also the excess of Births over Deaths.

YEAR.	Estimated Population.	Births.	Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
						Births.	Deaths.	Marriages.
1855	2,978,065	93,349	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	58,529	20,740	42,291	3·395	1·953	0·692
1857	3,012,310	103,415	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,738	105,629	68,170	21,225	37,459	3·457	2·231	0·695
1861	3,066,633	107,009	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	71,481	22,234	37,860	3·525	2·305	0·716
1864	3,118,701	112,333	74,416	22,725	37,917	3·602	2·386	0·728
1865	3,136,057	113,070	70,891	23,611	42,179	3·605	2·260	0·753

The population of Scotland to the middle of the year 1865 may be estimated at 3,136,057 persons, of whom 1,481,455 were males, and 1,654,602 females. Of these, 158,289 were inhabitants of the Insular, 1,785,080 of the Mainland-Rural, and 1,192,688 of the Town Districts. (Table II.)

BIRTHS.

113,070 births were registered in Scotland during the year 1865, being in the proportion of 360 births in every ten thousand persons of the estimated population, or 3.60 per cent. This is the same high proportion

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1865.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	71,958	86,304	158,289
Mainland- Rural . }	829,259	883,293	1,712,552	849,381	913,996	1,763,377	857,958	927,122	1,785,080
Town . .	469,460	540,243	1,009,703	527,058	611,126	1,138,184	551,512	641,176	1,192,688
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,481,455	1,654,602	3,136,057

TABLE III.—NUMBER OF BIRTHS, DEATHS, and MARRIAGES in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during each of the Eleven Years 1855–65.

YEARS.	INSULAR DISTRICTS.				MAINLAND-RURAL DISTRICTS.				TOWN DISTRICTS.			
	Births.		Deaths.	Marriages.	Births.		Deaths.	Marriages.	Births.		Deaths.	Marriages.
	Total.	Illegit.			Total.	Illegit.			Total.	Illegit.		
1855	3733	162	2693	724	53347	4589	30893	10060	36269	2606	28418	8896
1856	4320	240	2166	841	56705	5375	28825	10428	40796	3082	27538	9471
1857	4460	227	2306	954	57568	5542	30390	10960	41387	3090	29210	9445
1858	4582	247	2377	884	57607	5574	31561	10083	41829	3533	29598	8688
1859	4627	269	2633	910	59366	5874	30959	10825	42550	3572	28122	9466
1860	4588	247	2714	811	58883	5875	33358	10747	42158	3614	32098	9667
1861	4499	227	2562	919	58191	5646	30814	10288	44319	4056	28965	9689
1862	4458	219	2975	851	58557	5836	32694	10185	44054	4321	31526	9561
1863	4323	212	2934	784	59235	6277	34722	10820	45783	4459	33825	10630
1864	4340	233	2720	775	60672	6433	35719	10819	47321	4531	35977	11131
1865	5046	337	2488	776	59321	6303	32992	11184	48703	4622	35411	11651

which occurred the previous year, these two years showing a higher proportion of births than occurred during any year since the Registration Act came into operation. During the eight years 1856 to 1863 inclusive,

TABLE IV.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES to the POPULATION in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Eleven Years 1855–1865; also the Per-centage of Illegitimate to the Total Births.

YEARS.	Per-centage of BIRTHS to the Population.			Per-centage of Illegitimate to the Total Births.			Per-centage of DEATHS to the Population.			Per-centage of MARRIAGES to the Population.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	2.275	3.078	3.403	4.3	8.6	7.1	1.644	1.784	2.675	0.441	0.580	0.834
1856	2.643	3.204	3.783	5.5	9.4	7.5	1.293	1.659	2.561	0.514	0.599	0.869
1857	2.738	3.301	3.794	5.6	9.6	7.4	1.414	1.744	2.685	0.585	0.628	0.866
1858	2.882	3.299	3.790	5.4	9.6	8.4	1.463	1.806	2.690	0.544	0.576	0.787
1859	2.860	3.384	3.812	5.8	9.9	8.4	1.626	1.766	2.527	0.562	0.617	0.848
1860	2.846	3.346	3.735	5.3	9.9	8.5	1.682	1.897	2.851	0.503	0.610	0.856
1861	2.801	3.297	3.883	5.0	9.7	9.1	1.595	1.746	2.537	0.572	0.582	0.848
1862	2.786	3.308	3.814	4.9	9.9	9.8	1.859	1.847	2.730	0.531	0.575	0.827
1863	2.711	3.338	3.921	4.9	10.6	9.7	1.840	1.956	2.897	0.491	0.609	0.910
1864	2.732	3.408	4.010	5.3	10.6	9.6	1.712	2.006	3.048	0.488	0.607	0.943
1865	3.187	3.323	4.083	6.6	10.6	9.4	1.571	1.848	2.969	0.490	0.626	0.976

TABLE V.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1865, and their Proportion to the Population; also the Illegitimate Births, and their Proportion to the Total Births.

	Estimated Population 1865.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Number.	Per cent. to Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow . .	423,723	17957	4.23	1674	9.3	13914	3.28	4163	0.98
Edinburgh .	174,180	6195	3.55	617	9.9	4858	2.78	1784	1.02
Dundee . .	96,607	4423	4.57	573	12.9	3000	3.10	1168	1.20
Aberdeen .	74,716	2878	3.85	394	13.6	1981	2.65	679	0.91
Paisley . .	47,427	1807	3.81	164	9.1	1410	2.97	472	0.99
Greenock .	46,635	2361	5.06	128	5.4	1675	3.59	512	1.09
Leith . .	37,648	1586	4.21	100	6.3	948	2.52	356	0.94
Perth . .	26,697	903	3.38	81	8.9	729	2.73	212	0.79

TABLE VI.—BIRTHS in SCOTLAND, 1855–1865; with the Number and Proportion of Males and Females in the Legitimate, Illegitimate, and Total Births; also the Proportion of Mothers who bare Twins or Triplets.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLT BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins or Triplets. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	104.9	104.9	104.5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105.3	105.2	106.1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105.7	105.8	104.4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106.6	106.1	110.2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105.2	104.7	110.0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106.2	106.1	107.3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104.2	103.7	108.5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106.6	106.5	107.3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105.8	105.7	107.3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104.4	104.3	104.8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106.1	106.2	105.4	81

the birth-rate was in the annual proportion of 346 births in every ten thousand persons of the population, or 3·46 per cent. It is therefore evident that, during the years 1864 and 1865, some important change had occurred which affected the ratio of the births, and when we look at the increase in the number and proportion of the marriages which occurred during these years, the fact is easily accounted for. During the eight

TABLE VII.—NUMBER OF BIRTHS, DEATHS, and MARRIAGES in 1865, and their Proportion to the Population, in Scotland, its Groups of Districts, Divisions, and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population estimated to the middle of the Year 1865.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per-cent.	No.	Per-cent.	No.	Per-cent.	No.	Per-cent.
	SCOTLAND . . .	3,136,057	113070	3·605	11262	9·9	70891	2·260	23611	0·753
	Insular Districts . .	158,289	5046	3·187	337	6·6	2488	1·571	776	0·490
	Mainland-Rural Dists.	1,785,080	59321	3·323	6303	10·6	32992	1·848	11184	0·626
	Town Districts . . .	1,192,688	48703	4·083	4622	9·4	35411	2·969	11651	0·976
	DIVISIONS.									
I.	NORTHERN	131,862	3333	2·527	230	6·9	2070	1·569	619	0·469
II.	NORTH-WESTERN . .	163,759	4561	2·785	297	6·5	2678	1·635	824	0·501
III.	NORTH-EASTERN . .	374,607	12993	3·468	2018	15·5	6740	1·799	2575	0·687
IV.	EAST-MIDLAND . . .	527,161	18254	3·462	2039	11·1	11731	2·225	4068	0·771
V.	WEST-MIDLAND . . .	242,957	7988	3·287	598	7·4	4784	1·969	1518	0·624
VI.	SOUTH-WESTERN . .	1,062,299	44034	4·145	3684	8·3	28966	2·726	9187	0·864
VII.	SOUTH-EASTERN . .	419,901	15205	3·620	1466	9·6	9883	2·353	3574	0·851
VIII.	SOUTHERN	213,511	6702	3·139	930	13·7	4039	1·891	1246	0·583
	COUNTIES.									
1	Shetland	31,921	842	2·638	44	5·2	515	1·613	155	0·485
2	Orkney	32,794	797	2·430	46	5·7	457	1·393	157	0·478
3	Caithness	43,223	1163	2·690	108	9·2	754	1·723	220	0·509
4	Sutherland	23,924	531	2·219	32	6·0	344	1·438	87	0·363
5	Ross and Cromarty .	81,850	2257	2·751	108	4·7	1362	1·664	372	0·454
6	Inverness	81,909	2304	2·812	189	8·2	1316	1·606	452	0·551
7	Nairn	8,461	256	3·025	31	12·1	157	1·855	56	0·661
8	Elgin	45,782	1424	3·110	213	14·9	773	1·688	243	0·530
9	Banff	58,001	1920	3·310	302	15·7	862	1·486	380	0·655
10	Aberdeen	227,543	8198	3·602	1292	15·7	4388	1·928	1618	0·711
11	Kincardine	34,820	1195	3·146	180	15·0	560	1·608	278	0·798
12	Forfar	312,325	8283	2·652	1095	13·2	5267	2·480	2001	0·640
13	Perth	131,426	3733	2·840	422	11·3	2654	2·019	796	0·605
14	Fife	155,543	5268	3·386	425	8·0	3188	2·043	1093	0·702
15	Kinross	8,353	226	2·705	28	12·8	181	2·166	58	0·694
16	Clackmannan	19,514	744	3·812	69	9·2	441	2·254	120	0·615
17	Stirling	89,978	3408	3·787	261	7·6	1842	2·047	721	0·801
18	Dumbarton	57,235	2085	3·642	147	7·0	1216	2·126	343	0·599
19	Argyll	79,533	2085	2·621	166	7·9	1359	1·708	351	0·441
20	Bute	16,211	410	2·529	24	5·8	367	2·265	103	0·635
21	Renfrew	173,337	7195	4·150	530	7·3	4793	2·706	1565	0·902
22	Ayr	202,923	7535	3·713	663	8·9	4062	2·001	1403	0·691
23	Lanark	686,039	29304	4·271	2491	8·4	20111	2·930	6219	0·906
24	Linlithgow	42,640	1812	4·249	156	8·6	842	1·974	317	0·748
25	Edinburgh	280,298	10227	3·648	962	9·4	7231	2·579	2651	0·945
26	Haddington	38,162	1224	3·207	129	10·5	739	1·936	238	0·623
27	Berwick	36,623	1139	3·110	128	11·2	654	1·786	220	0·600
28	Peebles	11,508	406	3·528	42	10·3	203	1·764	66	0·573
29	Selkirk	10,670	397	3·720	49	12·3	214	2·005	82	0·768
30	Roxburgh	54,780	1717	3·134	180	10·4	992	1·810	381	0·695
31	Dumfries	74,952	2414	3·220	345	14·3	1510	2·014	456	0·608
32	Kirkcudbright	42,231	1372	3·248	208	15·1	815	1·929	226	0·535
33	Wigtown	41,548	1199	2·885	197	16·4	722	1·738	183	0·440

years 1855 to 1862 inclusive, the marriage-rate in Scotland was 66 marriages annually in every ten thousand persons; but the proportion rose to 71 in 1863, to 73 marriages in 1864, and to 75 marriages in 1865, in a like population. The general prosperity of the country had induced the working classes to enter more largely into the married state, and the natural result was a higher birth-rate.

In England also during 1865 the birth-rate was considerably above the average of former years, yet the same as during 1864, viz. during both these years at the rate of 356 births in every ten thousand persons, or 3·56 per cent. The cause of that high proportion was apparently the same as that in Scotland, viz. an increase in the number and proportion of marriages,—the two countries, in so far as the births and marriages were concerned, exhibiting a rise during the same years. Though the registered births in England appear to show that the English birth-rate is lower than the Scottish, the probability is that the birth-rate is the same for both countries; the difference in favour of Scotland being caused by the fact that in it all the births are registered, whereas a considerable proportion of births escapes registration in England.

The proportion of births differed as usual in the three great groups of districts into which Scotland is divided. Thus, of the 113070 births, 5046 were registered in the Insular, 59321 in the Mainland-Rural, and 48703 in the Town Districts; thus indicating that for every ten thousand persons in each of these districts, 318 births occurred in the Insular, 332 in the Mainland-Rural, and 408 in the Town Districts. (Tables IV. and VII.) During the nine previous years (for the registration of the births was incomplete in 1855), for every ten thousand persons in each of these districts, 277 births occurred annually in the Insular, 332 in the Mainland-Rural, and 384 in the Town Districts. Hence it appears that the Mainland-Rural Districts, whose inhabitants are mainly devoted to agricultural pursuits, had not participated in the increased proportion of births, but had only maintained the exact average of former years. This is an important fact for the political statist.

Of the Eight Principal Towns of Scotland, the birth-rate was lowest in Perth, and highest in Dundee and Greenock, the two pre-eminently industrial towns. Thus to every 100 of the population there were 3·38 births in Perth, 3·55 in Edinburgh, 3·81 in Paisley, 3·85 in Aberdeen, 4·21 in Leith, 4·23 in Glasgow, 4·57 in Dundee, and 5·06 in Greenock.

Of the 113,070 births, 101,808 were legitimate, and 11262 illegitimate,

TABLE VIII.—BIRTHS, 1865. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Three Great Groups of Districts in 1865; together with the Number of Twin and Triplet Births.

1865. DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Insular	2,577	2,469	5,046	2,407	2,302	4,709	170	167	337	58	1
Mainland-Rural	30,561	28,760	59,321	27,327	25,691	53,018	3,234	3,069	6,303	707	5
Town	25,082	23,621	48,703	22,707	21,374	44,081	2,375	2,247	4,622	599	3
SCOTLAND . . .	58,220	54,850	113,070	52,441	49,367	101,808	5,779	5,483	11,262	1,364	9

giving a proportion of 9·9 illegitimate in every 100 births. As usual that proportion was higher in the Mainland-Rural than in the Town Districts, and lowest of all in the Insular Districts. Thus only 6·6 per cent. of the births were illegitimate in the Insular, 9·4 per cent. in the Town, but 10·6 per cent. in the Mainland-Rural Districts.

The fourth and fifth columns of Table VII. show the number and proportion of the illegitimate births in the several divisions and counties of Scotland. That table generally corresponds with those of former years, and shows that causes must exist in those counties which are included in the North-Eastern and Southern Divisions which favour illegitimacy, seeing that in these the proportion of illegitimate births is much higher than over the rest of the country. Thus only 6·5 per cent. of the births were illegitimate in the North-Western, and 6·9 per cent. in the Northern Divisions; while even in the populous South-Western Division, which contains the active manufacturing and mining counties of Renfrew, Ayr, and Lanark, only 8·3 per cent. of the births were illegitimate. But in the Southern Division 13·7 per cent. of the births were illegitimate, and in the North-Eastern Division 15·5 per cent. Eleven counties had above 12 per cent. of illegitimate births,—viz. Nairn, 12·1 per cent.; Selkirk, 12·3; Kinross, 12·8; Forfar, 13·2; Dumfries, 14·3; Elgin, 14·9; Kincardine, 15; Kirkcudbright, 15·1; Banff and Aberdeen, each 15·7; and Wigtown, 16·4 per cent.

Of the Eight Principal Towns of Scotland, Greenock had the lowest proportion of illegitimate births, Aberdeen the highest. Thus 5·4 per cent. of the births were illegitimate in Greenock, 6·2 per cent. in Leith, 8·9 in Perth, 9·1 in Paisley, 9·3 in Glasgow, 9·9 in Edinburgh 12·9 in Dundee, and 13·6 per cent. in Aberdeen.

Of the 113,070 children born during the year, 58220 were boys, and 54850 girls, giving the proportion of 106 boys to every 100 girls at birth. This is a proportion somewhat higher than usual, a ten years' average showing the proportion of 105·5 boys to 100 girls at birth. During this year the anomaly for Scotland occurred, of the proportion of boys being greater among the legitimate than among the illegitimate births. Taking a ten years' average (1855 to 1864 inclusive), 105·3 boys were born for every 100 girls among the legitimate births, while 107 boys were born to every 100 girls among the illegitimate births. But during the year

TABLE IX.—BIRTHS, 1865. Per-centage of Births to the Population, and of Illegitimate to the Total Births; also the Proportion of the Sexes in the Legitimate, Illegitimate, and Total Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland and its Three Great Groups of Districts in 1865.

1865. DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Insular	3·187	6·6	104·3	104·5	101·8	86	4986
Mainland-Rural	3·323	10·6	106·2	106·3	105·3	83	11721
Town	4·083	9·4	106·1	106·2	105·7	80	16032
SCOTLAND . . .	3·605	9·9	106·2	106·2	105·4	82	12409

1865, among the legitimate births there were 106·2 boys born for every 100 girls, while among the illegitimate births there were only 105·4 boys for every 100 girls. (Table IX.)

One in every 82 mothers bare twins during the year, and one in every 12409 bare triplets.

As the births during the year amounted to 113,070 and the deaths to 70891, the natural increase of the population by excess of births over deaths was 42179, and had no emigration occurred, the population of Scotland would have increased by that amount. The Emigration Commissioners, however, ascertained that there emigrated from the ports of Great Britain and Ireland at which there are emigration officers, 209,801 persons, of whom 100,767 were natives of Ireland, 61345 of England, 12870 of Scotland, and 28619 of foreign countries, while of 6291 persons the origin was not ascertained. Of these, 147,258 were ascertained to have emigrated to the United States, 17211 to British North America, 27283 to the Australian colonies, and 8049 to other places. If 407 be added to the ascertained Scottish emigrants as the proportion of persons whose nativity was not ascertained, the Scottish emigrants would amount to 13277, which number deducted from the excess of births over deaths would make the increase of the population during the year to amount to 28902 persons, or about 11000 more than the probable increase. At present no means exist for ascertaining the numbers who emigrate to England, Ireland, or the continent of Europe, or who sail from ports at which there are no emigration officers, or who join the army, navy, merchant shipping, etc.

MARRIAGES.

23611 marriages were registered in Scotland during the year 1865, being in the proportion of 75 marriages in every ten thousand persons of the estimated population. This is the highest marriage-rate noticed in Scotland up to that date since the Registration Act came into operation. (Tables I. and XI.) During the eight years 1855 to 1862 inclusive, the marriage-rate was very steady, being in the proportion of 66 marriages annually in every ten thousand persons; but in 1863 the proportion rose to 71 marriages, in 1864 it advanced to 73 marriages, and in 1865 to 75 marriages in every ten thousand persons.

TABLE X.—MARRIAGES, 1865. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportions to the Total Marriages.

RELIGIOUS DENOMINATIONS.		Number of Marriages.				Proportion in every 100 Marriages.			
		Insular Districts.	Mainland Rural Districts.	Town Districts.	SCOTLAND	Insular Districts.	Mainland Rural Districts.	Town Districts.	SCOTLAND
Regular Marriages.	Established Church . .	343	5907	3927	10177	44·20	52·82	33·71	43·10
	Free Church	290	2603	2743	5636	37·37	23·27	23·55	23·87
	United Presbyterian Church	68	1480	1797	3345	8·76	13·24	15·42	14·17
	Roman Catholic Church	25	621	1753	2399	3·22	5·55	15·05	10·16
	Episcopalian Church . .	1	124	351	476	0·13	1·11	3·01	2·02
	Other Denominations . .	41	424	1051	1516	5·29	3·79	9·02	6·42
	Denomination not stated	8	18	4	30	1·03	0·16	0·03	0·13
	Irregular Marriages . .	0	7	25	32	0·00	0·06	0·21	0·13
Total Marriages . .		776	11184	11651	23611	100·00	100·00	100·00	100·00

Though this is a very high marriage-rate for Scotland, it is far below that of England, which during 1865 was in the proportion of 88 marriages in every ten thousand persons.

The greater fecundity of the Scottish women seems, however, fully to make up for the lower marriage-rate in Scotland. Thus in England, during 1865, only 378 legitimate children were born to every 100 marriages, while in Scotland 435 legitimate children were born to the 100 marriages. The Registrar-General of England thinks that a more accurate mode of ascertaining the fecundity of the marriage is to compare the births with the number of marriages which occurred six years previously. Without at all agreeing with him in this,—nay, being able to prove from the Scottish statistics that his ideas are erroneous,—it may be mentioned that the mode of calculation makes no real difference in the results arrived at, seeing that both modes of calculation prove the superior fecundity of the Scottish women. Thus in England the mean annual number of marriages during

TABLE XI.—MARRIAGES, 1855–1865. Number of Marriages according to the Rites of the several Religious Denominations during each of the Eleven Years 1855–1865.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of							IRREGULAR MARRIAGES.
	Number.	Per-centage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not Registered.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·667	9307	4930	2846	1778	371	990	348	27
1863	22234	0·716	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·728	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·753	10177	5636	3345	2399	476	1516	30	32

TABLE XII.—MARRIAGES, 1855–1865. Per-centage of Marriages according to the Rites of the several Religious Denominations during each of the Eleven Years 1855–1865.

YEARS.	REGULAR MARRIAGES according to the Rites of							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Roman Catholic Church.	Episcopalian Church.	Other Denominations.	Denomination not Registered.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	21·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13

the years 1858, 1859, and 1860 was 164,649, while the legitimate births in 1865 numbered 701,484. This gives the proportion of 426 legitimate births for every 100 marriages in England. In Scotland during the years 1858, 1859, and 1860, the mean annual number of marriages was 20693, while the legitimate births in 1865 numbered 101,808. This gives the much higher proportion of 492 legitimate children for every 100 marriages in Scotland.

The same fact, however, is still more strikingly evidenced by comparing the number of children born during the year with the number of married women in the two countries who are at the ages capable of bearing children, viz. under 50 years of age. For the sake of strict accuracy, it is safest to make the comparison with the numbers of the married women under 50 years of age as ascertained by the census of 1861, though the very same conclusion is arrived at by estimating the numbers to the middle of the year 1865.

In Scotland there were 352,397 married women under 50 years of age in 1861, and to these were born 101,808 legitimate children during the year 1865. This shows that every 3·46 wives gave birth to one child during the year; or, in other words, that every 346 wives at the childbearing ages produced 100 children during the year.

In England, at the taking of the census in 1861, it was found that there were 2,674,755 wives under 50 years of age; and as 701,484 legitimate children were born in 1865, it is manifest that every 3·81 wives at the childbearing ages gave birth to one child during the year; or, in other words, that it required 381 wives in England to give birth to 100 children during the year.

This fact shows that the fecundity of the married women in Scotland is so much greater than that of the married women in England, that while to produce 100 children annually it requires 381 wives in England, it only requires 346 wives in Scotland.

TABLE XIII.—MARRIAGES, 1865. Ages of Men and Women at Marriage in Scotland and in its Three Great Groups of Districts in 1865.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	—	2	—	—	—	2	—	—
15—16	—	11	—	—	—	6	—	5
16—17	1	78	—	1	1	39	—	38
17—18	15	263	—	7	7	123	8	133
18—19	112	891	—	9	49	409	63	473
19—20	479	1612	10	23	212	757	257	832
20—21	1083	2153	10	59	499	950	574	1144
21—25	8169	8854	153	267	3800	4209	4216	4378
25—30	7045	5637	262	233	3456	2774	3327	2630
30—35	2903	2065	156	93	1411	1004	1336	968
35—40	1487	1038	76	50	674	466	737	522
40—45	917	560	35	12	448	237	434	311
45—50	573	243	23	9	253	110	297	124
50—55	370	94	17	4	169	38	184	52
55—60	212	42	12	1	88	21	112	20
60—65	135	12	6	1	68	6	61	5
65—70	48	5	4	—	17	3	27	2
70—75	28	—	5	—	11	—	12	—
75—80	4	—	1	—	1	—	2	—
80—85	2	—	—	—	1	—	1	—
85—90	—	—	—	—	—	—	—	—
Age not stated	28	51	6	7	19	30	3	14
ALL AGES	23,611	23,611	776	776	11,184	11,184	11,651	11,651

The marriage-rate in the three great groups of districts into which Scotland is divided was very different. Thus in the Insular Districts marriages occurred in the proportion of 49 marriages in every ten thousand persons, in the Mainland-Rural Districts in the proportion of 62 marriages in a like population, but in the Town Districts in the proportion of 97 marriages in a like population.

It is very instructive to look at the annual proportion of marriages in these three groups of districts since 1855, as shown in the last three columns of Table IV. It will there be seen at a glance what are the true barriers to marriage. With an increasing population and increasing commercial prosperity over the country, we there see that the proportion of marriages in the Insular Districts during the last eleven years has on the whole rather decreased. That there has been scarcely any increase in the proportion of marriages in the Mainland-Rural Districts during these eleven years, while the increase in the Town Districts has been very great during the last three years of the period, is indeed quite startling.

These figures tell a tale which political statisticians would do well to study.

TABLE XIV.—MARRIAGES, 1865. Per-centage of Men and Women at different Ages who contracted Marriage in Scotland in 1865.

AGES.	MEN.				WOMEN.			
	SCOTLAND.	Insular Districts.	Mainland Rural Districts.	Town Districts.	SCOTLAND.	Insular Districts.	Mainland Rural Districts.	Town Districts.
15—20 years	2·57	1·29	2·40	2·82	12·10	5·15	11·94	12·71
20—25	39·19	21·01	38·44	41·11	46·62	42·01	46·13	47·40
25—30	29·84	33·76	30·90	28·56	23·88	30·03	24·80	22·57
30—35	12·30	20·10	12·62	11·47	8·75	11·99	8·98	8·31
35—40	6·30	9·80	6·03	6·33	4·39	6·44	4·17	4·48
40—45	3·89	4·51	4·01	3·72	2·37	1·55	2·12	2·67
45—50	2·40	2·97	2·26	2·55	1·03	1·16	0·98	1·06
50 and above	3·39	5·79	3·17	3·42	0·65	0·77	0·61	0·68
Not stated.	0·12	0·77	0·17	0·02	0·21	0·90	0·27	0·12
ALL AGES	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XV.—MARRIAGES during the TEN YEARS 1855–1864. Number and Proportion of Men and Women, at each quinquennial period of life, who married in Scotland during the ten years 1855–1864.

AGES.	MEN.		WOMEN.	
	Number of Men who married at each Age.	Proportion at each Age in every 1000 Men who married.	Number of Women who married at each Age.	Proportion at each Age in every 1000 Women who married.
15—20 years	6,373	30·36	26,944	128·61
20—25	80,752	384·71	96,327	459·79
25—30	61,238	291·75	50,422	240·67
30—35	26,571	126·59	18,259	87·15
35—40	14,272	68·00	9,308	44·43
40—45	8,514	40·56	4,651	22·19
45—50	5,342	25·45	2,228	10·63
50 and above	6,840	32·58	1,363	6·53
ALL AGES	209,902	1000·00	209,507	1000·00

The above numbers do not include 420 men and 815 women whose ages were not ascertained.

They prove that the increase in the wealth and strength of the country is dependent on the industrial and commercial classes, and not on the agricultural. They prove that the agricultural classes have now attained as great a development as the soil can support, and that the sole outlet for the increase and enterprise of the nation is through its manufacturing industry and its commerce. They show that even in a highly civilized country, where no legislative enactments interfere with the freedom of the subject, Nature herself and the prudence of the people set up barriers which repress marriage, and thus prevent the population increasing beyond the means of support.

The same conclusions may be drawn from an examination of the proportion of marriages in each of the counties of Scotland. (See last column of Table VII.) It will be seen that the proportion of marriages to the population is very nearly in the ratio of the proportion of the people who devote their energies to commercial, industrial, and mining pursuits. The greater the proportion of these in the population, the higher is the proportion of marriages contracted annually. The county of Edinburgh is almost the only exception to this, for reasons which are known to every one, and need not here be particularized.

The proportion of marriages in each of the Eight Principal Towns of Scotland was very different during the year 1865. Thus, for every ten thousand persons in each of the towns, 79 marriages were contracted in Perth, 91 in Aberdeen, 94 in Leith, 98 in Glasgow, 99 in Paisley, 102 in Edinburgh, 109 in Greenock, and 120 in Dundee. (Table V.)

Of the 23611 marriages in Scotland, 10117 were contracted according to the rites of the Established Church, 5636 according to those of the Free Church, 3345 according to those of the United Presbyterian Church, 2399 according to those of the Romish Church, 476 according to those of the Episcopal Church, 1516 according to those of the smaller religious denominations, while in 30 cases the name of the religious denomination was not stated, and in 32 cases the marriage was contracted irregularly. (Table X.)

TABLE XVI.—MARRIAGES in SCOTLAND, 1865. Number of Men and Women under and above 25 years of age who contracted Marriage in 1865; also the Number who were Minors, or were under 21 years of age.

1865.	Number Married whose Ages were ascertained.		Number under 25 Years.		Number above 25 Years.		Number of Minors under 21 Years.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
SCOTLAND, . . .	23,583	23,560	9,859	13,864	13,724	9,696	1,690	5,010
Insular Districts, . .	770	769	173	366	597	403	20	99
Mainland-Rural do. . .	11,165	11,154	4,568	6,495	6,597	4,659	768	2,286
Town Districts, . . .	11,648	11,637	5,118	7,003	6,530	4,631	902	2,625
1. Northern Division,	613	612	178	301	435	311	23	87
2. North-Western do.	824	822	156	372	668	450	9	103
3. North-Eastern do.	2,574	2,573	946	1,457	1,628	1,116	136	526
4. East-Midland do.	4,063	4,061	1,739	2,321	2,324	1,740	294	715
5. West-Midland do.	1,515	1,517	548	865	967	652	82	287
6. South-Western do.	9,182	9,170	4,279	5,770	4,903	3,400	839	2,319
7. South-Eastern do.	3,569	3,562	1,515	2,066	2,054	1,496	230	730
8. Southern do.	1,243	1,243	498	712	745	531	77	243
EDINBURGH, . . .	1,784	1,781	647	969	1,137	812	96	345
GLASGOW, . . .	4,163	4,160	1,885	2,567	2,278	1,593	374	1017

These numbers yield proportions closely approximating those of former years, and show that 43·10 per cent. of the marriages were Established Church, 23·87 per cent. Free Church, 14·17 per cent. United Presbyterian Church, 2·02 per cent. Episcopal Church, 6·42 per cent. the smaller religious denominations, while in 0·13 per cent. the name of the religious denomination was omitted to be registered, and in 0·13 per cent. (that is, 13 in every ten thousand marriages) the marriage was irregular—that is to say, was contracted without previous proclamation of banns, and without a religious ceremony.

In the absence of more reliable information relative to the proportion of the different religious denominations in the population, these proportions indicate in a general way the relative proportions of the population attached to each; and the facts brought to light by Tables XI. and XII. seem to indicate that, while almost every class of Dissenters is annually increasing, the population attached to the Established Church is annually on the decrease.

Of the 23611 men who married in 1865, the ages of 23583 were ascertained, and of these 1690 were minors, or under 21 years of age. Of the 23611 women who married, the ages of 23560 were ascertained, and of these 5010 were under 21 years of age, or were minors. It thus appears that 7·16 per cent. of the men, and 21·26 per cent. of the women who married during the year 1865, were under 21 years of age. (Tables XVI. and XVII.)

In England during the same year, of the 185,474 marriages, the age of both parties was ascertained in only 120,392 instances. Of the 120,392 men who married, 10971 were under 21 years of age; and of the 120,392 women, 29487 were under 21 years of age. Hence 9·11 per cent. of the men, and 24·49 per cent. of the women who married in England in 1865, were under 21 years of age, being a considerably higher proportion than that of Scotland.

As the time of life when a man contracts marriage is chiefly dependent on his ability to support a wife, it is instructive to look at the per-centage of

TABLE XVII.—MARRIAGES in SCOTLAND, 1865. Per-centage of Men and Women under and above 25 years of age, the Per-centage of Minors, and the Per-centage of Marriages between Persons in different conjugal conditions.

1865.	Per-centage who Married.				Per-centage under 21 Years.		Proportion in every 100 Marriages.			
	Under 25 years.		Above 25 years.				Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND, . . .	41·38	58·84	58·62	41·16	7·16	21·26	85·97	2·53	8·77	2·73
Insular Districts, . .	22·46	47·59	77·54	52·41	2·59	12·87	84·93	1·61	11·71	1·75
Mainland-Rural do. .	40·91	58·14	59·09	41·86	6·87	20·49	87·85	1·88	8·49	1·78
Town Districts, . .	43·94	60·18	56·06	39·82	7·74	22·56	84·25	3·20	8·84	3·71
1. Northern Division,	29·04	49·18	70·96	50·82	3·75	14·21	86·88	0·99	10·80	1·33
2. North-Western do.	18·93	45·25	81·07	54·75	1·09	12·53	86·38	2·00	10·50	1·12
3. North-Eastern do.	36·75	56·62	63·25	43·38	5·28	20·44	87·90	2·29	8·25	1·56
4. East-Midland do.	42·80	57·15	57·20	42·85	7·23	17·60	87·67	1·21	8·64	2·48
5. West-Midland do.	36·17	57·02	63·83	42·98	5·47	18·92	85·87	2·73	8·74	2·66
6. South-Western do.	46·60	62·92	53·40	37·08	9·13	25·29	83·95	3·44	8·82	3·79
7. South-Eastern do.	42·45	58·00	57·55	42·00	6·44	20·49	86·69	2·34	8·82	2·15
8. Southern do.	40·06	57·28	59·94	42·72	6·19	19·55	88·76	1·94	7·60	1·70
EDINBURGH, . .	36·26	54·40	63·74	45·60	5·38	19·37	84·90	2·75	9·99	2·36
GLASGOW, . . .	45·28	61·68	54·72	38·32	8·98	24·44	83·31	3·72	8·50	4·47

men under 21 years of age who married in each of the eight divisions into which the counties of Scotland are divided. In the North-Western Division, consisting of purely Highland counties, where there is no outlet for the young but by the death of the aged, only 1·09 per cent. of the men who married were under 21 years of age. In the North-Eastern Division, where agricultural, commercial, and manufacturing operations are carried on with considerable vigour, 5·28 per cent. of the men who married were under 21 years of age. But in the South-Western Division, in which are included the counties which combine the mercantile, manufacturing, and mining activity of Scotland, no fewer than 9·13 per cent. of the men who married were under 21 years of age. (See Tables XV. and XVI.)

The same fact is strikingly illustrated by looking at the proportions in which men under 25 years of age contract marriage in the several divisions. (Tables XV. and XVI.) In the North-Western Division, where there are almost no openings for the young, only 18·93 per cent. of the men who married were under 25 years of age; whereas, in the great mining, manufacturing, and commercial South-Western Division, 46·60 per cent. of the men who married during the year were under 25 years of age.

Even the cities of Edinburgh and Glasgow, by their marriage returns, indicate the comparative facility of procuring a livelihood in each, by showing that the men are able to contract marriage in Glasgow much earlier in life than in Edinburgh. (Tables XV. and XVI.) Thus in Edinburgh only 5·38 per cent. of the men who married were under 21 years of age, and only 36·26 per cent. under 25 years of age. But in Glasgow 8·98 per cent. of the men who married in 1865 were under 21 years of age, and 45·28 per cent. under 25 years of age; and these proportions indicate very accurately the comparative facility of procuring a livelihood in each city.

For the purposes of comparison with the marriage statistics of England and of foreign countries, Table XV. has been added, showing the number and proportion of men and women at each quinquennial period of life who married in Scotland during the ten years 1855 to 1864. From this it appears, that (discarding decimals) of every thousand men who married during that period, 30 were between 15 and 20 years of age, 385 between 20 and 25 years of age, 292 between 25 and 30 years, 127 between 30 and

TABLE XVIII.—MARRIAGES in SCOTLAND, 1855–1865.

YEARS.	Per-centage of Persons who married under 21 years.		Per-centage of Persons who married.				Per-centage of Persons who Signed				Proportion in every 100 Marriages.			
			Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·6	77·2	11·4	22·8	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	88·2	76·1	11·8	23·9	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·9	75·2	12·1	24·8	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·2	76·0	11·8	24·0	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·1	77·8	10·9	22·2	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·7	78·3	10·3	21·7	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·4	78·7	10·6	21·3	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	90·0	79·7	10·0	20·3	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·1	77·9	10·9	22·1	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·5	76·1	11·5	23·9	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	86·97	2·53	8·77	2·73

35 years, 68 between 35 and 40 years, 41 between 40 and 45 years, 25 between 45 and 50 years, while only 32 were above 50 years of age.

Of every thousand women who married during the same period, 129

TABLE XIX.—MARRIAGES, 1865. Number of Marriages between Persons in different Conjugal Conditions; also the Number and Proportion of Men and Women who re-married.

DIVISIONS AND COUNTIES.		Total Marriages, condition specified.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.	RE-MARRIAGES.			
							Widowers.	Widows.	Proportion of WIDOWERS in every 100 Men who married.	Proportion of WIDOWS in every 100 Women who married.
SCOTLAND		23448	20158	593	2055	642	2697	1235	11.50	5.26
Insular Districts		743	631	12	87	13	100	25	13.45	3.36
Mainland-Rural Districts . .		11064	9720	208	939	197	1136	405	10.26	3.66
Town Districts		11641	9807	373	1029	432	1461	805	12.55	6.91
DIVISIONS.										
I.	NORTHERN	602	523	6	65	8	73	14	12.12	2.32
II.	NORTH-WESTERN	800	691	16	84	9	93	25	11.62	3.12
III.	NORTH-EASTERN	2570	2259	59	212	40	252	99	9.80	3.85
IV.	EAST-MIDLAND	4030	3533	49	348	100	448	149	11.11	3.70
V.	WEST-MIDLAND	1500	1288	41	131	40	171	81	11.40	5.40
VI.	SOUTH-WESTERN	9170	7698	315	809	348	1157	663	12.61	7.23
VII.	SOUTH-EASTERN	3539	3068	83	312	76	388	159	10.96	4.49
VIII.	SOUTHERN	1237	1098	24	94	21	115	45	9.29	3.63
COUNTIES.										
1	Shetland	143	123	—	19	1	20	1	13.98	0.70
2	Orkney	156	133	3	18	2	20	5	12.82	3.20
3	Caithness	216	189	3	20	4	24	7	11.11	3.24
4	Sutherland	87	78	—	8	1	9	1	10.34	1.15
5	Ross and Cromarty	372	323	9	38	2	40	11	10.75	2.93
6	Inverness	428	368	7	46	7	53	14	12.38	3.27
7	Nairn	56	49	—	6	1	7	1	12.50	1.78
8	Elgin	239	211	5	21	2	23	7	9.62	2.92
9	Banff	379	337	5	32	5	37	10	9.76	2.64
10	Aberdeen	1618	1416	45	129	28	157	73	9.70	4.51
11	Kincardine	278	246	4	24	4	28	8	10.07	2.87
12	Forfar	1995	1713	28	192	62	254	90	12.73	4.51
13	Perth	791	703	12	63	13	76	25	9.60	3.16
14	Fife	1067	951	8	86	22	108	30	10.12	2.80
15	Kinross	58	56	1	1	—	1	1	1.72	1.72
16	Clackmannan	119	110	—	6	3	9	3	7.56	2.52
17	Stirling	709	610	25	57	17	74	42	10.43	5.92
18	Dumbarton	341	291	11	29	10	39	21	11.44	6.15
19	Argyll	347	304	3	32	8	40	11	11.50	3.17
20	Bute	103	83	2	13	5	18	7	17.47	6.79
21	Renfrew	1563	1313	45	139	66	205	111	13.11	7.10
22	Ayr	1392	1178	28	148	38	186	66	13.36	4.74
23	Lanark	6215	5207	242	522	244	766	486	12.32	7.82
24	Linlithgow	304	271	10	16	7	23	17	7.56	5.59
25	Edinburgh	2641	2259	72	247	63	310	135	11.73	5.11
26	Haddington	236	214	1	20	1	21	2	8.89	0.85
27	Berwick	213	196	—	12	5	17	5	7.98	2.35
28	Peebles	64	58	—	6	—	6	—	9.37	0.00
29	Selkirk	81	70	—	11	—	11	—	13.58	0.00
30	Roxburgh	379	338	7	29	5	34	12	8.97	3.16
31	Dumfries	451	401	9	32	9	41	18	9.09	3.99
32	Kirkcudbright	224	196	6	19	3	22	9	9.82	4.01
33	Wigtown	183	163	2	14	4	18	6	9.83	3.27
EDINBURGH		1782	1513	49	178	42	220	91	12.34	5.10
GLASGOW		4163	3468	155	354	186	540	341	12.97	8.19

were between 15 and 20 years of age, 460 were between 20 and 25 years of age, 241 between 25 and 30 years, 87 between 30 and 35 years, 44

TABLE XX.—MARRIAGES, 1865. Number and Per-centage of Men and of Women who signed the Marriage Register by Mark, with the proportion of Men and of Women who signed by Mark and who signed in writing, in Scotland, its Divisions and Counties, in 1865.

DIVISIONS AND COUNTIES.		MEN.				WOMEN.			
		Number of Men who Married.	Number who signed by Mark.	Per-centage who signed by Mark.	Per-centage who signed their names in writing.	Number of Women who Married.	Number who signed by Mark.	Per-centage who signed by Mark.	Per-centage who signed their names in writing.
SCOTLAND		23611	2697	11·42	88·58	23611	5247	22·22	77·78
Insular Districts		776	195	25·13	74·87	776	285	36·72	63·28
Mainland-Rural Districts . . .		11181	913	8·16	91·84	11184	1786	15·96	84·04
Town Districts		11651	1589	13·63	86·37	11626	3176	27·26	72·74
DIVISIONS.									
I.	NORTHERN	619	36	5·81	94·19	619	110	17·77	82·23
II.	NORTH-WESTERN	824	250	30·34	69·66	824	398	48·30	51·70
III.	NORTH-EASTERN	2575	88	3·41	96·59	2575	376	14·60	85·40
IV.	EAST-MIDLAND	4068	379	9·31	90·69	4068	753	18·50	81·50
V.	WEST-MIDLAND	1518	192	12·64	87·36	1518	331	21·80	78·20
VI.	SOUTH-WESTERN	9187	1414	15·39	84·61	9187	2837	30·88	69·12
VII.	SOUTH-EASTERN	3574	274	7·66	92·34	3574	451	12·62	87·38
VIII.	SOUTHERN	1246	64	5·13	94·87	1246	91	7·30	92·70
COUNTIES.									
1	Shetland	155	11	7·09	92·91	155	43	27·74	72·26
2	Orkney	157	2	1·27	98·73	157	10	6·37	93·63
3	Caithness	220	13	5·91	94·09	220	32	14·54	85·46
4	Sutherland	87	10	11·49	88·51	87	25	28·73	71·27
5	Ross and Cromarty	372	126	33·87	66·13	372	177	47·58	52·42
6	Inverness	452	124	27·43	72·57	452	221	48·89	51·11
7	Nairn	56	9	16·07	83·97	56	13	23·21	76·78
8	Elgin	243	10	4·11	95·89	243	35	14·40	85·60
9	Banff	380	20	5·26	94·74	380	52	13·68	86·32
10	Aberdeen	1618	39	2·41	97·59	1618	149	9·20	90·80
11	Kincardine	278	10	3·59	96·41	278	27	9·71	90·29
12	Forfar	2001	303	15·14	84·86	2001	590	29·48	70·52
13	Perth	796	27	3·39	96·61	796	55	6·91	93·09
14	Fife	1093	45	4·11	95·89	1093	91	8·32	91·68
15	Kinross	58	2	3·44	96·56	58	3	5·17	94·83
16	Clackmannan	120	2	1·66	98·34	120	14	11·66	88·34
17	Stirling	721	82	11·37	88·63	721	157	21·77	78·23
18	Dumbarton	343	54	15·74	84·26	343	97	28·28	71·72
19	Argyll	351	48	13·67	86·33	351	70	19·94	80·06
20	Bute	103	8	7·76	92·24	103	7	6·79	93·21
21	Renfrew	1565	286	18·27	81·73	1565	528	33·73	66·27
22	Ayr	1403	189	13·47	86·53	1403	357	25·44	74·56
23	Lanark	6219	939	15·09	84·91	6219	1952	31·39	68·61
24	Linlithgow	317	70	22·08	77·92	317	84	26·49	73·51
25	Edinburgh	2651	166	6·26	93·75	2651	309	11·65	88·35
26	Haddington	238	28	11·76	88·24	238	42	17·62	82·38
27	Berwick	229	6	2·72	97·28	220	10	4·54	95·46
28	Peebles	66	2	3·03	96·97	66	4	6·06	93·94
29	Selkirk	82	2	2·44	97·56	82	2	2·44	97·56
30	Roxburgh	381	17	4·46	95·54	381	24	6·30	93·70
31	Dumfries	456	16	3·51	96·49	456	19	4·16	95·84
32	Kirkcudbright	226	11	4·87	95·13	226	20	8·85	91·15
33	Wigtown	183	20	10·92	89·08	183	28	15·30	84·70
EDINBURGH		1784	82	4·59	95·41	1784	159	8·91	91·09
GLASGOW		4163	685	16·45	83·55	4163	1426	34·25	65·75

between 35 and 40 years, 22 between 40 and 45 years, 11 between 45 and 50 years, while only six were above 50 years of age.

These proportions do not differ materially from those for the year 1865, shown in Table XIV.

Of the 23611 marriages contracted in 1865, the conjugal or civil condition of the parties previous to their entrance into the new engagement was ascertained in 23448 instances. Of these 23448 marriages, 20158 marriages were those of bachelors with spinsters, 593 were those of bachelors with widows, 2055 were those of widowers with spinsters, and 642 were those of widowers with widows. These numbers indicate that, in every 100 marriages, 85·97 were those of bachelors with spinsters, 2·53 were those of bachelors with widows, 8·77 were those of widowers with spinsters, while 2·73 marriages were between widowers and widows. (Tables XVII. and XIX.)

The last four columns of Table XIX. show the number and proportion of widowers and widows who re-married in the several groups of districts, divisions, and counties of Scotland during the year 1865. They show that the proportion of widows who re-marry is twice as great in the Town as in the Rural Districts; for while only 3·36 per cent. of the women who married were widows in the Insular Districts, and 3·66 per cent. widows in the Mainland-Rural Districts, 6·91 per cent. were widows in the Town Districts.

Widows, however, in the mining and manufacturing counties of Renfrew and Lanark, re-married in a much higher proportion than in the other counties of Scotland. Thus in Renfrew and Lanark 7·6 per cent. of the women who married during the year were widows, while in the whole of the remaining counties of Scotland only 4 per cent. of the women who married were widows. This is now a well-established fact relative to the social economy of the mining and manufacturing populations.

It is the same social peculiarity which causes such a difference between Edinburgh and Glasgow in the proportion of widows who re-marry. Thus, while only 5 per cent. of the women who married were widows in Edinburgh, 8 per cent. were widows in Glasgow—the difference between a manufacturing and a literary town.

The last four columns of Table XVIII. show the relative proportions of marriages between persons in different conjugal conditions for the eleven years 1855 to 1865 inclusive, by which it will be seen that the proportions of the different classes vary very little from year to year.

During 1865 the state of elementary education among the people, so far as such can be indicated by the proportion of men and women able to sign their names in writing, was much the same as in former years. Thus, during the year, of the 23611 men who married, 20914 signed their names in writing, while 2697, being unable to write, were obliged to sign by mark. Of the 23611 women who married, 18364 signed their names in writing, while 5247, not being able to write, appended a mark. These numbers indicate that 88·58 per cent. of the men, and 77·78 per cent. of the women were able to sign their names in writing; while 11·42 per cent. of the men, and 22·22 per cent. of the women, not being able to sign by writing, were obliged to sign by mark. During the same year in England only 77·5 per cent. of the men, and 68·8 per cent. of the women who married were able to sign the marriage registers in writing, while 22·5 per cent. of the men, and 31·2 per cent. of the women were obliged to sign by mark. Judged by this test it would appear that elementary education is in a much more advanced state in Scotland than in England, seeing that 11 per cent. more of the men, and 9 per cent. more of the women were able to write their names.

Ross, Cromarty, and Inverness are the counties which year after year show the highest proportion of persons unable to write. After them come the counties which contain the largest proportion of Irish, the proportion of inability to write being very closely proportioned to the number of persons of Irish descent in the population. The same is the case with regard to the towns, and the difference between the number of persons able to sign their names is chiefly to be attributed to that cause. Thus, while 95·41 per cent. of the men, and 91·09 per cent. of the women who married in Edinburgh were able to sign their names in writing, only 83·55 per cent. of the men, and 65·75 per cent. of the women in Glasgow could sign their names in writing,—showing the enormous difference in favour of Edinburgh of 12 men and 25 women more in every 100 who could write their names.

D E A T H S.

70891 deaths were registered in Scotland during the year 1865, being at the rate of 22·60 deaths in every thousand persons of the estimated population. This was a death-rate considerably lower than that of the previous year, which was in the proportion of 23·86 deaths in every thousand persons, but was above the mean of the nine previous years, which was in the annual proportion of 21·07 deaths in every thousand persons.

In England the death-rate was also above the average during 1865, being in the proportion of 23·39 deaths in every thousand persons, and consequently above the Scottish death-rate.

The Insular and Mainland-Rural Districts had, as usual, a much lower mortality than the Town Districts. Thus 2488 deaths occurred in the Insular Districts, 32992 in the Mainland-Rural, and 35411 in the Town Districts. This gives a death-rate in every thousand persons of 15·71 deaths in the Insular, 18·48 deaths in the Mainland-Rural, and 29·69 deaths in the Town Districts. The mean annual death-rate in every thousand persons in each of these Districts during the ten previous years was 16·13 deaths in the Insular, 18·21 deaths in the Mainland-Rural, and 27·20 deaths in the Town Districts. From this it will be seen that the increased mortality during 1865 was almost entirely confined to the towns.

Of the Eight Principal Towns in Scotland, the mortality was highest in Greenock, and lowest in Leith (Table XXIV.); but the mortality in every town was considerably above the average of former years. Thus,

TABLE XXI.—DEATHS in SCOTLAND in 1865.

1865.	NUMBER OF DEATHS.			PER-CENTAGE OF DEATHS to the Population.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular Districts	1236	1252	2488	1·717	1·450	1·571
Mainland-Rural Districts	16339	16653	32992	1·904	1·796	1·848
Town Districts	17615	17796	35411	3·193	2·775	2·969
SCOTLAND	35190	35701	70891	2·375	2·157	2·260

in every thousand persons living in each of these towns, 24·9 died during the year in Leith, 26·5 in Aberdeen, 27·3 in Perth, 27·8 in Edinburgh, 29·7 in Paisley, 31·0 in Dundee, 32·8 in Glasgow, and 39·5 in Greenock. The mean annual death-rate in every thousand persons in each of these towns during the ten previous years was 22·9 in Leith, 24·5 in Aberdeen, 25·0 in Edinburgh, 25·7 in Perth, 27·0 in Paisley, 27·8 in Dundee, 30·1 in Glasgow, and 32·2 in Greenock.

Now that so much attention is given to sanitary improvements, and that so much money is expended thereon in the different towns, it is very important that the facts disclosed by Tables XIII. and XXIV. should be carefully studied, because they indicate that, instead of the mortality having decreased in the towns during the last six years, when these sanitary measures were in full operation, the death-rate has largely increased.

As in former years, males died in a higher proportion than females, seeing that in every thousand of each sex, 23·75 males died during the year, but only 21·57 females. During the ten previous years, in every thousand of each sex there died annually 22·38 males, but only 20·41 females. By comparing the last two columns of Table XXV., it will be seen that males were cut off in a higher proportion than females at every age of life excepting during the period from the fourth to the fifteenth year of life. At all other ages, even during the childbearing period of life, females died in lower proportions than males. A ten years' average shows that males in

TABLE XXII.—DEATHS in SCOTLAND during each of the Eleven Years 1855–1865, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	30626	31378	62004	1293	1400	2693	15300	15593	30893	14033	14385	28418
1856	29418	29111	58529	1042	1124	2166	14560	14265	28825	13816	13722	27538
1857	30937	30969	61906	1141	1165	2306	15195	15195	30390	14601	14609	29210
1858	31652	31887	63539	1153	1224	2377	15698	15866	31564	14801	14797	29598
1859	30588	31126	61714	1252	1381	2633	15317	15642	30959	14019	14103	28122
1860	33610	34560	68170	1319	1395	2714	16510	16848	33358	15781	16317	32098
1861	30890	31451	62341	1235	1327	2562	15320	15485	30804	14326	14639	28965
1862	33179	34016	67195	1445	1530	2975	16178	16516	32694	15556	15970	31526
1863	35681	35850	71481	1427	1507	2934	17222	17500	34722	16982	16843	33825
1864	37010	37406	74416	1283	1437	2720	17679	18040	35719	18048	17929	35977
1865	35190	35701	70891	1236	1252	2488	16339	16653	32992	17615	17796	35411

TABLE XXIII.—Per-centage of Deaths to the Population in the Insular, Mainland-Rural, and Town Districts of Scotland, during each of the Eleven years 1855–1865.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·162	2·003	2·082	1·714	1·577	1·644	1·828	1·742	1·784	2·781	2·527	2·675
1856	2·065	1·850	1·953	1·387	1·269	1·293	1·735	1·588	1·659	2·769	2·381	2·561
1857	2·161	1·958	2·055	1·526	1·316	1·411	1·807	1·686	1·744	2·896	2·505	2·685
1858	2·202	2·005	2·098	1·549	1·390	1·463	1·862	1·778	1·806	2·901	2·507	2·690
1859	2·120	1·940	2·028	1·690	1·573	1·626	1·812	1·723	1·766	2·719	2·361	2·527
1860	2·321	2·150	2·231	1·788	1·593	1·682	1·948	1·849	1·897	3·026	2·700	2·851
1861	2·127	1·917	2·032	1·684	1·520	1·595	1·803	1·692	1·746	2·710	2·387	2·537
1862	2·273	2·093	2·178	1·979	1·758	1·859	1·899	1·799	1·847	2·912	2·598	2·730
1863	2·429	2·192	2·305	1·961	1·736	1·840	2·107	1·900	1·956	3·143	2·685	2·897
1864	2·511	2·274	2·386	1·774	1·660	1·712	2·065	1·952	2·006	3·306	2·827	3·048
1865	2·375	2·157	2·260	1·717	1·450	1·571	1·904	1·796	1·848	3·193	2·775	2·969

Scotland die in higher proportions than females, at all ages excepting during the third, fourth, and fifth years of life, and from 10 to 15 years of age, during which years the female deaths very slightly preponderate.

This greater mortality of the male was most strikingly evidenced during the first year of life, for during 1865, of every thousand males under one year of age 165·71 died, but in every thousand females at the same age only 137·97 died. This was above the mean annual proportion during the ten previous years, for during that period, in every thousand of either sex under one year of age, 151·96 males, but only 126·82 females died annually.

It is interesting to note the very different mortality of children under one year of age in the Rural and in the Town Districts. Thus, in every thousand of each sex, there died in the Mainland-Rural Districts 127·70 males, and 106·99 females; but in the Town Districts there died 223·91 males, and 185·42 females under one year of age.

Take all the children under 5 years, and the same striking fact is manifested. Thus, in every thousand of each sex under 5 years of age, there died during the year 45·94 males, and 41·42 females in the Mainland-Rural Districts; but 97·03 males, and 87·17 females out of an equal number of each sex at these ages in the Town Districts.

With both sexes the age at which there was the smallest mortality was from the tenth to the fifteenth year of life, and this was the same in Town and in Rural Districts. From birth till the tenth year of life the mortality diminished; from the fifteenth year to the close of life the mortality slowly but regularly increased with the increase of age.

At every successive age of life the mortality of both sexes was higher in the Town than in the Rural Districts. (Tables XXVII. and XXVIII.) Thus, while only 9 women died during the year out of every 1000 between 30 and 40 years of age in the Mainland-Rural Districts, 15 died in the Town Districts; while only 15 died in every 1000 women between 50 and 60 years of age in the Mainland-Rural Districts, 29 died in the Town Districts; while only 77 died in every 1000 women between 70 and 80 years of age in the Mainland-Rural Districts, 115 died in the Town Districts.

If the Eight Principal Towns of Scotland were arranged in the order of least mortality among male children under one year of age, Perth would stand at the head of the list as showing the smallest proportion of deaths,

TABLE XXIV.—TOWN DEATHS, 1855–1865. Per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland.

TOWNS.	PER-CENTAGE OF DEATHS TO POPULATION.											
	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Mean Annual Mortality.	1865.
Glasgow .	2·99	2·84	3·08	3·05	2·83	3·19	2·75	2·86	3·24	3·27	3·01	3·28
Edinburgh	2·57	2·49	2·26	2·49	2·19	2·50	2·44	2·77	2·60	2·69	2·50	2·78
Dundee .	2·53	2·84	2·57	2·64	2·53	3·20	2·60	2·79	2·87	3·25	2·78	3·10
Aberdeen	2·28	2·26	2·34	2·20	2·28	2·97	2·40	2·59	2·35	2·87	2·45	2·65
Paisley .	2·76	2·30	3·02	2·67	2·49	2·90	2·54	2·64	2·56	3·20	2·70	2·97
Greenock	3·38	3·03	3·06	2·59	3·34	2·90	2·52	3·06	4·13	4·19	3·22	3·59
Leith .	1·97	2·39	2·17	2·26	1·98	2·76	2·12	2·38	2·47	2·49	2·29	2·52
Perth . .	2·19	2·19	3·10	2·67	2·24	2·64	2·62	2·35	2·46	3·28	2·57	2·73

and Greenock at the bottom as showing the highest. Thus, discarding decimals, of every 1000 male infants under one year of age in each of the Eight Towns, there died during the year 167 in Perth, 196 in Paisley, 201

TABLE XXV.—SCOTLAND, 1865. Population and Deaths at different Ages, and Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.*		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	47,116	45,595	7808	6291	16·571	13·797
— 2	43,036	41,837	3150	2995	7·322	7·158
— 3	43,375	42,175	1432	1369	3·301	3·246
— 4	41,919	41,126	960	954	2·290	2·319
— 5	41,236	39,856	699	679	1·695	1·703
Total under 5 Years	216,682	210,589	14049	12288	6·483	5·787
5—10	198,204	183,381	1705	1640	0·860	0·894
10—15	168,559	161,547	876	925	0·519	0·572
15—20	153,688	161,165	1220	1146	0·793	0·711
20—30	234,929	292,440	2670	2721	1·136	0·930
30—40	163,693	212,788	2266	2535	1·384	1·191
40—50	139,730	165,976	2416	2466	1·729	1·485
50—60	101,759	122,289	2511	2469	2·467	2·019
60—70	66,606	88,364	2906	3231	4·363	3·645
70—80	29,063	41,930	2697	3532	9·245	8·423
80—90	7,900	12,870	1589	2276	20·113	17·684
90—100	612	1,206	217	409	35·457	33·913
100 and above	30	57	10	27	33·333	47·368
Not stated	—	—	58	36	—	—
ALL AGES	1,481,455	1,654,602	35190	35701	2·375	2·157
BOTH SEXES	3,136,057		70891		2·260	

TABLE XXVI.—INSULAR DISTRICTS, 1865. Population and Deaths at different Ages, and Per-centage of Deaths at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,956	1,861	226	181	11·554	9·725
— 2	1,887	1,847	78	59	4·133	3·194
— 3	1,991	1,981	37	36	1·858	1·817
— 4	1,947	1,873	23	24	1·181	1·281
— 5	2,028	1,919	16	17	0·788	0·885
Total under 5 Years	9,809	9,481	380	317	3·863	3·435
5—10	9,299	9,095	39	31	0·419	0·340
10—15	8,529	8,314	33	22	0·386	0·264
15—20	7,382	8,188	46	32	0·623	0·390
20—30	10,039	14,261	107	91	1·065	0·638
30—40	7,484	10,827	62	101	0·832	0·932
40—50	6,280	8,643	61	64	0·971	0·740
50—60	5,468	6,943	86	61	1·573	0·878
60—70	4,549	5,990	110	133	2·418	2·220
70—80	2,267	3,101	156	189	6·881	6·094
80—90	791	1,289	122	153	15·423	11·093
90—100	84	153	25	46	29·761	30·065
100 and above	4	19	1	6	25·000	31·578
Not stated	—	—	8	6	—	—
ALL AGES	71,985	86,304	1236	1252	1·717	1·450
BOTH SEXES	158,289		2488		1·571	

* The Populations of this and of the eleven consecutive Tables are calculated to the middle of the year, so as to give the true proportion of deaths.

in Leith, 203 in Aberdeen, 219 in Edinburgh, 239 in Glasgow, 252 in Dundee, and 292 in Greenock.

If arranged according to the least mortality among female children under one year of age, Paisley would be at the head of the list as showing the least mortality, and Dundee at the bottom. Thus, of every 1000 female

TABLE XXVII.—MAINLAND-RURAL DISTRICTS, 1865. Population and Deaths at Different Ages and Per-centage of Deaths to Population.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	26,296	25,506	3358	2729	12·770	10·699
— 2	24,882	24,129	1167	1091	4·690	4·521
— 3	25,155	24,453	568	534	2·257	2·184
— 4	24,674	23,935	381	385	1·544	1·609
— 5	24,370	23,507	287	295	1·177	1·254
Total under 5 Years	125,377	121,530	5761	5034	4·594	4·142
5—10	112,412	108,520	801	802	0·712	0·739
10—15	101,572	96,140	452	460	0·445	0·478
15—20	89,767	88,671	602	554	0·670	0·624
20—30	126,241	150,393	1230	1182	0·974	0·786
30—40	94,752	112,636	903	1058	0·953	0·939
40—50	79,069	90,849	937	979	1·184	1·077
50—60	60,829	69,503	1139	1081	1·872	1·555
60—70	42,119	52,544	1534	1631	3·642	3·104
70—80	19,737	26,798	1655	2075	8·385	7·743
80—90	5,628	8,703	1120	1491	19·900	17·132
90—100	432	803	159	269	36·805	33·498
100 and above	23	32	7	19	30·434	57·812
Not stated	—	—	39	18	—	—
ALL AGES	857,958	927,122	16339	16653	1·904	1·796
BOTH SEXES	1,785,080		32992		1·848	

TABLE XXVIII.—TOWN DISTRICTS, 1865. Population and Deaths at Different Ages, and Per-centage of Deaths to Population.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	18,864	18,228	4224	3381	22·391	18·542
— 2	16,267	15,861	1905	1845	11·711	11·632
— 3	16,229	15,741	827	799	5·096	5·075
— 4	15,298	15,318	556	545	3·634	3·558
— 5	14,838	14,430	396	367	2·668	2·543
Total under 5 Years	81,496	79,578	7908	6937	9·703	8·717
5—10	66,493	65,766	865	807	1·300	1·227
10—15	58,458	57,093	391	443	0·668	0·775
15—20	56,539	64,306	572	560	1·011	0·878
20—30	98,649	127,786	1333	1448	1·351	1·133
30—40	71,457	89,325	1301	1376	1·820	1·529
40—50	54,381	66,484	1418	1423	2·607	2·140
50—60	35,462	45,843	1286	1327	3·626	2·894
60—70	19,938	29,830	1262	1467	6·329	4·917
70—80	7,059	11,031	886	1268	12·551	11·495
80—90	1,481	2,878	347	632	23·430	21·959
90—100	96	240	33	94	34·375	39·166
100 and above	3	6	2	2	66·666	33·333
Not stated	—	—	11	12	—	—
ALL AGES	551,512	641,176	17615	17796	3·193	2·775
BOTH SEXES	1,192,688		35411		2·969	

infants under one year of age in each of these towns, there died 143 in Paisley, 156 in Perth, 177 in Aberdeen, 179 in Edinburgh, 189 in Leith, 192 in Glasgow, 222 in Greenock, and 232 in Dundee.

Again, if arranged according to the least mortality among the females from 20 to 30 years of age, Edinburgh and Aberdeen would stand at the

TABLE XXIX.—GLASGOW, 1865. Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	7,339	6,944	1760	1337	23·981	19·254
— 2	5,988	5,884	877	879	14·646	14·921
— 3	5,781	5,729	364	376	6·296	6·563
— 4	5,408	5,476	240	250	4·438	4·565
— 5	5,221	5,054	174	171	3·332	3·383
Total under 5 Years	29,737	29,087	3415	3013	11·484	10·355
5—10	22,714	22,515	358	347	1·576	1·541
10—15	19,885	19,533	144	188	0·724	0·962
15—20	20,957	23,365	265	208	1·264	0·890
20—30	38,806	48,232	568	602	1·463	1·248
30—40	27,162	32,462	523	570	1·925	1·755
40—50	19,814	22,996	553	572	2·791	2·489
50—60	11,655	14,614	480	494	4·118	3·380
60—70	5,900	8,724	422	463	7·150	5·307
70—80	1,619	2,971	217	311	13·403	10·468
80—90	300	597	63	114	21·000	19·095
90—100	20	56	6	14	30·000	25·000
100 and above	1	1	1	1	100·000	100·000
Not stated	—	—	2	—	—	—
ALL AGES	198,570	225,153	7017	6897	3·533	3·063
BOTH SEXES	423,723		13914		3·283	

TABLE XXX.—EDINBURGH, 1865. Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,275	2,385	500	428	21·978	17·946
— 2	2,043	2,049	226	204	11·062	9·956
— 3	2,016	1,955	102	69	5·059	3·529
— 4	1,888	1,943	64	45	3·389	2·362
— 5	1,974	1,801	37	44	1·874	2·443
Total under 5 Years	10,196	10,133	929	790	9·111	7·795
5—10	8,869	8,722	81	84	0·913	0·963
10—15	8,127	7,931	46	46	0·566	0·580
15—20	8,175	9,964	69	61	0·844	0·612
20—30	14,800	19,871	174	170	1·175	0·855
30—40	10,041	13,664	237	193	2·360	1·412
40—50	7,617	10,592	229	201	3·006	1·897
50—60	5,238	7,744	207	219	3·951	2·828
60—70	3,158	5,218	222	279	7·029	5·346
70—80	1,228	2,136	145	261	11·807	12·216
80—90	230	476	69	121	30·000	25·420
90—100	9	40	3	17	33·333	42·500
100 and above	—	1	—	—	—	—
Not stated	—	—	1	4	—	—
ALL AGES	77,688	96,492	2412	2446	3·104	2·535
BOTH SEXES	174,180		4858		2·780	

head of the list as showing the least mortality, and Greenock at the bottom. Thus, during 1865, of every 1000 females between the ages of 20 and 30 in each of the towns, there died 8·55 in Edinburgh and Aberdeen, 8·57 in Perth, 9·63 in Leith, 10·23 in Paisley, 11·96 in Dundee, 12·48 in Glasgow, and 14·23 in Greenock.

TABLE XXXI.—DUNDEE, 1865. Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,554	1,455	392	339	25·225	23·298
— 2	1,212	1,242	178	160	14·686	12·882
— 3	1,363	1,229	62	58	4·549	4·719
— 4	1,183	1,184	44	35	3·719	2·956
— 5	1,144	1,186	29	28	2·534	2·360
Total under 5 Years	6,456	6,269	705	620	10·920	9·889
5—10	5,363	5,409	76	60	1·417	1·109
10—15	4,646	4,667	41	37	0·882	0·792
15—20	4,227	5,724	48	48	1·135	0·838
20—30	7,053	11,870	111	142	1·573	1·196
30—40	5,270	7,771	112	130	2·125	1·685
40—50	4,033	5,600	111	124	2·752	2·214
50—60	2,999	3,876	93	110	3·101	2·837
60—70	1,477	2,280	104	106	7·041	4·649
70—80	488	800	63	84	12·909	10·500
80—90	83	188	23	38	27·710	20·212
90—100	12	18	2	7	16·666	38·888
100 and above	1	—	—	—	—	—
Not stated	—	—	3	2	—	—
ALL AGES	42,108	54,499	1492	1508	3·543	2·767
BOTH SEXES	96,607		3000		3·105	

TABLE XXXII.—ABERDEEN, 1865. Population and Deaths at Different Ages and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,046	998	213	177	20·363	17·735
— 2	939	883	55	59	5·857	6·681
— 3	960	935	35	33	3·645	3·518
— 4	914	897	30	35	3·271	3·902
— 5	892	841	21	14	2·354	1·664
Total under 5 Years	4,751	4,554	354	318	7·451	6·982
5—10	4,287	4,102	60	49	1·399	1·192
10—15	3,879	3,958	18	19	0·461	0·480
15—20	3,357	3,840	31	34	0·923	0·885
20—30	4,990	7,481	83	64	1·663	0·855
30—40	3,716	5,683	58	84	1·560	1·478
40—50	3,205	4,539	74	79	2·308	1·740
50—60	2,465	3,551	77	79	3·123	2·224
60—70	1,457	2,515	78	94	5·353	3·753
70—80	621	1,215	68	122	10·950	10·041
80—90	155	349	44	78	28·387	22·349
90—100	11	31	2	12	18·181	38·709
100 and above	—	1	—	1	—	100·000
Not stated	—	—	—	1	—	—
ALL AGES	32,894	41,822	947	1034	2·878	2·472
BOTH SEXES	74,716		1981		2·651	

CAUSES OF DEATH.

Of the 70891 deaths registered in Scotland during the year 1865, the cause of death was recorded in 67727 instances. In most of the remaining 3164 cases, the cause of death was recorded in such indefinite terms that the

TABLE XXXIII.—PAISLEY, 1865. Population and Deaths at different Ages, and the Per-centage of Deaths to the Population.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	785	780	154	112	19·617	14·358
— 2	680	659	71	72	10·441	10·925
— 3	724	642	47	30	6·466	4·672
— 4	652	643	22	19	3·374	2·954
— 5	621	581	29	15	4·698	2·581
Total under 5 Years	3,462	3,305	323	248	9·392	7·503
5—10	2,759	2,872	38	35	1·377	1·218
10—15	2,438	2,409	18	21	0·738	0·871
15—20	2,130	2,598	16	43	0·751	1·659
20—30	3,497	4,690	36	48	1·029	1·023
30—40	2,630	3,293	41	50	1·559	1·518
40—50	2,134	2,520	54	60	2·530	2·381
50—60	1,472	1,857	44	45	2·989	2·477
60—70	925	1,272	49	67	5·297	5·267
70—80	373	559	44	67	11·796	11·985
80—90	81	129	23	34	28·395	26·356
90—100	12	10	3	2	25·000	20·000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	1	—	—
ALL AGES	21,913	25,514	689	721	3·144	2·825
BOTH SEXES	47,427		1410		2·973	

TABLE XXXIV.—GREENOCK, 1865. Population and Deaths at different Ages, and the Per-centage of Deaths to the Population.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	832	747	243	166	29·206	22·222
— 2	644	641	92	96	14·285	14·976
— 3	699	648	37	44	5·293	6·790
— 4	665	660	30	38	4·511	5·757
— 5	609	619	20	15	3·284	2·423
Total under 5 Years	3,449	3,315	422	359	12·235	10·829
5—10	2,739	2,652	33	43	1·204	1·621
10—15	2,238	2,122	10	20	0·446	0·942
15—20	2,240	2,128	22	31	0·982	1·456
20—30	4,396	4,496	79	64	1·797	1·423
30—40	3,225	3,478	53	69	1·643	1·983
40—50	2,312	2,469	80	57	3·458	2·308
50—60	1,335	1,535	63	38	4·718	2·475
60—70	709	1,028	45	62	6·347	6·031
70—80	243	369	38	42	15·638	11·382
80—90	40	97	14	22	35·000	22·680
90—100	5	10	2	5	40·000	50·000
100 and above	—	1	—	—	—	—
Not stated	—	—	—	2	—	—
ALL AGES	22,935	23,700	861	814	3·754	3·434
BOTH SEXES	46,635		1675		3·591	

death could not be referred to any particular class of diseases, while in a small number no cause of death was assigned. Less than $4\frac{1}{2}$ per cent. (4.463 per cent.), therefore, could not be classified as having fallen victims to any special cause of death. In comparing the deaths from different

TABLE XXXV.—LEITH, 1865. Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	605	553	122	105	20.165	18.987
— 2	582	493	51	38	8.762	7.707
— 3	512	509	16	24	3.125	4.715
— 4	513	500	9	14	1.756	2.800
— 5	501	460	6	8	1.197	1.739
Total under 5 Years	2,713	2,515	204	189	7.445	7.554
5—10	2,149	2,111	27	20	1.256	0.947
10—15	1,933	1,741	9	5	0.465	0.287
15—20	1,704	1,763	12	6	0.704	0.340
20—30	3,890	3,423	31	33	0.796	0.963
30—40	2,664	2,689	44	40	1.651	1.487
40—50	1,789	2,026	47	35	2.640	1.727
50—60	1,041	1,332	36	36	3.418	2.702
60—70	576	894	33	48	5.729	5.369
70—80	208	365	26	31	12.500	8.476
80—90	38	84	6	21	15.789	28.571
90—100	2	4	2	4	100.000	100.000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	18,701	18,947	477	471	2.550	2.489
BOTH SEXES	37,648		948		2.518	

TABLE XXXVI.—PERTH, 1865. Population and Deaths at Different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	369	352	62	55	16.774	15.653
— 2	345	336	27	32	7.826	9.523
— 3	331	321	15	17	4.531	5.296
— 4	359	322	14	7	3.900	2.173
— 5	299	302	9	11	3.010	3.642
Total under 5 Years	1,703	1,683	127	122	7.457	7.470
5—10	1,386	1,437	18	14	1.298	0.974
10—15	1,309	1,296	6	7	0.583	0.540
15—20	1,292	1,371	13	11	1.006	0.802
20—30	2,034	2,567	22	22	1.081	0.857
30—40	1,587	1,995	33	23	2.079	1.152
40—50	1,203	1,530	32	33	2.660	2.157
50—60	855	1,175	35	30	4.093	2.553
60—70	569	943	38	42	6.672	4.453
70—80	242	397	29	34	11.983	8.564
80—90	66	100	13	20	19.696	20.000
90—100	2	5	2	3	100.000	60.000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	12,248	14,449	368	361	3.004	2.498
BOTH SEXES	26,697		729		2.730	

diseases with the population, this per-centage has therefore been allowed for, so as to give a true idea of the per-centage of deaths by each disease in the population.

TABLE XXXVII.—DEATHS, 1865. Proportion of Deaths from different causes to every hundred thousand persons of the Population in 1865.

1865.	Proportion of DEATHS in every 100,000 Living.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
ALL CAUSES . . .	2260	2375	2157	1571	1717	1450	1848	1901	1796	2969	3193	2775
1. Zymotic Class . . .	562	589	538	292	337	242	411	414	408	821	889	762
2. Uncertain Seat . . .	78	64	91	62	60	64	75	62	88	85	69	100
3. Tubercular Class . . .	381	393	369	227	244	212	304	310	298	515	541	492
4. Nervous System . . .	179	199	161	113	144	85	149	160	139	233	268	203
5. Organs of Circulation . . .	101	107	96	41	48	35	88	93	82	130	136	124
6. Respiratory Organs . . .	312	342	285	161	187	139	213	236	193	476	524	434
7. Organs of Digestion . . .	168	181	157	96	119	78	151	161	142	204	220	190
8. Urinary Organs . . .	31	45	19	18	28	9	30	45	16	35	47	25
9. Generative Organs . . .	19	—	37	18	—	34	16	—	32	24	—	44
10. Locomotive Organs . . .	14	15	12	11	11	10	12	14	11	17	19	16
11. Skin, etc.	3	4	2	—	—	1	4	5	2	3	4	2
12. Malformation	7	7	6	4	5	2	6	6	6	8	8	7
13. Premature Debility . . .	101	123	86	49	46	50	81	94	68	145	176	117
14. Atrophy	15	14	16	8	8	6	12	12	12	21	19	22
15. Age	194	150	231	403	348	447	216	171	257	142	102	177
16. Sudden Deaths . . .	5	7	4	1	1	1	4	4	4	8	12	5
17. Violent Deaths . . .	79	127	36	70	124	26	69	111	30	96	154	47
Small-pox	12	14	11	5	5	5	13	15	12	12	15	10
Measles	39	43	36	4	8	—	18	18	17	75	84	68
Scarlatina	75	83	67	22	25	20	55	62	48	110	123	99
Diphtheria	33	33	32	33	38	28	40	40	40	23	23	23
Whooping-cough . . .	77	74	79	49	52	47	43	39	46	130	129	131
Croup	33	39	29	39	52	28	33	36	29	35	43	28
DIARRHŒA	57	59	54	16	21	12	38	41	35	88	91	86
Dysentery	10	10	9	4	3	5	9	9	16	12	13	12
Cholera	7	8	5	4	5	4	6	7	5	9	12	6
Influenza	5	5	5	11	11	11	6	6	7	3	3	3
ALL FEVERS	179	191	168	70	85	59	118	118	120	273	316	252
Viz. Typhus	109	122	97	47	52	42	52	55	48	202	233	174
Enteric	36	33	37	7	7	6	36	33	39	37	37	36
Relapsing	1	2	1	2	5	—	2	3	2	2	2	2
Continued	28	28	28	14	20	9	24	22	26	35	37	34
Infantile	5	6	5	—	1	—	5	5	5	7	7	6
Metria	7	—	13	3	—	6	7	—	13	8	—	15
Erysipelas	10	10	9	8	10	5	9	9	9	11	12	10
Dropsy	23	21	24	26	20	31	22	20	24	23	22	24
Cancer	42	29	53	26	33	20	41	29	51	45	29	60
Scrofula	20	23	17	15	23	9	18	21	16	23	27	20
Tabes Mesenterica . . .	29	35	24	8	13	4	23	26	21	40	52	30
PHTHISIS	269	263	276	181	179	182	217	211	223	358	355	363
Hydrocephalus	61	71	52	21	28	16	44	51	37	91	106	78
Apoplexy	39	44	35	27	40	16	36	40	32	46	50	42
Paralysis	56	55	56	37	50	26	52	49	55	64	66	62
Epilepsy	7	7	7	5	6	4	6	6	6	10	10	10
Convulsions	29	34	25	7	8	5	12	20	15	49	58	41
BRONCHITIS	206	214	200	74	78	69	132	137	129	330	346	317
Pneumonia	66	82	51	34	52	20	47	59	36	96	119	75
Teething	35	39	31	10	16	5	22	25	19	56	62	50
Enteritis	31	35	28	10	8	11	29	33	26	36	42	32
All Liver Diseases . . .	33	36	30	25	40	13	31	33	29	36	40	33
CHILDBIRTH	14	—	26	16	—	30	11	—	20	18	—	34
Burns and Scalds . . .	9	14	8	10	10	9	8	9	7	10	12	9
Drowning	17	32	4	38	80	4	18	33	5	13	25	4
Fracture & Contusion . .	29	52	8	12	16	8	26	47	7	36	65	10

The zymotic or epidemic and contagious class of diseases cut off 16863 persons in Scotland during the year 1865, of whom 8318 were males and 8545 females. The deaths from the zymotic class thus constituted 24·89

TABLE XXXVIII.—DEATHS, 1865. Proportion of Deaths from different causes in every ten thousand Deaths from specified causes in 1865.

1865.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
DISEASES.												
1. Zymotic Class . . .	2489	2481	2497	1857	1960	1673	2224	2173	2274	2766	2784	2747
2. Uncertain Seat . . .	347	271	423	398	351	444	406	327	489	289	216	361
3. Tubercular Class . .	1685	1656	1714	1444	1424	1465	1646	1621	1663	1735	1695	1775
4. Nervous System . . .	795	843	750	715	848	586	810	842	778	787	840	734
5. Organs of Circulation	450	452	447	264	282	145	476	492	460	438	427	448
6. Respiratory Organs .	1382	1442	1323	1027	1092	964	1157	1241	1076	1603	1640	1566
7. Organs of Digestion	746	762	731	614	692	538	821	848	794	688	632	686
8. Urinary Organs . . .	140	183	91	115	165	66	165	238	94	119 ^e	148	90
9. Generative Organs . .	86	—	171	120	—	236	91	—	178	81	—	161
10. Locomotive Organs .	63	67	59	72	65	75	67	73	61	59	61	57
11. Skin, etc.	15	19	11	4	—	9	22	28	15	10	13	7
12. Malformation . . .	31	30	31	24	29	19	35	35	36	27	26	28
13. Premature Debility .	460	519	399	312	273	349	438	497	381	488	552	424
14. Atrophy	69	61	76	48	48	47	66	62	70	71	60	82
15. Age	859	638	1077	2568	2029	3090	1169	898	1431	481	321	639
16. Sudden Deaths . .	25	31	20	9	9	9	23	24	23	28	38	18
17. Violent Deaths . .	351	536	170	446	722	179	374	586	169	325	482	170
Small-pox	56	62	51	33	29	37	73	80	66	42	47	37
Measles	176	182	170	24	48	—	97	98	96	255	264	247
Scarlatina	331	351	311	144	146	141	298	325	271	371	386	357
Diphtheria	146	142	153	211	224	198	219	211	227	78	72	84
Whooping-cough . . .	342	313	370	316	392	330	233	208	258	440	406	473
Croup	149	165	134	249	302	198	178	191	166	118	135	101
DIARRHŒA	252	251	252	105	127	85	208	219	199	299	286	311
Dysentery	46	42	50	28	19	37	53	46	59	42	40	43
Cholera	31	36	26	28	29	28	32	36	29	30	37	24
Influenza	23	20	26	72	65	75	34	30	38	10	8	12
ALL FEVERS	795	806	783	451	497	406	645	620	669	948	989	909
Viz. Typhus	483	515	453	298	303	293	280	294	267	675	722	629
Enteric	155	140	169	43	39	47	196	174	218	125	118	132
Relapsing	9	11	7	15	29	—	11	14	8	6	6	6
Continued	124	116	131	91	117	66	131	112	148	119	119	120
Infantile	24	24	23	4	9	—	27	26	28	23	24	22
Metria	31	—	62	24	—	47	37	—	72	26	—	53
Erysipelas	44	43	45	48	58	36	51	48	54	37	38	37
Dropsy	101	88	114	168	117	217	122	107	137	78	69	88
Cancer	185	122	247	168	195	141	222	154	288	154	90	216
Scrofula	89	99	80	100	136	66	100	110	91	79	86	72
Tabes Mesenterica . .	130	148	112	53	78	28	129	136	121	136	163	110
PHTHISIS	1194	1108	1279	1152	1044	1257	1178	1108	1245	1211	1112	1309
Hydrocephalus	270	299	242	139	165	113	238	271	206	307	332	283
Apoplexy	174	185	163	172	234	113	195	211	173	155	164	151
Paralysis	248	234	262	235	292	179	285	259	308	217	208	226
Epilepsy	33	32	35	33	39	28	33	32	33	34	31	37
Convulsions	131	144	117	43	48	37	97	108	86	166	182	150
BRONCHITIS	914	899	928	470	458	482	719	718	720	1114	1085	1143
Pneumonia	290	345	237	220	302	141	258	313	294	323	375	272
Teething	154	164	144	67	97	37	121	134	109	189	195	182
Enteritis	139	141	130	62	48	75	161	173	149	124	131	117
All Liver Diseases . .	145	152	139	163	234	94	169	177	162	123	126	121
CHILDBIRTH	62	—	123	105	—	208	59	—	116	62	—	124
Burns and Scalds . . .	40	43	37	62	58	66	44	48	41	35	39	32
Drowning	76	134	20	245	468	28	99	173	27	46	79	13
Fracture & Contusion	129	221	39	76	97	56	142	248	38	121	204	33

per cent. of the deaths whose causes were ascertained, or cut off at the rate of 562 persons during the year out of every 100,000 living. During the ten years 1855 to 1864 inclusive, the same class of diseases constituted 24·26 per cent of the deaths, or proved fatal in the proportion of 518 deaths in every 100,000 persons of the population. That class of diseases was therefore more fatal than usual during 1865.

This class of diseases constituted 18·57 per cent. of the deaths in the Insular, 22·24 per cent. in the Mainland-Rural, and 27·66 per cent. in the Town Districts; or in every 100,000 persons in each of these districts, that class of diseases caused 292 deaths in the Insular, 411 deaths in the Mainland-Rural, and 821 deaths in the Town Districts. In other words, these epidemic and contagious diseases were exactly twice as fatal to the population of the towns as they were to the inhabitants of the Rural Districts of Scotland.

The zymotic diseases affected the Eight Principal Towns of Scotland very differently during the year 1865; but indeed the mortality from that class of diseases varies in each town from year to year, nor has any cause been traced to which that variation could be attributed. Thus, if we compare the deaths from the zymotic diseases with the population, it would appear that in every ten thousand persons in each town, 57 died from that class of diseases in Leith, 60 in Edinburgh, 70 in Aberdeen, 80 in Perth, 91 in Paisley, 93 in Dundee, 98 in Glasgow, and 111 in Greenock. If, again, the proportion of deaths from the zymotic class of diseases be compared with the total deaths, then we find that 21·68 per cent. of the deaths in Edinburgh were caused by zymotic diseases, 22·63 per cent. in Leith, 26·66 per cent. in Aberdeen, 29·48 per cent. in Perth, 29·79 per cent. in

TABLE XXXIX.—TOWN DEATHS, 1865. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1865.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	3·283	2·780	3·105	2·651	2·973	3·591	2·518	2·730
I. Zymotic Class	0·978	0·604	0·929	0·704	0·908	1·109	0·569	0·805
III. Tubercular Class	0·604	0·472	0·511	0·383	0·504	0·609	0·371	0·402
IV. Brain, etc., Diseases	0·224	0·271	0·223	0·279	0·220	0·271	0·206	0·205
V. Heart, etc., Diseases	0·113	0·169	0·162	0·149	0·077	0·138	0·181	0·189
VI. Respiratory Organs, Dis.	0·615	0·452	0·422	0·349	0·374	0·537	0·390	0·307
VII. Organs of Digestion, Dis.	0·209	0·198	0·198	0·198	0·255	0·236	0·168	0·158
XII. Premature Debility	0·155	0·129	0·195	0·100	0·110	0·195	0·165	0·158
XV. Age	0·096	0·143	0·141	0·165	0·253	0·155	0·117	0·258
XVII. Violent Deaths	0·098	0·102	0·114	0·068	0·060	0·122	0·165	0·094
Small-pox	0·006	0·008	0·006	0·012	0·006	0·009	0·000	0·034
Measles	0·078	0·063	0·179	0·004	0·149	0·026	0·056	0·110
Scarlatina	0·122	0·066	0·074	0·247	0·186	0·114	0·069	0·094
Diphtheria	0·016	0·017	0·027	0·026	0·015	0·017	0·037	0·019
Hooping-cough	0·210	0·089	0·101	0·008	0·093	0·249	0·069	0·075
Croup	0·026	0·024	0·048	0·017	0·023	0·074	0·032	0·038
Diarrhœa, Dysentery, Cholera	0·111	0·109	0·142	0·112	0·090	0·125	0·096	0·102
Typhus and Infantile Fevers	0·368	0·180	0·301	0·226	0·203	0·440	0·165	0·178
Dropsy	0·024	0·016	0·034	0·026	0·056	0·017	0·018	0·007
Cancer	0·032	0·070	0·043	0·063	0·034	0·033	0·037	0·041
Phthisis	0·423	0·311	0·397	0·251	0·370	0·458	0·227	0·288
Apoplexy	0·045	0·049	0·040	0·041	0·045	0·039	0·048	0·083
Paralysis	0·043	0·086	0·072	0·077	0·084	0·076	0·064	0·045
Convulsions	0·060	0·039	0·068	0·082	0·034	0·028	0·053	0·022
Bronchitis	0·425	0·324	0·265	0·241	0·253	0·427	0·264	0·239
Pneumonia	0·139	0·064	0·096	0·072	0·082	0·074	0·107	0·026
Teething	0·064	0·021	0·070	0·071	0·082	0·129	0·026	0·049

Glasgow, 29·94 per cent. in Dundee, 30·56 per cent. in Paisley, and 30·89 per cent. in Greenock.

Of these epidemic diseases, Small-pox cut off 383 persons in Scotland during the year 1865, of whom 7 belonged to the Insular, 228 to the Mainland-Rural, and 148 to the Town Districts. During only one of the ten previous years (viz. during the year 1858) did the mortality from Small-pox fall so low; but during that year only 332 deaths were caused thereby, or 51 fewer deaths than during 1865.

During the year 1865, however, the Scottish Vaccination Act was in full operation, and many might be apt to attribute to its working the low mortality from Small-pox. Before such a conclusion, however, can be drawn, we must know something of the prevalence and fatality of Small-pox in Scotland before the introduction of that Act, and the following table furnishes us with these particulars for a period of eleven years:—

TABLE XLI.—Small-Pox Deaths in Scotland.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1309	1861	766
1856	1306	1862	426
1857	845	1863	1646
1858	332	1864	1741
1859	682	1865	383
1860	1495		

This table shows that Small-pox, without any legislative efforts to arrest its progress, has regular periods of increase and decrease, and that during

TABLE XL.—TOWN DEATHS, 1865. Per-centage of Deaths from different Diseases to the total specified Causes of Death in each of the Eight Principal Towns of Scotland in 1865.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
I. Zymotic Class	29·79	21·68	29·94	26·66	30·56	30·89	22·63	29·48
III. Tubercular Class	18·40	16·77	16·46	14·52	16·95	16·97	14·77	14·74
IV. Brain, etc., Diseases	6·83	9·73	7·21	10·56	7·42	7·57	8·18	7·51
V. Heart, etc., Diseases	3·45	6·08	5·22	5·63	2·62	3·84	7·22	6·95
VI. Respiratory Organs, Dis.	18·83	16·23	13·61	13·20	12·59	14·95	15·41	11·26
VII. Organs of Digestion, Dis.	6·38	7·10	6·40	7·52	8·58	6·59	6·69	5·84
XII. Premature Debility	4·72	4·63	6·30	3·80	3·71	5·43	6·58	5·84
XV. Age	2·92	5·15	4·56	6·27	8·51	4·32	4·67	9·45
XVII. Violent Deaths	3·00	3·69	3·69	2·59	2·04	3·42	6·58	3·47
Small-pox	0·19	0·26	0·21	0·46	0·21	0·24	0·00	1·25
Measles	2·40	2·27	5·78	0·15	5·02	0·73	2·23	5·42
Scarlatina	3·73	2·38	2·40	9·34	6·25	3·17	2·76	3·47
Diphtheria	0·50	0·62	0·87	1·00	0·51	0·48	1·48	0·69
Hooping-cough	6·40	3·21	3·27	0·30	3·13	6·96	2·76	2·78
Croup	0·80	0·89	1·56	0·66	0·80	2·07	1·27	1·39
Diarrhœa, Dysentery, Cholera	3·39	3·91	4·59	4·26	3·05	3·47	3·82	3·75
Typhus and Infantile Fevers	11·21	6·46	9·71	8·58	10·19	12·27	6·58	6·53
Dropsy	0·72	0·60	1·11	1·00	1·89	0·48	0·74	0·27
Cancer	0·97	2·52	1·39	2·38	1·16	0·91	1·48	1·53
Phthisis	12·89	11·16	12·81	9·49	12·45	12·76	9·03	10·57
Apoplexy	1·37	1·78	1·28	1·57	1·52	1·09	1·91	3·06
Paralysis	1·31	3·10	2·26	2·94	2·84	2·13	2·55	1·66
Convulsions	1·82	1·40	2·19	3·09	1·16	0·79	2·12	0·83
Bronchitis	12·95	11·63	8·53	9·13	8·51	11·90	10·52	8·76
Pneumonia	4·23	2·29	3·09	2·74	2·77	2·07	4·25	0·97
Teething	1·94	0·78	2·26	2·69	2·77	3·60	1·06	1·80

1858, when Scotland had no Compulsory Vaccination Act, the mortality from Small-pox fell lower than in 1865, when the Act had been two years in operation. This fact does not show that the Act has failed in its objects, but it warns us not to draw rash conclusions, or to attribute to the successful working of the Act alone, that which may be, to a certain extent, due to natural causes. But if subsequent years shall show that Small-pox, instead of again increasing is diminishing,* then the diminution may fairly be ascribed to the successful working of the Vaccination Act.

It may be stated that, in so far as the vaccination of the children born during each year since the Act came into operation is concerned, the success of the Act has been complete. The Vaccination Act came into operation on the 1st of January 1864, and enacted that all children born on and after that date, must be vaccinated within six months from birth, and that the parents or guardians must send to the Registrar within that time a medical certificate of successful vaccination. In many Highland and Insular districts one year is properly allowed to elapse before vaccination can be enforced. The returns, therefore, of the vaccination of the children born during 1864 are not received at the General Register Office till the beginning of the year 1866, and so on year by year; and from the Registrars often including double entries (or transcripts), the total number of births deduced from their returns differs slightly from that of the corrected numbers given in these Reports. The following tables taken from the Registrar-General's First and Second Reports on Vaccination, will show the completeness with which the Vaccination Act works in Scotland.

TABLE XLII.—Vaccination of Children born in Scotland in 1864 and 1865.

YEAR.		Success-fully Vaccinated.	Vaccination Post-poned.	Insusceptible of Vaccination.			DIED before Vaccination.	Removed from District before Vaccinated, or otherwise not accounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox.	From being previously Vaccinated.			
1864	Number .	95,047	662	667	154	440	9180	2701	108,851
1865	Number .	99,648	719	474	34	207	9366	2681	113,129
1864	Per-centage	87.33	0.61	0.61	0.14	0.40	8.44	2.48	100.00
1865	Per-centage	88.08	0.64	0.42	0.03	0.18	8.28	2.37	100.00

This table shows that, of the whole children born during these two years, 87.70 per cent. were successfully vaccinated, 1.52 per cent. were found insusceptible of vaccination or had their vaccination postponed, 2.42 per cent. had removed from the district before vaccination or were not accounted for, while 8.36 per cent. died before they could be vaccinated.

As what we specially wish to know, however, is the proportion of surviving children who are protected by vaccination, we must exclude all those who died before they could be vaccinated. The following table is drawn up with the view of showing this:—

* It was estimated that the Small-pox deaths in Scotland amounted to 300 in 1866, and to 124 in 1867. The Scottish Vaccination Act may therefore be regarded as a success.

TABLE XLIII.—Vaccination of the surviving Children who were born in Scotland in 1864 and 1865.

YEAR.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.		
1864	Number	95,047	662	667	154	440	2701	99,671
1865	Number	99,648	719	474	34	207	2681	103,763
1864	Per-centage	95·86	0·67	0·67	0·15	0·44	2·71	100·00
1865	Per-centage	96·03	0·69	0·47	0·03	0·20	2·58	100·00

By this table it appears that, of the surviving children born during the years 1864 and 1865, no fewer than 95·70 per cent. were successfully vaccinated, 0·68 per cent. had the vaccination postponed from delicacy and other causes, 0·98 per cent. were found to be insusceptible of vaccination from having previously had an attack of Small-pox, or having been previously vaccinated by unauthorized vaccinators, or from being insusceptible of the virus, while only 2·64 per cent. were unaccounted for, having been lost sight of by the Registrars from having left the district in which they were born.

Small-pox is one of those diseases to which the young are most liable, and which proves fatal in proportion to the youth of the party attacked. Thus in Scotland, during the ten years which preceded the thorough vaccination of the infants, of the 10548 deaths from Small-pox, 2985 deaths occurred during the first year of life, 1765 deaths during the second year, 1132 deaths during the third year, 798 during the fourth year, and only 514 deaths during the fifth year of life,—the deaths from Small-pox gradually but regularly diminishing as life advanced. The general vaccination of the infants must therefore have the most powerful effect in abating the spread and mortality of small-pox. But that virulent and loathsome disease cannot be expected to be arrested till the infants are vaccinated as early as possible after birth, and until the unvaccinated adults in the general population are compelled to be vaccinated. Even before the late compulsory Vaccination Act, the practice of vaccination was very general over Scotland; and the inhabitants only require to have pointed out to them the fact, that the younger their infants, the more liable are they to be attacked with Small-pox, when, without additional legislative enactments, they will be induced to vaccinate their infants within the month, whenever practicable. During the ten years 1855 to 1864, of the 2985 deaths from Small-pox among children under one year of age, 774 of these were infants under three months, and 698 were infants between three and six months.

Of the individual zymotic diseases, continued fevers were the most fatal, cutting off 5385 persons, of whom 2704 were males, and 2681 females. Heretofore these fevers have all been tabulated under the one term *Typhus*; but in the present tables the leading forms have been distinguished, viz. Typhus, Enteric, Relapsing, Simple Continued, and Infantile. These fevers were very fatal during the year 1865, constituting 7·95 per cent. of the specified deaths, or causing 179 deaths in every hundred thousand of the population. During the ten previous years these fevers only constituted 4·90 per cent. of the specified deaths, or caused 104 deaths in every hundred thousand persons of the population.

The proportion of deaths from fever was very different in each of the Eight Principal Towns of Scotland, having been lowest in Edinburgh and

highest in Greenock. Hence, of the specified deaths, only 6·46 per cent. were from fever in Edinburgh, 6·53 per cent. in Perth, 6·58 per cent. in Leith, 8·58 per cent. in Aberdeen, 9·71 per cent. in Dundee, 10·19 per cent. in Paisley, 11·21 per cent. in Glasgow, and 12·27 per cent. in Greenock.

From the want of statistics of the different forms of continued fever, the most erroneous theories have been promulgated relative to the prevalence of each kind in different epidemics, and their supposed change in type. It would appear, however, that every form now known was accurately described and known a century ago; but each epidemic takes more or less one of the forms as its leading type, though all may be confounded together by the unobservant physician. These tables, however, show some singular facts well worthy of notice. Thus, while in the fever epidemic which prevailed over Scotland during 1865, Typhus (or Spotted Fever) was the leading form or type, and produced the greatest number of deaths in the counties of Shetland, Orkney, Caithness, Sutherland, Ross, Cromarty, Aberdeen, Forfar, Fife, Dumbarton, Renfrew, and Lanark; Enteric (Gastric, or Typhoid) Fever was the leading type or form in the counties of Banff, Kinross, Clackmannan, Linlithgow, Haddington, Berwick, Peebles, Selkirk, Roxburgh, Kirkcudbright, and Wigtown. The prevalence of one form did not, however, extinguish the others; all co-existed, but in different proportions in each county.

A more singular peculiarity, however, was noticed in the different proportions of each form of fever which prevailed in the Rural and in the Town Districts, as shown in the accompanying table.

TABLE XLIV.—Deaths from Fever, 1865.

FEVERS.	MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Fever Deaths.	Proportion to Total Fever Deaths.	Fever Deaths.	Proportion to Total Fever Deaths.
Typhus, . . .	864	43·3	2346	71·1
Enteric, . . .	605	30·4	434	13·1
Relapsing, . . .	36	1·8	23	0·7
Simple Continued, . . .	404	20·3	416	12·6
Infantile, . . .	83	4·2	80	2·5
ALL FEVERS, . . .	1992	100·0	3299	100·0

By this table it is seen, that Typhus or Spotted Fever was so predominant in the Towns, that 71 per cent. of the deaths from fever were caused by it, while in the Rural Districts the same form of fever only caused 43 per cent. of the fever deaths. All this was reversed with Enteric (or Typhoid) Fever. 30 per cent. of the fever deaths were caused by Enteric Fever in the Rural Districts, but only 13 per cent. in the Town District. In some of the individual towns, however, as in Montrose, Coatbridge, and Dumfries, Enteric Fever was the leading form of fever, and caused the largest number of deaths.

Hooping-cough was the next most fatal of the zymotic diseases, causing 2318 deaths, and thus constituted 3·42 per cent. of the mortality; while Scarlatina caused 2244 deaths, Measles 1195, Croup 1015, and Diphtheria 995.

Diarrhoea, Dysentery, and Cholera were more fatal than usual, as

might have been expected, seeing the autumnal heat was greater than it had been for several years. 1707 deaths were attributed to Diarrhœa, 316 to Dysentery, and 214 to Cholera—in all, 2237 deaths from bowel complaints.

Of the other zymotic diseases, Erysipelas caused 300 deaths, Metria 213, Syphilis 158, Influenza 160, Rheumatic Fever 119, Thrush 23, Purpura 39, Ague 9, Worms 28, Pyæmia 27, and Noma 15.

The diseases of uncertain seat caused 2355 deaths, and thus constituted 3·47 per cent. of the mortality. Of the diseases classed under this head, Cancer was the most fatal, cutting off 1257 persons, of whom 411 were males, and 846 females. Of the other diseases belonging to this class, Dropsy caused 688 deaths, Abscess 132, Mortification 124, Hæmorrhage (seat not stated) 82, Ulcer 47, Fistula 13, and Gout 12.

The tubercular class of diseases caused 11417 deaths, and thus constituted 16·85 per cent. of the mortality, or caused during the year 381 deaths in every hundred thousand persons. The proportion of deaths from this class of diseases was very different in the Town and Rural Districts; for, in every hundred thousand persons in each of the three great groups of districts, only 227 died during the year from the tubercular class of diseases in the Insular Districts, 304 in the Mainland-Rural Districts, but 515 in the Town Districts.

Phthisis or Consumption is the most fatal of the tubercular class of diseases, and caused 8089 deaths in Scotland, of whom 3716 were males, and 4373 females. This gives the proportion of 2·69 deaths in every thousand persons of the population, or 11·94 per cent. of the total deaths. When the deaths from Consumption are compared with the total deaths, it does not appear that there is much difference in favour of the Rural Districts; for, during the year 1865, the deaths from Consumption constituted 11·52 per cent. of the deaths in the Insular, 11·78 per cent. of the deaths in the Mainland-Rural, and 12·11 per cent. of the deaths in the Town Districts. But when contrasted with the populations in each of these districts, the mortality from Consumption is annually from a third to nearly a half greater in the Town than in the Rural Districts. Thus, during 1865, of every ten thousand persons in each of these Districts, 18·1 died from Consumption in the Insular, 21·7 in the Mainland-Rural, but 35·8 in the Town Districts. This remarkable fact seems to prove that, in Scotland, town and rural populations are equally liable to Consumption, so that in a generation of persons in town and country, when all have died, nearly the same number have fallen victims to that disease in the Rural as in the Town Districts—the sole difference being, that the persons belonging to the generation residing in the country have lived from eight to twelve years longer than those belonging to the generation residing in the Town Districts.

In the Eight Principal Towns of Scotland, the proportion of deaths from Consumption, as compared with the population, arranges the towns in almost the exact order they hold when arranged according to that of the total mortality—Leith having the fewest, and Greenock the greatest number of deaths. Thus, in every ten thousand persons in each of these towns, 22·7 died from Consumption in Leith, 25·1 in Aberdeen, 28·8 in Perth, 31·1 in Edinburgh, 37·0 in Paisley, 39·7 in Dundee, 42·3 in Glasgow, and 45·8 in Greenock.

Of the other diseases belonging to the tubercular class, Hydrocephalus caused 1834, Tabes Mesenterica 885, and Scrofula 609 deaths.

Diseases of the brain and nervous system caused 5387 deaths, or 7·95 per cent. of the mortality, of which 2821 were males, and 2566

females. Of these, 1683 resulted from Paralysis, 1180 from Apoplexy, 888 from Convulsions, 397 from Cephalitis, 74 from Delirium Tremens, 12 from Chorea, 41 from Tetanus, 32 from Insanity, and 849 from undefined brain disease.

Diseases of the heart and blood-vessels caused 3049 deaths, or 4.50 per cent. of the mortality. Of these, 1517 were males, and 1532 females; and 2905 deaths were ascribed to Disease of the Heart, 80 to Aneurism, and 64 to Pericarditis.

Inflammatory affections of the respiratory organs caused 9362 deaths, and thus constituted 13.82 per cent. of the mortality. Of that number, 4835 were males, and 4527 females, showing that in every thousand of each sex 3.42 males, but only 2.85 females died from these affections during 1865.

Bronchitis is always the most fatal of these diseases in Scotland, and it caused 6194 deaths, Pneumonia caused 1969, Asthma 515, Pleurisy 238, Laryngitis 141, and unspecified lung disease 305 deaths.

Diseases of the organs of digestion caused 5056 deaths, and thus constituted 7.46 per cent. of the general mortality. Of these diseases, Teething caused 1047 deaths, Enteritis 943, Peritonitis 314, Ulceration of the Intestines 206, Ileus 275, Quinsey 58, Gastritis 189, Ascites 92, Hernia 93, Intussusception 36, Stricture of Intestines 22, Disease of Stomach 761, Disease of Pancreas 2, Hepatitis 146, Jaundice 174, other diseases of liver 668, and Disease of the Spleen 30.

Kidney and urinary diseases caused 949 deaths, of which 636 were males, and 313 females, showing that these complaints are exactly the converse of Cancer, in that they are twice as fatal to males as to females. Of these, Nephritis caused 58 deaths, Nephria 229, Ischuria 42, Diabetes 80, Cystitis 170, Stone 55, Stricture of Urethra 10, Kidney Disease (not included in the above or not specified) 297, while 8 died from Addison's Disease, placed here for temporary convenience till the new arrangement is adopted.

Diseases and accidents connected with the organs of generation caused 588 deaths, of which one only was a male, the rest being females. The greatest number of deaths under this head was caused by Childbirth, 422 deaths being attributed to that cause. These, with the 213 deaths from Metria, or Childbed Fever, make a total of 635 deaths among the 111688 mothers who bare children during 1865. This shows that one in every 176 died in childbed, or 56 in every ten thousand—a very small proportion indeed.

Only 430 deaths occurred from the diseases affecting the organs of locomotion, 149 being attributed to diseases of the joints, 94 to diseases of the bones, and 187 to Rheumatism.

Diseases of the skin and subcutaneous cellular tissue caused 105 deaths, of which 56 were ascribed to disease of the skin, 35 to Carbuncle, and 14 to Phlegmon. The average annual deaths from Carbuncle were 20 during each of the ten previous years, so that the disease had been greatly on the increase during 1865.

Malformations at birth caused 211 deaths, Premature Debility 3116, Atrophy 465, and Old Age without special disease 5818; while 175 were sudden deaths, the special causes of which were not ascertained.

2382 deaths were ascribed to violent causes, which thus constituted 3.51 per cent. of the general mortality, being very nearly the proportion of the ten previous years. It is a singular fact, that year after year as many die from accidental or violent causes as from the most fatal epidemics of childhood, viz. as from Hooping-cough, or Scarlatina, or Measles; but

that, instead of showing great fluctuations as these diseases exhibit, the deaths from violence are wonderfully steady from year to year. Of these 2382 deaths, fractures and contusions caused 877 deaths, drowning 519, burns and scalds 276, poison 52, poisoned wounds 2, hanging 58, suffocation 107, gunshot wounds 10, cuts and stabs 73, intemperance 88, privation 8, want of breast milk 144, exposure to cold 38, and other violent causes, the particulars of which were not specified, 130 deaths.

Of the above violent deaths, 133 were suicides, 58 being by hanging, 40 by cut-throat, 12 by drowning, 10 by poisoning with laudanum or opium, 7 by other poisons, 2 by gunshot wounds, 2 by precipitation from a height, and 2 by causes not stated.

Table XLV. exhibits the eighteen most fatal diseases in England and in Scotland, arranged for each country according to the order of their fatality, from which it will be seen that, even during the same year, the prevalence and fatality of the same disease is very different in each.

TABLE XLV.—The Eighteen most fatal Diseases in Scotland and England in 1865.

SCOTLAND.		ENGLAND.	
Diseases.	Proportion of Deaths to 100,000 living.	Diseases.	Proportion of Deaths to 100,000 living.
Phthisis,	269	Phthisis,	258
Bronchitis,	206	Debility, Atrophy, and Pre- mature Birth,	196
Typhus, &c., Fever,	179	Bronchitis,	175
Debility, Atrophy, and Pre- mature Birth,	119	Convulsions,	128
Heart Diseases,	101	Heart Diseases,	115
Hooping-cough,	77	Diarrhœa,	113
Scarlatina,	75	Typhus, &c., Fever,	110
Pneumonia	66	Pneumonia,	108
Hydrocephalus,	61	Scarlatina,	85
Diarrhœa,	57	Paralysis,	51
Paralysis,	56	Apoplexy,	49
Cancer,	42	Liver Diseases,	42
Measles,	39	Hooping-cough,	41
Apoplexy,	39	Measles,	41
Teething,	35	Cancer,	38
Croup,	33	Hydrocephalus,	36
Diphtheria,	33	Tabes Mesenterica,	33
Liver Diseases,	33	Small-Pox,	30

INFLUENCE OF WEATHER, ETC., IN 1865.

The influence of season on the births was as marked in 1865 as in former years, the greatest monthly number of births occurring during the months of April, May, and June.

The yearly number of marriages, on the other hand, as has been often shown in these Reports, is regulated by the commercial and industrial prosperity of the country; and the monthly marriages are not regulated as in England and Roman Catholic countries by church fasts or holidays, but by the civil terms, and other circumstances detailed at length in former Reports.

The deaths, on the other hand, seem to be especially under the influence of weather, or rather of temperature, and the close connection between temperature and deaths has been traced in all these Reports. A few

remarks will therefore first be offered on the monthly temperatures, and their influence on the monthly deaths over Scotland; and then the singular and regular succession of waves of warm and cold weather, as shown in the weekly meteorological returns of the Eight Towns will be noticed, and it will be pointed out how every change in the character of the weather is impressed on the deaths,—facts which prove how closely our welfare, health, and life, depend on the condition of the air which we breathe.

The mean temperature of the year 1865 was nearly one degree above the average of the nine previous years; and the result was produced mainly by the high temperature which prevailed during June, July, and September. During the first fortnight of September, the mean temperature attained a

TABLE XLVI.—Meteorology of Scotland for 1865, from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also the Births, Deaths, and Marriages registered during each month of the year 1865.

1865.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR.
Highest Temperature in shade . . .	57·5	52·1	58·8	77·0	81·3	92·0	84·0	75·0	80·5	70·6	62·0	61·0	92·0
Lowest Temperature do.	-4·0	-1·1	14·7	23·0	24·9	31·3	33·0	32·0	30·0	21·0	14·0	20·8	-4·0
Day Temperatures (Mean)	39·2	38·5	42·7	54·5	57·9	65·8	66·3	62·8	66·0	52·1	46·9	47·1	53·3
Night Temperatures (Mean)	30·0	29·3	31·9	38·4	44·0	48·5	50·6	49·4	50·1	40·0	36·0	38·7	40·5
Daily Range (Mean)	9·2	9·3	10·8	16·1	14·0	17·3	15·7	13·3	15·9	12·2	10·9	8·4	12·7
Mean Temperature	34·6	33·9	37·3	46·5	50·9	57·1	58·4	56·1	58·0	46·0	41·4	42·9	46·9
Highest Temperature in Sun	82·0	119·0	114·0	131·0	142·0	157·2	135·4	128·6	122·0	123·0	100·0	84·0	142·0
Lowest on Grass at Night	-7·0	-6·0	10·0	10·0	18·0	18·0	22·0	21·0	23·0	9·0	9·0	11·0	-7·0
Wet-bulb Temperature (Mean)	33·4	32·6	34·7	43·4	48·1	53·5	55·1	53·8	54·8	43·6	39·1	41·0	44·4
Dew-point Temperature (Mean)	30·7	30·4	32·3	40·7	45·4	50·5	52·5	51·9	52·9	41·5	37·3	39·0	42·1
Humidity of Air	87	88	85	83	83	81	82	87	86	88	89	87	85
Elastic Force of Vapour . . . (inch)	·173	·172	·183	·255	·305	·370	·396	·387	·416	·263	·223	·239	·282
Number of Days Rain fell	17	14	15	8	16	7	14	18	7	14	15	15	160
Amount of Rain (inches)	3·73	2·91	2·05	0·94	3·36	0·75	3·09	3·89	1·14	5·11	3·29	3·65	33·91
Amount of Cloud	6·2	7·1	6·4	5·9	6·7	5·6	6·0	7·2	5·2	6·3	6·3	6·5	6·3
Hours of Sunshine	70	70	128	194	176	250	226	141	195	111	90	61	1715
Mean Barometer (inches)	29·414	29·801	29·886	30·112	29·836	30·188	29·849	29·796	30·131	29·641	29·787	30·015	29·869
Easterly Winds, No. of Days	8	12	9	10	11	8	7	10	4	16	7	7	109
Westerly Winds, No. of Days	16	10	13	13	12	16	14	12	19	7	14	18	164
Births	9573	9035	9985	9859	10537	9921	9398	9069	8839	9275	8759	8820	113070
Deaths	6900	7000	6903	5788	5930	5351	5603	5490	4837	5371	6044	5674	70891
Marriages	2749	1407	1260	1248	1174	3285	2398	1550	1394	1600	2272	3274	23611
Daily Births	309	322	322	329	340	331	303	293	295	299	292	284	309
Daily Deaths	223	250	223	193	191	178	181	177	161	173	201	183	194
Daily Marriages	119	70	60	62	51	149	114	67	66	72	103	156	90

height rarely noticed even in June, and never previously observed in September, so far as existing records show.

During January and February the weather was cold and wintry, with severe and continued frost, and much snow, alternating with rapid thaws, which came on with south-west winds, but were of short duration. The mean temperature attained its minimum for the year in February, when it was $33^{\circ}9$, that of January being $34^{\circ}6$. March, though still very cold and wintry, with frequent storms of snow, was on the whole more open, but the east winds were very cold and piercing. The mean temperature only rose to $37^{\circ}3$.

It has often been pointed out in these Reports, that the deaths are chiefly regulated by the mean temperature, increasing with the fall of temperature, and diminishing with its rise. This influence of cold in increasing and regulating the mortality was strikingly manifested during the above months. February was the coldest month, and it was during that month that the greatest daily number of deaths occurred, the temperature of $33^{\circ}9$ causing 250 deaths daily. The next coldest month was January, and its temperature of $34^{\circ}6$ caused 223 deaths daily; while March, with its temperature of $37^{\circ}3$, had 222 deaths daily. The reason why March, with its higher temperature, had nearly as many deaths as January, was chiefly owing to the fact that the prolongation of the cold weather, even though the cold did not increase in intensity, increased the number of deaths—those whose health was enfeebled by the first accession of cold not being able to withstand the effects of its continuance.

A sudden rise of mean temperature occurred during April, its mean temperature being more than 9° higher than that of March, viz. $46^{\circ}5$; and coincident with this rise, the deaths fell to 193 daily. The prevalent east winds were greatly tempered by the sun's rays, and by occasional south-westerly atmospheric currents, the meeting of which with the easterly currents occasioned frequent dense fogs. On many days during April, while the whole east side of the island, from 10 to 15 miles inland, was enveloped in a dense fog, and with the wind blowing from the east, the central and western parts of the island enjoyed clear sunshine, with a south-westerly breeze. May opened with delightfully mild weather, but from the 8th to the 14th a cold, rainy, misty week occurred, with the wind almost constantly in the east; but from the 17th to the end of the month, the weather was splendid, with a high temperature, and with occasional storms of thunder and lightning, accompanied by heavy falls of rain. The mean temperature, being kept down by the cold period, was only $50^{\circ}9$, and the deaths only fell to 191 daily.

June proved an unusually warm month, with a clear sky, very little rain, and with a very moderate amount of wind. Its mean temperature was $57^{\circ}1$, and its daily deaths numbered 178. July was a warm, genial month, with the highest daily temperatures ranging from 74° to 84° in the shade. Heavy showers of rain fell after the 7th, but merely sufficient to refresh vegetation. On the 27th of July, however, a cold period set in, when the mean temperature fell 10° below that of the previous week; and this cold period continued till the 9th of August, the winds during the period being from the north, north-east, and east. The heats in June and July now began to exert their usual deleterious influence on the people, inducing bowel complaints, which increased the mortality, so that the deaths in July, instead of being lower than in June, were higher, seeing that 180 persons died daily. August was a considerably cooler month; and after the 9th a rainy period set in, and continued till the 28th of the month. Bowel com-

plaints, however, still were prevalent, so that the deaths continued rather high, viz. at the rate of 177 daily. September proved a close, sultry, dry, hot month, particularly in its first half, with little or no wind; and during the latter half of the month a thick mist or fog settled over the ground, favouring the development of mildew, which attacked the turnips to a large extent, while the Russian Cattle Plague spread over the country both among dairy and store cattle. The mean temperature of September was 58° , a higher temperature than had been noticed in that month for a very long period. The deaths attained their lowest rate during September, viz. 161 daily.

October was an ordinary month, the temperature slowly sinking; and as the deaths increased with the fall of temperature, 173 deaths occurred daily. November was a colder month than October, and the lowest temperature of the latter half of the year was attained on the 6th and 13th of the month. The mean temperature of November was $41^{\circ}4$, and the deaths increased to 201 daily. December proved a milder month than November, its mean temperature being $42^{\circ}9$, and under the influence of the milder weather the deaths diminished to 183 daily. During the severe weather at the beginning of November, all diseases, but notably the epidemic diseases, threatened seriously to increase; but under the influence of the milder weather which followed, they did not spread so much as might have been expected, and the deaths consequently declined. The milder weather of December was unquestionably due to the unusual prevalence of south-westerly winds. These were both stronger and more constant than they had been for years; and it is now a recognised fact that, so long as south-westerly breezes blow over our island, we have no frosts and no wintry weather.

Table XLVI. shows the chief points of the Meteorology of Scotland for the year 1865, as well as for each of the months of the year. By that table it appears that the mean barometric pressure, corrected to the sea-level, and to 32° Fahr., was 29.869 inches. The mean temperature was $46^{\circ}9$. The highest temperature in the shade noted at any station was 92° , and the lowest $-4^{\circ}0$. The mean of the day temperatures was $53^{\circ}3$, and that of the night temperatures $40^{\circ}5$; while the mean daily range of temperature was $12^{\circ}7$. The highest temperature in the sun, by exposing a thermometer with a black bulb to its direct rays, was 142° ; and the greatest cold during the night, by exposing a black-bulb thermometer on the grass, was -7° . Rain fell on 160 days, with a mean depth of 33.91 inches. The sun shone for 1715 hours during the year, and the mean humidity of the air was 85. Winds with an easterly point blew 109 days; those with a westerly point, 164 days.

It is still more interesting to trace the connection between the deaths and the temperature in the Eight Principal Towns of Scotland, viz. Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Leith, and Perth. This is best done by quoting from the "Supplement to the Monthly and Quarterly Returns of the Births, Deaths, and Marriages registered in Scotland during the year 1865," published shortly after the close of that year.

In Scotland the changes from cold to warm periods are sudden and frequent, and it is this which causes its climate to be so trying to the invalid. These fluctuations of temperature are best seen by looking at the weekly temperatures, when a comparison of the highest, the lowest, and the mean temperatures of each week will give a good idea of the sudden variations to which our climate is exposed. In fact, during the whole year alternate waves of warm and cold weather occurred.

Thus the first week of January (see Table XLVII.) had a temperature of 36° ; but a warm wave occurred the second week, which raised its mean to $41^{\circ}\cdot 1$. A cold depression followed, so that the third week showed a mean temperature of $36^{\circ}\cdot 2$, increasing on the fourth week to $30^{\circ}\cdot 1$. This was succeeded by a warm wave the fifth week, which again raised the mean temperature to $35^{\circ}\cdot 2$; but a cold period followed, sinking the mean temperature to $33^{\circ}\cdot 2$ on the sixth week, and to $29^{\circ}\cdot 4$ on the seventh week, or week ending the 18th February. This was the coldest week of the year, the lowest degree of temperature registered being 8° Fahr.; and during this and the following week the greatest number of deaths were registered, showing most clearly the baneful effects of extreme cold on the inhabitants of Scotland. On the eighth week a wave of warm temperature occurred, raising the mean temperature to $37^{\circ}\cdot 2$ that week, and to 40° the ninth week, when it again sunk slowly through the influence of a cold period or depression, till on the twelfth week, or that ending the 25th of March, the mean temperature had again sunk to $35^{\circ}\cdot 6$. A warm wave again rolled on, raising the thirteenth week, or that ending April 1, to 41° , and on the fourteenth week to $47^{\circ}\cdot 4$. A slight depression occurred the two succeeding weeks; but on the last week of April and first week of May, the mean temperature had risen to $48^{\circ}\cdot 3$ and $48^{\circ}\cdot 8$. The nineteenth week was somewhat colder, being only 47° ; and the twentieth week, or third week of May, only had a mean temperature of $50^{\circ}\cdot 9$. A sudden warm wave of temperature rolled over Scotland the twenty-first week, ending the 27th of May, raising its mean temperature to $59^{\circ}\cdot 9$, succeeded by a cold depression, which lowered the twenty-second week, that ending 3d June, to $51^{\circ}\cdot 3$. A warm wave again succeeded this, so that the second week of June had a mean temperature of $59^{\circ}\cdot 4$, the third of $58^{\circ}\cdot 3$, and the fourth week of $60^{\circ}\cdot 4$. This was the highest weekly temperature attained during the first half of the year. A cold depression occurred during the week ending July 1, sinking the mean temperature to $58^{\circ}\cdot 1$; but a warm wave during the week ending

TABLE XLVII.—Showing the number of Deaths Weekly in the Eight Principal Towns of Scotland, together with the Highest, Lowest, and Mean Temperatures; also the Mean Fall of Rain during every Week of the Year 1865.

No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
			°	°	°					°	°	°	
1	January 7	659	36·0	50·0	17·0	1·195	27	July 8	556	61·6	80·2	42·0	1·602
2	14	622	41·1	52·0	31·0	1·002	28	15	515	57·3	84·2	42·9	0·729
3	21	647	36·2	44·2	27·0	0·512	29	22	567	57·2	73·8	43·9	0·323
4	28	585	30·1	42·3	18·2	0·236	30	29	585	62·0	80·0	47·5	0·097
5	February 4	721	35·2	47·0	13·7	1·481	31	August 5	549	54·1	70·9	41·0	0·210
6	11	650	33·2	41·0	21·0	0·304	32	12	512	58·6	71·0	47·0	1·077
7	18	735	29·4	42·0	8·0	0·406	33	19	515	57·3	72·0	43·5	1·299
8	25	743	37·2	52·1	19·9	0·788	34	26	480	57·1	71·4	46·0	0·337
9	March 4	652	40·0	54·0	29·6	0·947	35	September 2	461	57·9	71·0	43·0	1·616
10	11	595	38·0	49·0	27·9	0·671	36	9	428	63·9	77·0	51·5	0·058
11	18	569	37·5	47·0	28·3	0·109	37	16	411	61·4	76·7	46·0	0·206
12	25	558	35·6	47·0	25·8	0·102	38	23	448	56·8	72·0	39·0	0·293
13	April 1	569	41·0	56·0	26·0	0·408	39	30	442	54·5	73·1	35·0	0·051
14	8	587	47·4	59·0	33·0	0·374	40	October 7	451	53·7	68·2	29·0	0·005
15	15	530	46·3	60·0	29·2	0·278	41	14	521	50·8	59·0	37·0	1·292
16	22	546	46·7	66·3	31·0	0·151	42	21	469	44·5	57·0	30·0	1·013
17	29	513	48·3	77·0	31·0	0·057	43	28	541	40·9	59·4	25·0	1·152
18	May 6	497	48·8	65·0	29·0	0·877	44	November 4	556	41·9	53·0	27·0	1·175
19	13	467	47·0	65·0	37·0	0·712	45	11	588	39·8	54·0	23·0	0·022
20	20	522	50·9	67·7	36·0	0·401	46	18	641	41·7	56·0	28·0	0·381
21	27	502	59·9	80·0	45·0	0·255	47	25	593	45·7	59·3	30·0	1·525
22	June 3	548	51·3	67·0	35·0	1·261	48	December 2	584	41·2	53·0	27·5	1·040
23	10	526	59·4	79·2	42·0	0·175	49	9	568	46·1	56·0	33·0	0·674
24	17	479	58·3	84·0	38·0	0·000	50	16	491	41·5	53·0	24·6	0·067
25	24	461	60·4	82·0	45·0	0·156	51	23	543	45·8	56·0	31·9	0·595
26	July 1	502	58·1	75·0	38·0	0·189	52	30	505	43·7	56·0	31·1	1·420

July 8 again raised the mean temperature to 61°·6. A cold depression followed for a couple of weeks, sinking the temperature of July below that of June, the respective temperatures during the two weeks being 57°·3 and 57°·2. A warm wave of temperature raised the mean temperature of the last week of July to 62°. A sudden and prolonged cold depression or period set in after this, sinking the mean temperature of the week ending August 5 to 54°·1, and that of the three following weeks to 57°·3, 57°·1, and 57°·9.

After the 28th of August, however, an oppressively hot wave rolled over Scotland, raising the mean temperature of the thirty-sixth week, or that ending September 9th, to 63°·9—a temperature very rarely witnessed in Scotland, and the highest which was attained during any week of the year. But the declination of the sun and the shortening of the days could not permit this high temperature to be continued; so, though the next week, ending September 16th, had the very high mean temperature of 61°·4, the mean temperature slowly but steadily declined week after week after this, till it attained its lowest on the week ending November 11, when it had fallen to 39°·8.

The south-west winds after this began to be the prevalent atmospheric currents over Scotland during the remainder of the year, so that the weekly mean temperatures fluctuated between 41° and 45° Fahr., observing, however, an alternate rise and fall of temperature on each successive week. The whole year, therefore, showed that periods of heat came in successive waves, followed by periods of cold, which very properly may be represented by the depression which follow waves.

Our special object, however, in directing attention to mean temperature is to point out its effects on the mortality. In all our previous Reports it has been shown, that in Scotland it is cold which exerts the most prejudicial effect on the human frame. Accordingly, whether we look at the weekly deaths and weekly mean temperatures in the Eight Towns (Table XLVII.), or at the monthly deaths and monthly mean temperatures in these same towns (Table XLVIII.), we shall find that the week and month which had the lowest temperatures were those in which the deaths were most numerous. Were every death registered on the day the death occurred, this would be found to be rigidly correct; but as many deaths

TABLE XLVIII.—Showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Diseases, in the Eight Principal Towns of Scotland, during each month of the year 1865.

1865.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature, . . .	35°·5	34°·5	38°·1	47°·0	51°·8	58°·4	59°·3	56°·6	58°·5	46°·7	41°·7	43°·6
Highest Temperature, . . .	52°·0	52°·1	53°·6	77°·0	80°·0	84°·0	80°·0	71°·4	76°·9	78°·0	59°·3	56°·0
Lowest Temperature, . . .	14°·0	8°·0	25°·8	29°·0	29°·0	38°·0	38°·0	39°·7	35°·0	25°·0	23°·0	24°·6
Rainfall in inches, . . .	3·20	2·41	1·82	0·92	3·02	1·07	3·40	4·12	1·10	4·73	3·37	3·42
Total Deaths,	2812	2837	2593	2236	2311	2138	2420	2247	1853	2233	2557	2262
Daily Deaths,	91	101	84	74	74	71	78	72	62	72	85	73
Zymotic Diseases,	757	692	650	594	587	541	778	678	530	699	700	640
Small-pox,	18	3	5	7	5	5	6	2	4	6	3	3
Measles,	101	81	74	70	98	87	116	74	22	18	33	35
Scarlatina and Diphtheria, . . .	122	116	81	67	47	46	76	79	99	159	174	151
Hooping-Cough,	119	114	103	89	113	86	98	96	87	155	149	146
Croup,	44	28	29	30	9	20	16	16	15	29	23	26
Typhus,	275	281	289	269	245	214	199	167	168	173	220	207
Diarrhœa, Dysen., & Chol., . . .	37	36	33	36	45	58	236	215	116	112	53	32
Consumption,	323	313	306	284	327	284	294	253	236	259	246	246
Diseases Respiratory Organs, . . .	512	770	511	376	302	239	223	220	171	353	546	422
Heart, etc., Diseases,	116	96	111	98	91	116	85	95	90	89	104	102
Brain, etc., Diseases,	226	188	217	180	198	171	193	159	149	179	182	141
Age,	135	151	135	182	80	94	96	97	71	67	118	106

are not registered for two or three days after they occur, it frequently happens that, if the cold period occurs towards the end of a week, a considerable proportion of the deaths due to the cold are registered during the next week. The same does not occur with the months to such an extent as to affect the general deductions. Bearing this in remembrance, we find that the greatest cold occurred during the month of February, when the mean temperature was $34^{\circ}5$, and the greatest degree of cold was so low as 8° . During that month 2837 deaths occurred in the Eight Towns, or 101 deaths daily—by far the greatest number that occurred during any month of the year. At the close of the year again, November was the coldest month, its mean temperature being $41^{\circ}7$, and 2557 deaths occurred, or 85 daily—a much larger number than during September, October, or even December.

But even the weeks showed the same fact. The seventh week of the year, that ending February 18, had the very low mean temperature of $29^{\circ}4$, when 725 deaths were registered, and 743 the succeeding week—the largest number of deaths during any week of the year. At the close of the year, again, the coldest week fell on the forty-fifth, viz. that ending November 11. During that week 538 deaths, and during the succeeding week 641 deaths, were registered, being a larger number than during any of the closing weeks of the year.

Even in this country, however, extreme heat to a certain extent increases the deaths, by inducing diseases which assimilate in their nature to those of warm countries, viz. bowel complaints. Every year this is observed to a small extent, but during the past year to a more marked extent, in consequence of the increased mean temperatures of June and July. In ordinary years in Scotland, the mortality progressively diminishes from February to September; but during the past years, in the Eight Towns, while June, with its mean temperature of $58^{\circ}4$, had 2138 deaths, or 71 deaths daily, July, with a mean temperature of $59^{\circ}3$, had 2420, or 78 deaths daily—a great increase, caused by the high temperature; and even August had 2247 deaths, or 72 deaths daily—a higher proportion than June, though a great proportion of the month had no higher temperature than usual. The previous cool weeks of August, and the cool mornings and evenings during the latter half of September, prevented the mortality rising with the extremely high mean temperatures of the first two weeks of September.

The effect of high mean temperature on the bowel diseases is best seen by comparing the deaths from Diarrhœa, Dysentery, and Cholera during the different months. During May, when heat first began to be felt, the deaths from these bowel complaints in the Eight Towns were 45; during June, the continuance of the heat raised them to 58. But as bowel complaints take some time to prove fatal, it was not till July that they amounted to 236 deaths, and to 215 in August. The cold weather during the last two weeks of September allowed them to fall to 116 during September, and to 112 during October. During November only 53 deaths from that cause occurred, and 32 during December.

With the single exception of these bowel complaints, all the diseases to which the inhabitants of Scotland are liable increase with the cold and diminish with the warm weather, and most notably all those called epidemic diseases, as Typhus, Scarlatina, Hooping-cough, etc. (See Table XLVIII.) Thus Typhus, which in the Eight Towns had diminished to 167 deaths in August, increased with the cold to 207 in December, 275 in January, and 281 in February. Hooping-cough, which only caused 87 deaths in Septem-

ber, caused 149 in November, and 146 in December. Scarlatina and Diphtheria, which caused 79 deaths in August, caused 174 in November, and 151 in December. Diseases of the respiratory organs (Bronchitis, Pneumonia, etc.), which caused 171 deaths in September, rose to 353 deaths in October, to 546 in November (the coldest month), and to 422 in December. In all these cases the milder month of December caused the mortality from each of these diseases to be smaller than that of the colder month of November.

Though the weather, but especially the temperature, is the most powerful agent in this country in affecting and regulating the mortality, there are other causes which influence the health and sickness of the inhabitants, and of course increase or diminish the mortality. In other countries the most powerful agent in this respect is the price of provisions; and in all countries whose inhabitants are chiefly dependent for their livelihood on the crops which the country yields, a deficiency of these, leading to a famine, decimates the population. In this country, however, deficiency in the crops, and a consequent high price in provisions, is not followed by the same deadly results, because the great majority of the inhabitants are engaged in commercial or industrial pursuits; and as their wages rise with the price of provisions, our commercial industry is only stimulated to greater exertions to supply from other countries the provisions which have failed in this. Hence it happens that, provided our commercial and manufacturing industry continues prosperous, deficiency in the crops, and a high price in the provisions, do not sensibly affect the mortality, as is fully exemplified in the subjoined Table XLIX. The prices of wheat and potatoes quoted in the table are those of the official returns for England and Wales, as they are more to be depended on for correctness than the Scottish returns.

Here we see that while the price of wheat, the staple of life, steadily diminished in price from 69s. in 1856 to 44s. per quarter in 1858, the deaths as steadily increased from 52529 in 1856 to 63539 in 1858. Again, the price of wheat was the same in 1861 and 1862, viz. 55s. per quarter, but the deaths were only 62341 in 1861, but 67195 in 1862. The price of wheat and of all provisions regularly diminished from 1862 to 1864, so that wheat, which sold at 55s. the quarter in 1862, fell to 44s. 8d. in 1863, and to 40s. 2d. in 1864; while potatoes, which brought 137s. the ton in 1862, fell to 100s. in 1863, and to 75s. in 1864. If a plentiful supply of provisions, therefore, and cheapness in price, of themselves exerted any appreciable influence on the mortality, there ought to have been a marked

TABLE XLIX.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Eleven Years 1855-1865.

YEAR.	Average Price of WHEAT per quarter.		DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.	
	s.	d.		s.	d.
1855	74	8	62,004	100	6
1856	69	2	52,529	85	6
1857	56	5	61,906	120	8
1858	44	3	63,539	120	0
1859	43	10	61,714	94	0
1860	53	3	68,170	132	6
1861	55	4	62,341	124	0
1862	55	5	67,195	137	0
1863	44	8	71,481	100	0
1864	40	2	74,416	75	0
1865	41	9	70,891	85	0

diminution of the deaths in Scotland during these years. On the other hand, the mortality largely increased from year to year, for while only 67195 deaths occurred in 1862, the year of high prices, they increased to 71481 deaths in 1863, and to 74416 in 1864.

The years 1860 and 1861 show the same want of connection in Scotland between the mere price of provisions, as represented by wheat, and the mortality. Wheat was 2s. per quarter higher in price in 1861 than in 1860. But instead of the mortality increasing with the increased price of wheat, it fell greatly, for in 1860, the cheaper year, the deaths numbered 68170, but in 1861, the dearer year, the deaths were only 62341.

The same was noticed in 1864 and 1865. Both wheat and potatoes were dearer in 1865 than they had been during 1864, yet during the very cheap year 1864, no fewer than 74416 deaths occurred, the greatest number ever previously registered in Scotland; while in 1865, when provisions were higher in price, the deaths fell to 70891.

Table L. is added for the purpose of showing the condition of the country as to its imports, exports, quantity and price of provisions, and other facts whereby its general prosperity may be deduced, or facts may be furnished which may throw light on the influence of trade, commerce, and

TABLE L.—Showing the Revenue, Value of Imports and Exports, the Quantities of Grain, Tea, Sugar, etc., imported into the United Kingdom; also the average Price of the Chief Articles of Food, etc., during the years 1863, 1864, and 1865.

	1863.	1864.	1865.
Gross Revenue of United Kingdom, £	70,603,561	70,208,964	70,313,437
Gross Expenditure, £	69,302,008	67,056,286	66,462,207
Real Value of Total Imports, £	248,919,020	274,863,924	271,134,969
Real Value of Total Exports, £	196,902,409	212,656,542	218,858,316
Wheat imported, Cwts.	24,364,171	23,196,714	20,962,963
Barley, Oats, Maize, imported, . . . Cwts.	26,615,707	16,770,259	22,628,637
Wheat Flour imported, Cwts.	5,218,977	4,512,391	3,904,471
Eggs imported, No.	266,929,680	335,928,240	364,013,040
Butter imported, Cwts.	986,708	1,054,617	1,083,717
Cheese imported, Cwts.	756,285	834,844	853,277
Rice imported, Cwts.	3,070,292	3,189,691	1,941,580
Tea imported, Lbs.	136,806,319	124,359,248	121,271,219
Coffee imported, Lbs.	117,354,329	109,370,213	138,187,429
Cocoa imported, Lbs.	9,592,965	7,920,712	7,464,982
Raw Sugar imported, Cwts.	10,724,532	10,767,538	10,250,524
Tobacco imported (total), Lbs.	55,122,048	66,615,176	66,959,538
Wine imported, Galls.	14,186,189	15,451,622	14,269,750
Wool imported, Lbs.	177,377,664	206,473,045	212,206,747
Cotton (Raw) imported, Cwts.	5,978,422	7,975,935	8,731,949
Flax imported, Cwts.	1,458,962	1,842,947	1,913,132
Hemp, etc., imported, Cwts.	1,067,913	953,086	1,002,980
Jute imported, Cwts.	1,223,033	2,024,537	2,108,942
Quantity of Coal raised in Scotland, . . Tons	11,100,500	12,400,000	
——— Iron Ore raised in do., . . . Tons	1,500,000	1,950,000	
——— Pig Iron made in do., . . . Tons	1,160,000	1,158,000	
Cod and Ling taken on Coasts of do., . Cwts.	129,725	107,758	
do. do. Barrels.	7,337	7,963	
Herrings taken on do., Barrels	614,816	643,650	
Average Price of Wheat in England, . per Qr.	44s. 9d.	40s. 2d.	
——— Barley, per Qr.	33s. 11d.	29s. 11d.	
——— Oats, per Qr.	21s. 2d.	20s. 1d.	
Contract price of 4lb. Loaf to } 1st half year,	5½d.	4.47d.	
Troops in Scotland, . . . } 2d half year,	5½d.	4.43d.	
Contract price of Fresh Meat } 1st half year,	4½d.	4½d.	
per lb. to Troops in Scotland, } 2d half year,	4½d.	4½d.	
Savings Banks, Scotland—Number of Accounts,	155,298	159,319	
Savings Banks, do.—Amount of Deposits, £	2,877,508	2,812,201	
Number of registered Paupers in Scotland, .	99,695	101,636	
Number of ascertained Scottish Emigrants, .	15,230	15,035	

supply and cheapness of provisions on the marriages and deaths. From that table it may be deduced, that the country, during 1865, was in a highly prosperous condition, with capital abundant, trade brisk, wages high, provisions plentiful and cheap, though somewhat higher in price than during the previous year.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 27th June 1868.

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1865.

1865.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
	1851.	1861.	Males.	Fem.	Total	Mal.	Fem.	Total	Males.	Fem.	Total.			
SCOTLAND - -	2,888,742	3,062,294	58220	54850	113070	5779	5483	11262	35190	35701	70891	23611	42179	19,699,377
DIVISIONS.														
NORTHERN, . . .	127,035	130,422	1760	1573	3333	128	102	230	979	1091	2070	619	1263	2,261,662
NORTH-WESTERN, .	175,735	167,329	2350	2211	4561	140	157	297	1324	1354	2678	824	1833	4,739,876
NORTH-EASTERN, .	348,366	366,783	6752	6241	12993	1040	978	2018	3307	3433	6740	2575	6253	2,429,594
EAST-MIDLAND, .	515,966	523,822	9323	8931	18254	1061	978	2039	5655	6076	11731	4068	6523	2,790,492
WEST-MIDLAND, .	241,447	242,507	4189	3799	7988	305	293	598	2462	2322	4784	1518	3204	2,693,176
SOUTH-WESTERN, .	881,092	1,008,253	22671	21363	44034	1887	1797	3684	14614	14352	28966	9187	15068	1,462,397
SOUTH-EASTERN, .	383,217	408,962	7830	7375	15205	767	699	1466	4906	4977	9883	3574	5322	1,192,524
SOUTHERN, . . .	215,884	214,216	3315	3357	6702	451	479	930	1943	2096	4039	1246	2663	2,069,696
COUNTIES.														
I. NORTHERN.														
Shetland, . . .	31,078	31,670	431	411	842	24	20	44	236	279	515	155	327	598,726
Orkney, . . .	31,455	32,395	416	381	797	21	25	46	214	243	457	157	340	
Caithness, . . .	39,782	42,200	614	549	1163	64	44	108	354	400	754	220	409	
Sutherland, . . .	24,720	24,157	299	232	531	19	13	32	175	169	344	87	187	1,207,183
II. NORTH-WESTERN.														
Ross and Cromarty, .	83,781	82,427	1177	1080	2257	53	55	108	659	703	1362	372	895	2,016,375
Inverness, . . .	91,954	84,902	1173	1131	2304	87	102	189	665	651	1316	452	988	2,723,501
III. NORTH-EASTERN.														
Nairn, . . .	8,076	8,347	141	115	256	18	13	31	72	85	157	56	99	137,500
Elgin (or Moray), .	40,532	44,218	789	635	1424	118	95	213	401	372	773	243	651	340,000
Banff, . . .	51,353	56,020	977	943	1920	156	146	302	421	441	862	380	1058	439,219
Aberdeen, . . .	213,461	223,344	4250	3948	8198	667	625	1292	2143	2245	4388	1618	3810	1,260,625
Kincardine, . . .	34,944	34,854	595	600	1195	81	99	180	270	290	560	278	635	252,250
IV. EAST-MIDLAND.														
Forfar, . . .	193,627	206,750	4284	3999	8283	581	514	1095	2541	2726	5267	2001	3016	568,750
Perth, . . .	137,369	133,198	1904	1829	3733	213	209	422	1286	1368	2654	796	1079	1,814,063
Fife,* . . .	153,789	155,021	2630	2638	5268	212	213	425	1503	1685	3188	1093	2080	328,427
Kinross,* . . .	9,626	8,731	118	108	226	16	12	28	88	93	181	53	45	49,812
Clackmannan, . . .	21,555	20,122	387	357	744	39	30	69	237	204	441	120	303	29,440
V. WEST-MIDLAND.														
Stirling, . . .	83,802	88,138	1771	1637	3408	130	131	261	932	910	1842	721	1566	295,875
Dumbarton, . . .	46,995	54,179	1112	973	2085	83	64	147	620	596	1216	343	869	204,800
Argyll, . . .	94,042	83,859	1104	981	2085	82	84	166	720	639	1359	351	726	2,083,126
Bute, . . .	16,608	16,331	202	208	410	10	14	24	190	177	367	103	43	109,375
VI. SOUTH-WESTERN.														
Renfrew,* . . .	157,950	168,746	3787	3408	7195	259	271	530	2389	2404	4793	1565	2402	158,268
Ayr,* . . .	189,973	199,062	3891	3644	7535	346	317	663	2026	2036	4062	1403	3473	735,262
Lanark,* . . .	533,169	640,444	14993	14311	29304	1282	1209	2491	10199	9912	20111	6219	9193	568,867
VII. SOUTH-EASTERN.														
Linlithgow,* . . .	30,590	39,045	930	882	1812	73	83	156	428	414	842	317	970	81,113
Edinburgh,* . . .	259,493	274,093	5265	4962	10227	491	471	962	3581	3650	7231	2651	2996	234,925
Haddington,* . . .	36,363	37,626	643	581	1224	74	55	129	360	379	739	238	485	179,142
Berwick,* . . .	36,165	36,488	590	549	1139	80	48	128	326	328	654	220	485	302,951
Peebles,* . . .	10,804	11,300	212	194	406	22	20	42	101	102	203	66	203	227,869
Selkirk,* . . .	9,802	10,410	190	207	397	27	22	49	110	104	214	82	183	166,524
VIII. SOUTHERN.														
Roxburgh,* . . .	51,225	53,722	873	844	1717	89	91	180	501	491	992	381	725	428,494
Dumfries,* . . .	78,149	75,904	1167	1247	2414	160	185	345	751	759	1510	456	904	702,953
Kirkcudbright,* . .	43,121	42,495	686	686	1372	107	101	208	363	452	815	226	557	610,343
Wigtown,* . . .	43,389	42,095	619	580	1199	95	102	197	328	294	722	183	477	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	I. NORTHERN.												
	1. SHETLAND.												
1	Bressay, etc.—(1) Bressay	906	915	11	14	25	—	—	—	4	1	5	2
	(2) Burra and Quarff,	906	890	8	10	18	—	—	—	3	8	11	11
2	Delting,	2124	1975	27	20	47	2	2	4	13	21	34	15
3	Dunrossness, etc.—												
	(1) Dunrossness, c.	2005	2113	35	27	62	—	1	1	9	18	27	8
	(2) Sandwick and Cunningsburgh, c.	2220	2337	34	39	73	1	—	1	23	19	42	15
	(3) Fair Isle,	280	380	3	7	10	—	—	—	2	1	3	5
4	Fetlar, etc.—												
	(1) Fetlar,	658	548	4	4	8	—	1	1	4	8	12	1
	(2) North Yell,	998	932	11	9	20	—	—	—	6	13	19	2
5	LERWICK (incl. Town),	3390	3631	59	44	103	6	3	9	31	45	76	40
6	Mid and South Yell,	1741	1784	14	20	34	1	1	2	15	18	33	3
7	Nesting, etc.—												
	(1) Nesting, c.	806	855	17	12	29	2	1	3	9	3	12	2
	(2) Lunnasting, c.	830	880	14	8	22	2	2	4	7	4	11	3
	(3) Whalsay and Skerries	784	848	23	7	30	2	—	2	5	10	15	3
8	Northmavine,	2534	2585	23	36	59	2	—	2	16	22	38	11
9	Sandsting and Aithsting,	2603	2670	45	45	90	2	—	2	16	22	38	6
10	Tingwall, etc.—												
	(1) Tingwall, c.	1654	1554	19	25	44	2	1	3	14	13	27	7
	(2) Whiteness & Weesdale c.	1220	1143	15	8	23	2	2	4	10	6	16	4
11	Unst,	2977	3060	42	39	81	—	—	—	26	21	47	12
12	Walls, etc.—(1) Walls, c.	1280	1365	12	19	31	—	2	2	12	11	23	2
	(2) Sandness, c.	563	606	10	12	22	—	3	3	9	6	15	2
	(3) Papa-Stour,	359	366	3	4	7	—	1	1	1	8	9	—
	(4) Foula,	240	233	2	2	4	—	—	—	1	1	2	1
	Total,	31078	31670	431	411	842	24	20	44	236	279	515	155
	2. ORKNEY.												
13	Birsay,	1749	1774	15	19	34	2	3	5	8	11	19	4
14	Deerness,	786	813	14	7	21	1	—	1	3	3	6	9
15	Eday and Pharay,	1016	979	17	18	35	—	2	2	7	8	15	5
16	Evie and Rendall,	1446	1408	13	22	35	—	—	—	6	11	17	2
17	Firth and Stennes,	1327	1493	23	18	41	—	—	—	7	8	15	10
18	Harray,	750	819	8	5	13	1	1	2	6	6	12	2
19	Holm and Paplay,	749	834	16	14	30	1	—	1	7	4	11	9
20	Hoy and Græmsay,	615	556	8	11	19	—	2	2	2	2	4	1
21	KIRKWALL & ST OLA (incl. Burgh),	3990	4422	50	49	99	5	4	9	39	41	80	17
22	North Ronaldshay,	526	532	11	7	18	—	1	1	4	5	9	6
23	Orphir,	1157	1133	15	11	26	2	1	3	7	6	13	6
24	Rousay and Egilsay,	1215	1152	14	17	31	—	—	—	9	6	15	5
25	St Andrews,	926	868	9	6	15	1	—	1	7	5	12	6
26	Sanday,	2004	2145	39	29	68	—	1	1	14	10	24	11
27	Sandwick,	1107	1225	15	13	28	2	—	2	9	7	16	7
28	Shapinshay,	899	973	12	13	25	—	—	—	4	8	12	3
29	South Ronaldshay and Burray,	3086	3282	49	40	89	1	2	4	18	35	53	22
30	Stromness,	2770	2540	25	25	50	3	3	6	25	36	61	3
31	Stronsay,	1211	1228	19	12	31	—	2	2	10	7	17	8
32	Walls, etc.—(1) Walls,	1278	1254	9	12	21	—	—	—	8	5	13	2
	(2) Flotta,	389	420	3	1	4	—	—	—	—	2	2	4
33	Westray, etc.—(1) Westray	2088	2153	25	27	52	2	2	4	11	14	25	11
	(2) Papa-Westray,	371	392	7	5	12	—	—	—	3	3	6	4
	Total,	31455	32395	416	381	797	21	25	46	214	243	457	157

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards, in small capitals; thus: THURSO.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
3. CAITHNESS.													
34	Bower,	1658	1746	16	23	39	1	2	3	8	2	10	8
35	Canisbay,	2437	2730	48	45	93	4	2	6	10	16	26	16
36	Dunnet,	1868	1861	15	21	36	1	1	2	23	10	33	8
37	Halkirk,	2918	2864	43	32	75	4	1	5	23	26	49	11
38	Latheron,	8224	8571	106	94	200	8	12	20	42	80	122	34
39	Olig,	1873	2059	26	27	53	3	—	3	17	15	32	8
40	Reay,	2506	2476	30	26	56	3	—	3	28	19	47	8
41	THURSO (incl. Town), . .	5096	5561	78	58	136	12	5	17	57	68	125	29
42	Watten,	1351	1491	21	13	34	3	—	3	15	7	22	5
43	WICK—(1) Burgh,	6796	7505	151	145	296	10	14	24	99	111	210	65
	(2) Landward,	5055	5336	80	65	145	15	7	22	32	46	78	23
	Total,	39782	42200	614	549	1163	64	44	108	354	400	754	220
4. SUTHERLAND.													
44	Assynt—(1) Kirkton, . . c.	510	553	6	5	11	—	1	1	6	4	10	4
	(2) Stoer, c.	2479	2625	24	23	47	—	—	—	14	17	31	6
45	Clyne,	1933	1886	23	21	44	2	1	3	18	12	30	10
46	Creich—(1) Bonar, . . c.	2134	1982	21	25	46	5	2	7	15	13	28	6
	(2) Rosehall, c.	580	539	9	5	14	—	1	1	9	7	16	1
47	DORNOCH (incl. Burgh),	2981	2885	32	27	59	2	1	3	27	28	55	8
48	Durness,	1152	1109	16	15	31	2	4	6	5	3	8	4
49	Eddrachillis—(1) Scourie, c.	700	727	4	3	7	—	—	—	2	5	7	2
	(2) Kinlochbervie, c.	876	914	10	13	23	—	—	—	10	2	12	2
50	Farr—(1) Kirkton, . . c.	1313	1251	25	10	35	1	1	2	6	5	11	1
	(2) Strathy, c.	890	852	15	4	19	4	—	4	5	5	10	3
51	Golspie,	1529	1615	27	17	44	—	—	—	16	6	22	9
52	Kildonan,	2288	2132	34	15	49	1	—	1	19	15	34	11
53	Lairg,	1162	961	7	8	15	—	—	—	1	12	13	3
54	Loth,	640	610	8	9	17	—	—	—	3	7	10	1
55	Rogart,	1535	1439	12	12	24	—	1	1	8	12	20	13
56	Tongue,	2018	2077	26	20	46	2	1	3	11	16	27	3
	Total,	24720	24157	299	232	531	19	13	32	175	169	344	87
II. NORTH-WESTERN.													
5. ROSS AND CROMARTY.													
Mainland.													
57	Alness,	1240	1178	12	19	31	1	2	3	5	5	10	5
58	Applecross—												
	(1) Applecross, . . . c.	1130	1064	14	13	27	—	—	—	3	8	11	8
	(2) Shieldaig, . . . c.	1579	1480	22	20	42	2	—	2	10	7	17	5
59	Avoch,	2029	1788	22	25	47	1	2	3	14	23	37	10
60	Contin,	1562	1509	16	15	31	—	—	—	17	10	27	1
61	CROMARTY (incl. Burgh)	2727	2300	37	32	69	6	2	8	17	21	38	16
62	DINGWALL (incl. Burgh)	2364	2412	33	25	58	1	3	4	42	28	70	14
63	Edderton,	890	836	12	6	18	1	2	3	6	4	10	2
64	Fearn,	2122	2083	29	35	64	2	—	2	13	31	44	13
65	Fodderty,	2342	2247	28	21	49	1	1	2	18	23	41	5
66	Gairloch—												
	(1) Northern District, c.	1822	1927	24	25	49	—	1	1	14	10	24	1
	(2) Southern District, c.	3340	3522	30	37	67	1	2	3	18	24	42	18
67	Glenshiel,	573	485	4	7	11	—	—	—	2	1	3	3
68	Killearnan,	1794	1494	19	7	26	2	—	2	14	12	26	8
69	Kilmuir-Easter,	1437	1295	13	13	26	—	—	—	11	11	22	3
70	Kiltearn,	1538	1634	17	20	37	1	2	3	12	18	30	6
71	Kincardine,	1896	1746	21	19	40	3	6	9	15	14	29	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
72	Kintail,	1009	890	11	8	19	2	1	3	7	7	14	3
73	Knockbain,	3005	2485	21	27	48	2	3	5	9	13	22	8
74	Lochalsh,	2299	2413	35	27	62	2	2	4	15	18	33	7
75	Lochbroom—												
	(1) Lochbroom,	c. 3540	3577	46	38	84	1	2	3	21	36	57	16
	(2) Coigach,	c. 1273	1285	25	16	41	—	1	1	11	7	18	3
76	Lochcarron,	1612	1592	12	18	30	—	—	—	7	6	13	5
77	Logie-Easter,	965	932	12	16	28	3	2	5	4	6	10	7
78	Nigg,	1457	1253	13	12	25	1	4	5	6	4	10	10
79	Resolis,	1551	1568	15	20	35	1	1	2	14	20	34	2
80	Rosemarkie (incl. Burgh of FORTROSE),	1776	1545	10	11	21	1	—	1	10	14	24	8
81	Roskeen,	3699	3766	59	54	113	5	3	8	46	47	93	22
82	TAIN (incl. Burgh),	3574	3294	43	52	95	4	2	6	38	41	79	16
83	Tarbat,	2151	2269	41	32	73	—	2	2	19	13	32	6
84	Urquhart & Logie-Wester, Urray,	3153	3147	34	28	62	2	3	5	20	38	58	12
85	Insular.	2621	2355	36	30	66	4	1	5	20	22	42	17
86	Barvas,	4189	4609	82	71	153	—	1	1	40	32	72	32
86	Carloway,	c. 2120	2204	57	45	102	—	—	—	21	24	45	7
87	Lochs,	c. 3109	3568	93	60	153	1	—	1	28	20	48	14
88	STORNOWAY (incl. Town), Uig,	8057	8668	143	150	293	2	4	6	75	72	147	41
89		c. 2236	2007	36	26	62	—	—	—	17	13	30	10
	Total,	83781	82427	1177	1080	2257	53	55	108	659	703	1362	372
	6. INVERNESS. Mainland.												
90	Alvie,	914	833	20	10	30	—	1	1	10	2	12	3
91	Ardersier,	1337	1239	7	15	22	—	—	—	13	7	20	6
92	Boleskine & Abertarff—												
	(1) Boleskine,	c. 936	813	8	7	15	—	—	—	7	5	12	2
	(2) Fort-Augustus or Abertarff,	c. 1070	930	8	6	14	—	—	—	6	5	11	3
93	Cromdale—(1) Cromdale, (2) Inverallan,	3990 {	c. 1647	12	14	26	2	4	6	12	10	22	7
		c. 2295	42	47	89	7	11	18	23	18	41	13	
94	Croy and Dalcross,	1777	1873	24	22	46	2	2	4	6	11	17	3
95	Daviot and Dunlichty,	1857	1741	15	19	34	2	1	3	14	12	26	6
96	Dores,	1650	1506	20	16	36	1	3	4	13	12	25	6
97	Glenelg—(1) Glenelg, (2) Knoydart,	c. 1070	800	5	7	12	—	1	1	3	5	8	5
	(3) North Morar,	c. 770	574	9	14	23	—	1	1	4	6	10	—
98	INVERNESS (including Burgh),	c. 630	469	11	9	20	2	1	3	1	3	4	4
99	Kilmonivaig—												
	(1) Glengarry,	16496	16162	271	235	506	20	26	46	208	215	423	138
	(2) Lochaber,	c. 710	625	7	6	13	—	—	—	6	3	9	1
100	Kilmorack,	c. 1873	1651	19	12	31	1	—	1	9	5	14	4
101	Kiltarlity,	3007	2852	30	31	61	2	3	5	10	20	30	12
102	Kingussie and Insh,	2965	2839	31	43	74	1	6	7	17	10	27	10
103	Kirkhill,	2201	2033	26	32	58	1	7	8	15	18	33	9
104	Laggan,	1730	1757	20	13	33	2	1	3	12	8	20	10
105	Moy and Dalarossie,	1223	986	14	10	24	3	—	3	5	10	15	3
106	Petty,	1018	1026	8	11	19	1	—	1	7	5	12	4
107	Urquhart, etc.—	1784	1671	32	28	60	2	4	6	13	12	25	6
	(1) Urquhart,	c. 2585	2294	30	19	49	2	1	3	16	10	26	13
	(2) Glenmoriston,	c. 695	617	6	7	13	—	1	1	4	4	8	3
	Insular.												
108	Barra,	1873	1853	41	28	69	—	5	5	9	11	20	9
109	Bracadale,	1597	1335	11	18	29	—	—	—	13	9	22	3
110	Duirinish,	5330	4775	62	71	133	5	2	7	22	31	53	18

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
111	Harris—(1) Harris, .	3663	3769	55	62	117	4	5	9	28	29	57	26
	(2) Bernera, .	477	336	10	6	16	1	2	3	7	5	12	4
	(3) St Kilda, .	110	78	—	—	—	—	—	—	1	—	1	—
112	Kilmuir—(1) Kilmuir, .	c. 1743	1561	19	19	38	2	1	3	11	7	18	9
	(2) Stenscholl, .	c. 1464	1311	15	15	30	1	1	2	7	10	17	5
113	North Uist, .	3918	3959	58	57	115	4	1	5	25	27	52	17
114	Portree—(1) Portree, .	2805	2579	26	37	63	4	2	6	15	20	35	14
	(2) Raasay, .	752	580	9	13	22	—	—	—	5	3	8	5
115	Sleat, .	2531	2330	31	33	64	—	—	—	20	16	36	10
116	Small Isles, .	916	567	6	3	9	—	—	—	2	2	4	—
117	Snizort—(1) North	c. 3071	2613	17	7	24	1	—	1	5	4	9	2
	(2) South			25	13	38	2	1	3	10	12	22	12
118	South Uist—												
	(1) Benbecula, .	1762	1544	23	16	39	2	2	4	7	5	12	5
	(2) Howmore, .	c. 2040	1763	30	30	60	3	1	4	15	22	37	15
	(3) Boisdale, .	c. 2371	2051	27	34	61	3	1	4	10	4	14	12
119	Strath, .	3243	2664	33	36	69	4	4	8	19	18	37	15
	— Total,	91954	84902	1173	1131	2304	87	102	189	665	651	1316	452
III. NORTH-EASTERN.													
7. NAIRN.													
120	Ardclach, .	1278	1330	13	15	28	3	2	5	11	8	19	7
121	Auldearn, .	1480	1328	20	12	32	2	—	2	7	9	16	13
122	Cawdor, .	1202	1203	14	11	25	2	2	4	10	13	23	4
123	NAIRN (incl. Burgh), .	4116	4486	94	77	171	11	9	20	44	55	99	32
	Total,	8076	8347	141	115	256	18	13	31	72	85	157	56
8. ELGIN (OR MORAY).													
124	Abernethy & Kincardine,	1871	1928	28	26	54	4	6	10	12	6	18	6
125	Alves, .	919	1010	24	16	40	2	1	3	7	9	16	3
126	Bellie, .	2017	1967	27	25	52	5	3	8	18	30	48	8
127	Birnie, .	427	411	6	3	9	1	—	1	1	4	5	3
128	Boharm, .	1368	1412	22	22	44	4	6	10	9	6	15	5
129	Dallas, .	1226	1102	13	17	30	2	5	7	6	8	14	3
130	Drainy, .	1856	3028	70	44	114	4	5	9	18	20	38	32
131	Duffus, .	2983	3308	74	60	134	9	5	14	27	23	50	18
132	Duthil, etc.—(1) Duthil,	c. 1493	1609	26	19	45	4	—	4	16	14	30	10
	(2) Rothiemurchus, .	c. 295	319	6	2	8	3	2	5	2	1	3	4
133	Dyke, .	1369	1247	19	19	38	5	1	6	13	7	20	12
134	Edinkillie, .	1343	1303	26	18	44	5	1	6	12	4	16	6
135	ELGIN (incl. Burgh), .	8231	9866	168	135	303	26	19	45	125	106	231	42
136	New Spynie, .	445	518	11	9	20	2	2	4	6	10	16	1
137	FORRES (incl. Burgh), .	4069	4112	88	66	154	15	9	24	53	58	111	28
138	Kinloss, .	1370	1315	25	21	46	6	2	8	10	9	19	9
139	Knockando, .	1771	1736	25	22	47	5	6	11	15	9	24	9
140	Rafford, .	1020	1055	12	21	33	4	2	6	3	6	9	6
141	Rothies, .	2022	2407	44	35	79	7	8	15	18	13	31	12
142	St Andrews Lhanbryde, .	1208	1344	20	9	29	—	1	1	11	6	17	14
143	Speymouth, .	685	689	11	8	19	1	3	4	3	6	9	3
144	Urquhart, .	2544	2532	44	38	82	4	8	12	16	17	33	9
	Total,	40532	44218	789	635	1424	118	95	213	401	372	773	243
9. BANFF.													
145	Aberlour, .	1447	1665	25	27	52	2	3	5	10	6	16	12
146	Alvah, .	1402	1467	20	25	45	3	8	11	13	7	20	10
147	BANFF—(1) Burgh, .	6084	6791	139	106	245	22	9	31	67	64	131	39
	(2) Landward, .	869	949	12	16	28	4	2	6	5	4	9	3
148	Botriphnie, .	713	867	8	15	23	3	1	4	6	3	9	6
149	Boyndie, .	1564	1711	29	27	56	4	4	8	14	13	27	12

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
150	CULLEN (pt. of Burgh),	1697	1821	28	42	70	2	6	8	14	16	30	11
151	Deskford,	917	1031	12	21	33	3	4	7	2	7	9	8
152	Enzie, c.	1872	2072	36	26	62	4	2	6	15	20	35	15
153	Fordyce,	3807	4145	77	78	155	9	13	22	29	34	63	28
154	Forglen,	695	783	13	14	27	1	3	4	3	4	7	5
155	Gamrie,	2758	3019	67	41	108	8	7	15	16	16	32	28
156	Grange,	1851	1909	27	33	60	3	10	13	13	11	24	11
157	Inveravon—(1) Inveravon, c.	894	868	10	12	22	1	—	1	1	1	2	8
	(2) Auchbreck, c.	1820	1771	22	31	53	8	8	16	10	11	21	11
158	Inverkeithny,	835	880	25	15	40	3	3	6	5	6	11	7
159	Keith,	4986	5943	108	106	214	25	16	41	50	61	111	34
160	Kirkmichael, etc.—												
	(1) Kirkmichael, . . . c.	568	551	6	5	11	1	—	1	1	7	8	5
	(2) Tomintoul, . . . c.	990	960	13	14	27	6	3	9	12	5	17	3
161	Marnoch,	2994	3289	63	63	126	18	13	31	24	22	46	19
162	Mortlach,	2804	3095	47	43	90	8	4	12	21	29	50	19
163	Ordiquhill,	644	764	11	14	25	1	5	6	2	4	6	6
164	Rathven (incl. BUCKIE, Town), c.	4664	4922	102	91	193	10	9	19	45	64	109	43
165	Rothiemay,	1413	1414	18	20	38	2	4	6	7	4	11	11
166	St Fergus,	1597	1608	29	31	60	4	6	10	19	12	31	9
167	Seafield (pt. of CULLEN, Burgh), c.	1468	1725	30	27	57	1	3	4	17	10	27	17
	Total,	51353	56020	977	943	1920	156	146	302	421	441	862	380
168	10. ABERDEEN.												
	ABERDEEN—												
	(1) St Nicholas (Burgh),	41465	41962	888	893	1781	131	110	241	622	617	1239	350
	(2) Old Machar (Burgh),	30503	31938	570	527	1097	75	78	153	325	417	742	329
	(3) Do. (Landward),	1254	1298	16	16	32	1	3	4	6	15	21	7
169	Aberdour,	1707	1837	34	53	87	8	14	22	18	16	34	12
170	Aboyne,	1108	1160	24	18	42	3	2	5	9	5	14	11
171	Alford,	1143	1264	20	22	42	2	4	6	8	5	13	4
172	Auchindoir,	1369	1593	23	28	51	4	8	12	9	8	17	9
173	Auchterless,	1837	2010	33	28	61	6	6	12	8	12	20	9
174	Belhelvie,	1692	1807	35	37	72	9	5	14	16	8	24	15
175	Birse,	1533	1284	18	18	36	1	2	3	13	6	19	7
176	Bourtie,	529	547	9	4	13	—	1	1	3	3	6	3
177	Cabrach,	750	794	11	13	24	3	2	5	6	8	14	5
178	Cairney,	1565	1490	21	19	40	2	5	7	14	22	36	9
179	Chapel of Garioch, . . .	2102	2023	47	27	74	6	5	11	15	12	27	9
180	Clatt,	543	511	4	6	10	1	1	2	4	5	9	2
181	Cluny,	1149	1254	36	13	49	6	1	7	12	3	15	5
182	Coull,	734	792	15	11	26	4	2	6	4	9	13	3
183	Crathie and Braemar, . .	1788	1574	18	17	35	1	—	1	12	18	30	9
184	Crimond,	893	892	14	13	27	1	1	2	4	8	12	2
185	Cruden,	2479	2743	58	38	96	8	3	11	19	22	41	15
186	Culsamond,	1042	1165	14	8	22	2	—	2	5	11	16	8
187	Daviot,	601	614	5	10	15	—	1	1	3	6	9	4
188	Drumbiade,	949	926	14	11	25	2	1	3	5	5	10	12
189	Drumoak,	948	996	16	12	28	—	—	—	6	5	11	6
190	Dyce,	470	585	13	8	21	—	—	—	4	1	5	6
191	Echt,	1206	1287	19	20	39	1	1	2	8	7	15	5
192	Ellon, c.	2750	3239	59	46	105	14	10	24	19	19	38	20
193	Fintray,	1080	1003	13	17	30	1	2	3	4	15	19	5
194	Forgue,	2626	2686	53	35	88	7	7	14	23	18	41	18
195	Foveran,	1638	1891	34	30	64	2	5	7	10	13	23	12
196	FRASERBURGH (incl. Twn.),	4447	4511	100	103	203	11	11	22	49	61	110	29
197	Fyvie, c.	2927	3264	71	51	122	11	13	24	13	21	34	17
198	Gartly,	990	1029	15	6	21	2	2	4	6	5	11	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
199	Glass,	972	1049	20	17	37	5	4	9	9	7	16	9
200	Glenbucket,	542	552	6	2	8	3	—	3	4	3	7	4
201	Glenmuick, Tullich, and Glengairn,	1984	1668	33	26	59	6	4	10	17	17	34	11
202	HUNTLY (incl. Town), . .	4061	4329	70	71	141	21	20	41	55	46	101	26
203	Insch,	1519	1565	28	27	55	5	5	10	15	12	27	9
204	INVERURIE (including part of Burgh),	c. 2649	2668	61	56	117	14	13	27	24	22	46	22
205	Keig,	772	811	10	13	23	1	1	2	3	4	7	7
206	Keithhall,	920	933	11	11	22	1	3	4	10	8	18	4
207	Kemnay,	680	832	22	18	40	3	2	5	7	6	13	12
208	Kildrummy,	643	590	9	11	20	1	3	4	6	2	8	5
209	Kincardine O'Neil, . . .	2098	2186	34	36	70	6	11	17	18	18	36	12
210	King-Edward,	2749	2843	56	54	110	11	16	27	18	15	33	14
211	Kinnellar,	590	691	6	4	10	1	1	2	6	2	8	5
212	Kinnethmont,	1108	1187	18	18	36	5	3	8	12	13	25	6
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE),	1342	1895	34	44	78	4	5	9	21	19	40	14
214	Leochel-Cushnie,	1068	1173	27	16	43	1	2	3	11	5	16	3
215	Leslie,	559	577	7	13	20	1	1	2	5	3	8	3
216	Logie-Buchan,	724	762	19	10	29	4	2	6	5	6	11	10
217	Logie-Coldstone,	889	932	15	12	27	2	—	2	8	10	18	7
218	Longside,	2952	3008	68	53	121	18	8	26	26	25	51	22
219	Lonmay,	1964	2142	29	36	65	5	7	12	5	8	13	19
220	Lumphanan,	1088	1251	16	27	43	2	5	7	6	5	11	4
221	Methlic,	1997	2157	33	33	66	7	5	12	14	17	31	9
a222	Midmar,	1166	1091	26	8	34	4	1	5	12	12	24	10
b222	Millbrex,	c. 1215	c. 1295	23	22	45	3	6	9	13	16	29	6
223	Monquhitter,	c. 2080	c. 2365	54	47	101	15	7	22	21	21	42	10
224	Monymusk,	940	988	20	20	40	4	6	10	7	3	10	9
225	New Deer,	c. 3383	3736	80	67	147	10	13	23	32	25	57	28
226	Newhills,	3325	3463	58	87	145	6	10	16	27	31	58	29
a227	New Machar,	c. 1338	1556	29	22	51	6	4	10	18	8	26	9
b227	New Pitsligo,	c. 2425	2609	55	60	115	12	10	22	25	26	51	20
228	Old Deer,	c. 4025	4392	79	78	157	18	12	30	34	40	74	25
229	Old Meldrum,	2002	2343	52	35	87	13	6	19	16	25	41	7
230	Oyne,	919	1127	28	19	47	3	1	4	10	6	16	5
231	Peterculter,	1351	1410	21	22	43	4	2	6	13	15	28	5
232	PETERHEAD (incl. Burgh),	9429	9796	226	206	432	26	13	39	93	101	194	72
233	Pitsligo,	1801	1890	46	35	81	2	6	8	16	19	35	13
234	Premnay,	793	916	24	29	53	5	6	11	10	10	20	11
235	Rathen,	2368	2554	47	49	96	5	12	17	21	12	33	14
236	Rayne,	1550	1514	21	31	52	2	6	8	9	11	20	9
a237	Rhynie,	1017	1061	13	21	34	2	3	5	5	10	15	6
b237	Savoch,	c. 1852	2061	41	26	67	7	8	15	15	5	20	12
238	Skene,	1862	1831	23	27	50	3	3	6	11	20	31	10
239	Slains,	1232	1266	24	12	36	7	2	9	17	9	26	6
240	Strathdon,	1531	1459	29	17	46	4	4	8	21	11	32	10
241	Strichen,	c. 2223	2409	47	44	91	14	17	31	14	19	33	15
242	Tarland,	1197	1246	22	15	37	4	2	6	8	16	24	5
243	Tarves,	c. 2339	2377	38	31	69	7	8	15	14	21	35	20
244	Tough,	891	874	19	8	27	2	—	2	7	6	13	7
245	Towie,	758	839	15	15	30	3	3	6	5	6	11	6
246	Tullynessle and Forbes, .	930	957	16	18	34	1	6	7	8	8	16	3
247	Turriff,	3584	3693	76	67	143	12	14	26	37	41	78	23
248	Tyrie,	c. 775	833	16	11	27	5	1	6	7	2	9	4
249	Udny,	c. 1473	1623	30	33	63	6	6	12	10	11	21	14
Total,		213461	223344	4250	3948	8198	667	625	1292	2143	2245	4388	1618

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem	Total.	
11. KINCARDINE.													
250	Arbuthnot,	1002	932	10	14	24	2	3	5	6	8	14	4
251	Banchory-Devenick— (1) Ban.-Devenick (incl. pt. of ABERDEEN, Burgh),	c. 1298	1232	30	21	51	1	3	4	12	18	30	9
	(2) Portlethen,	c. 1780	1687	27	23	50	4	5	9	18	15	33	22
252	Banchory-Ternan,	2462	2947	53	63	116	6	10	16	23	32	55	23
253	Benholm,	1641	1574	26	29	55	4	7	11	10	20	30	22
254	BERVIE (or Inverbervie) —(incl. Burgh),	1459	1561	34	27	61	3	6	9	19	16	35	17
255	Dunnottar (incl. part of STONEHAVEN, Town),	1949	1828	29	40	69	6	4	10	15	14	29	19
256	Durris,	962	1109	22	25	47	6	6	12	7	8	15	9
257	Fettercairn,	1741	1700	19	25	44	1	1	2	4	10	14	4
258	Fetteresso— (1) Fetteresso (incl. pt. of STONEHAVEN, Town),	c. 3730	3575	53	57	110	3	7	10	33	28	61	21
	(2) Cookney,	c. 1990	1952	27	30	57	3	5	8	12	8	20	13
259	Fordoun,	2386	2297	30	34	64	—	6	6	21	15	36	15
260	Garvock,	457	458	5	2	7	—	1	1	3	2	5	5
261	Glenbervie,	1239	1219	23	18	41	3	4	7	9	7	16	8
262	Kinneff and Catterline,	1069	1054	17	20	37	3	3	6	6	5	11	6
263	Laurencekirk,	2125	2110	34	50	84	4	6	10	15	22	37	14
264	Maryculter,	1055	1055	16	12	28	4	3	7	9	9	18	8
265	Marykirk,	2232	2068	43	40	83	9	9	18	20	12	32	24
266	Nigg,	1841	2074	44	30	74	10	1	11	14	19	33	17
267	St Cyrus,	1579	1552	34	28	62	5	6	11	9	19	28	10
268	Strachan,	947	870	19	12	31	4	3	7	5	3	8	8
Total,		34944	34854	595	600	1195	81	99	180	270	290	560	278
IV. EAST-MIDLAND.													
12. FORFAR.													
269	Aberlemno,	1116	1054	15	14	29	1	2	3	1	6	7	11
270	Airlie,	856	845	14	10	24	1	—	1	4	9	13	1
271	Arbirlot,	990	960	10	14	24	—	2	2	8	4	12	10
272	ARBROATH (incl. Bur.),	17238	17831	405	355	760	43	36	79	217	250	467	170
273	Auchterhouse,	686	706	13	8	21	—	1	1	5	5	10	3
274	Barry,	2175	2465	32	33	65	3	4	7	33	32	65	21
275	BRECHIN (incl. Burgh),	8210	8810	153	145	298	28	26	54	83	94	177	69
276	Carmylie,	1240	1286	23	18	41	5	2	7	5	6	11	10
277	Careston,	207	225	1	4	5	—	—	—	—	3	3	2
278	Cortachy and Clova,	722	653	9	7	16	1	—	1	2	—	2	8
279	Coupar-Angus,	2685	2642	36	34	70	5	5	10	38	32	70	14
280	Craig (incl. part of MON- TROSE, Burgh),	1934	2177	48	36	84	5	3	8	16	18	34	15
281	Dun,	522	552	9	13	22	3	3	6	4	7	11	1
282	DUNDEE— (1) First District,	c. 39960	44064	1110	988	2098	129	106	235	656	669	1325	524
	(2) Second District,	c. 34835	40813	950	941	1891	148	121	269	714	673	1387	539
	(3) Third (or Lochee) Dis.,	c. 5232	6787	219	215	434	28	31	59	122	166	288	106
283	Dunnichen,	1884	1932	31	32	63	9	9	18	29	17	46	13
284	Eassie and Nevay,	706	748	10	10	20	1	—	1	1	4	5	5
285	Edzell,	1084	1025	18	13	31	3	3	6	13	7	20	4
286	Farnell,	650	703	3	9	12	1	1	2	3	6	9	3
287	Fearn,	392	439	5	6	11	—	—	—	3	5	8	3
288	FORFAR (incl. Burgh),	11009	10838	224	200	424	42	40	82	123	148	271	84
289	Glammis,	2152	1980	30	20	50	4	3	7	17	15	32	12
290	Glenisla,	1050	1008	10	13	23	1	1	2	5	5	10	4

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
291	Guthrie,	469	476	5	3	8	1	—	1	—	1	1	3
292	Inverarity,	948	961	12	15	27	4	1	5	4	5	9	7
293	Inverkeillor,	1871	1792	30	21	51	4	—	4	5	11	16	15
294	Kettins,	995	962	14	13	27	2	1	3	4	3	7	3
295	Kingoldrum,	429	473	7	3	10	—	—	—	1	3	4	3
296	Kinnell,	826	816	9	14	23	1	2	3	3	4	7	3
297	Kinnettles,	460	447	9	8	17	—	—	—	7	4	11	3
298	Kirkden,	1763	1862	26	35	61	1	1	2	17	17	34	13
299	KIRRIEMUIR (incl. Town),	7617	7359	97	117	214	24	22	46	51	77	128	49
300	Lethnott and Navar, . .	408	446	6	1	7	1	1	2	3	3	6	2
301	Liff, Benvie, and Inver- gowrie,	1467	1430	24	24	48	6	1	7	16	12	28	9
302	Lintrathen,	926	898	13	10	23	3	1	4	3	4	7	5
303	Lochlee,	615	495	8	5	13	3	—	3	4	4	8	3
304	Logie-Pert,	1609	1483	25	17	42	8	3	11	10	6	16	10
305	Lunan,	279	259	3	6	9	—	—	—	2	1	3	—
306	Lundie,	450	442	4	9	13	1	—	1	1	9	10	2
307	Mains, etc.—(1) Mains, .	1299	1392	26	31	57	4	5	9	13	11	24	9
	(2) Strathmartine, . .	735	789	12	9	21	2	1	3	5	3	8	4
308	Marytown,	366	417	5	5	10	—	1	1	2	1	3	3
309	Menmuir,	693	796	14	14	28	4	1	5	3	8	11	6
310	Monifieth (including part of BROUGHTY FERRY),	4267	5052	98	102	200	10	4	14	60	63	123	35
311	Monikie,	1317	1460	22	22	44	2	4	6	9	11	20	8
312	MONTROSE (incl. part of Burgh),	16037	15668	280	230	510	23	29	52	145	193	338	117
313	Murroes,	643	763	12	12	24	—	3	3	6	6	12	3
314	Newtyle,	1141	1139	17	18	35	4	3	7	8	7	15	7
315	Oathlaw,	424	399	3	11	14	—	1	1	4	6	10	1
316	Panbride,	1372	1299	23	15	38	—	3	3	10	12	22	10
317	Rescobie,	711	747	12	13	25	3	2	5	2	8	10	3
318	Ruthven,	503	265	4	4	8	—	2	2	2	4	6	2
319	St Vigean,	2591	2553	46	40	86	4	7	11	21	20	41	16
320	Stracathro,	505	546	9	10	19	3	4	7	8	5	13	5
321	Tannadice,	1517	1438	22	14	36	2	2	4	7	16	23	6
322	Tealing,	844	883	9	10	19	—	—	—	3	7	10	4
Total,		193627	206750	4284	3999	8283	581	514	1095	2541	2726	5267	2001
13. PERTH.													
323	Aberdalgie,	343	295	5	1	6	—	—	—	—	6	6	—
324	Aberfeldy,	c. 2702	2402	34	33	67	5	5	10	25	27	52	7
325	Aberfoyle,	514	565	7	8	15	—	2	2	6	5	11	1
326	Abernethy,	2026	1960	29	23	52	3	—	3	16	25	41	15
327	Abernyte,	275	310	—	3	3	—	—	—	3	6	9	4
328	ALYTH (incl. Town), . .	c. 2946	3198	48	43	91	11	6	17	26	25	51	19
329	AUCHTERARDER (includ- ing Town),	4160	4208	49	67	116	10	14	24	38	50	88	17
330	Auchtergaven,	3232	2562	27	31	58	3	3	6	26	22	48	11
331	Balquhider,	c. 974	c. 846	10	10	20	—	1	1	6	8	14	2
332	Bendochy,	c. 552	549	10	8	18	—	1	1	2	3	5	3
333	Blackford,	c. 2012	2084	25	29	54	2	2	4	17	13	30	7
334	Blair-Athol,	c. 1951	1553	22	13	35	2	1	3	13	10	23	4
335	BLAIRGOWRIE (including Town),	c. 4081	4423	70	69	139	10	12	22	66	69	135	39
336	Callander,	1716	1676	21	20	41	3	1	4	13	14	27	8
337	Caputh,	c. 1920	1728	24	21	45	2	—	2	10	22	32	6
338	Cargill,	1629	1647	25	25	50	3	7	10	21	20	41	6
339	Clunie,	723	699	8	8	16	3	—	3	2	7	9	2
340	Collace,	581	534	6	4	10	—	—	—	5	4	9	4

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
341	Comrie,	c. 2363	c. 2126	16	32	48	2	6	8	16	16	32	16
342	CRIEFF (incl. Town), . . .	4504	4490	64	75	139	10	11	21	32	34	66	34
343	CULROSS (incl. Burgh), . .	1487	1423	23	22	45	3	1	4	9	12	21	7
344	Dowally,	c. 531	486	9	6	15	1	2	3	1	3	4	1
345	Dron,	394	376	11	3	14	3	—	3	2	2	4	—
346	Dull,	c. 855	753	9	7	16	1	1	2	6	3	9	3
347	Dunbarney,	1066	1035	16	11	27	3	—	3	7	7	14	3
348	Dunblane,	c. 3213	3096	51	39	90	4	6	10	17	23	40	25
349	Dunkeld,	c. 1199	1086	12	10	22	1	—	1	13	12	25	5
350	Dunning,	2206	2084	27	18	45	3	5	8	22	12	34	11
351	Errol,	2796	2759	52	56	108	2	7	9	22	29	51	15
352	Findo-Gask,	405	399	5	2	7	1	—	1	2	3	5	2
353	Forgandenny,	828	739	7	9	16	2	2	4	4	5	9	4
354	Forteviot,	638	595	9	6	15	—	—	—	1	4	5	2
355	Fortingall,	c. 1409	1244	11	8	19	2	—	2	10	11	21	4
355	Foss,	c. 432	331	3	4	7	1	1	2	1	4	5	—
356	Fowlis-Easter,	300	317	9	6	15	1	1	2	2	2	4	—
357	Fowlis-Wester,	1321	1276	12	8	20	1	1	2	8	5	13	12
358	Glendevon,	128	138	—	1	1	—	—	—	1	—	1	2
359	Inchture,	745	659	10	11	21	—	1	1	7	11	18	2
360	Kenmore,	c. 1718	1515	19	15	34	4	2	6	17	16	33	11
361	Killin,	c. 1817	1681	16	9	25	—	1	1	10	12	22	5
362	Kilmadock,	3659	3312	36	41	77	4	5	9	32	28	60	15
363	Kilspindie,	684	665	13	7	20	—	—	—	9	5	14	5
364	Kincardine,	1993	1778	15	21	36	1	4	5	14	17	31	10
365	Kinclaven,	881	758	6	7	13	—	1	1	8	8	16	2
366	Kinfauns,	650	659	10	8	18	—	1	1	5	2	7	5
367	Kinloch-Rannoch,	c. 1303	1147	12	12	24	5	—	5	10	10	20	3
368	Kinnaird,	370	318	9	6	15	1	1	2	3	2	5	2
369	Kinnoull,	771	796	10	9	19	—	—	—	6	9	15	6
370	Kirkmichael—												
	(1) Kirkmichael,	c. 849	812	8	13	21	4	1	5	4	8	12	2
	(2) Glenshee,	c. 349	334	4	2	6	—	—	—	—	1	1	—
371	Leacroft,	442	538	7	3	10	—	—	—	5	3	8	3
372	Lethendy and Kinloch, . .	c. 544	530	3	6	9	—	—	—	2	—	2	6
373	Little Dunkeld,	c. 2140	2089	45	26	71	2	4	6	30	25	55	25
374	Logie (including part of STIRLING),	2551	3483	45	51	96	4	8	12	35	37	72	21
375	Logiealmond,	c. 959	815	7	9	16	1	1	2	5	7	12	—
376	Logierait,	c. 2109	1902	34	26	60	6	2	8	25	17	42	12
377	Longforgan,	1787	1823	26	36	62	—	2	2	11	27	38	12
378	Madderty,	593	536	8	5	13	2	—	2	5	6	11	4
379	Meigle,	978	1122	12	16	28	1	—	1	12	13	25	2
380	Methven,	c. 2394	2290	27	30	57	6	3	9	19	20	39	12
381	Moneydie,	321	252	1	2	3	—	—	—	—	2	2	—
382	Monzie,	c. 569	461	3	9	12	—	—	—	3	5	8	1
383	Monzievaird,	790	782	13	13	26	—	2	2	7	4	11	5
384	Moulin,	c. 1772	1605	21	18	39	4	4	8	19	20	39	15
385	Muckhart,	685	615	3	6	9	—	—	—	5	3	8	6
386	Muthill,	c. 2972	2008	48	34	82	7	7	14	27	32	59	5
386	Persie,	c. 814	839	17	15	32	4	2	6	6	8	14	10
387	PERTH (incl. Burgh), . .	24670	26094	438	465	903	39	42	81	368	361	729	212
388	Port of Menteith,	1419	1375	27	10	37	2	1	3	4	7	11	4
389	Ratray,	c. 2308	2234	27	32	59	1	5	6	19	31	50	11
390	Redgorton,	c. 1955	1596	17	15	32	2	1	3	12	12	24	13
391	Rhynd,	338	297	4	5	9	1	—	1	1	—	1	2
392	St Madocs,	288	280	4	1	5	—	—	—	1	2	3	1
393	St Martins,	983	904	11	6	17	—	1	1	4	7	11	4
394	Scone,	2332	2153	36	23	59	4	1	5	24	22	46	12
394	Strathfillan,	c. 435	411	16	7	23	4	—	4	3	4	7	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
394	Tenantry,	c. 681	595	4	4	8	—	—	—	6	1	7	2
395	Tibbermore,	1469	1182	16	14	30	—	—	—	6	5	11	5
396	Trinity-Gask,	597	488	10	5	15	1	—	1	1	2	3	5
397	Tulliallan (including KINCARDINE),	3043	2410	38	35	73	5	6	11	22	30	52	14
398	Weem,	c. 230	215	2	2	4	—	1	1	3	3	6	1
	Total,	137369	133198	1904	1829	3733	213	209	422	1286	1368	2654	796
	14. FIFE.												
399	Abbotshall,	688	808	14	12	26	—	—	—	8	2	10	5
400	Abdie,	c. 1353	1257	19	20	39	4	2	6	5	10	15	6
401	Aberdour,	1945	1874	35	24	59	4	—	4	17	14	31	9
402	ANSTRUTHER-EASTER (pt. of Burgh),	1161	1155	19	18	37	—	—	—	9	8	17	5
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	10	8	18	—	—	—	5	1	6	1
404	Arngask,	689	705	7	11	18	3	2	5	5	6	11	2
405	Auchterderran,	3210	3457	90	83	173	2	6	8	45	49	94	30
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	45	50	95	2	7	9	29	49	78	22
407	Auchtertool,	517	609	6	9	15	1	1	2	3	8	11	6
408	Ballingry,	568	736	21	20	41	2	2	4	10	7	17	3
409	Balmerino,	945	815	4	9	13	—	1	1	5	4	9	2
410	Beath,	1252	2390	79	83	162	4	—	4	34	38	72	18
411	BURNTISLAND (incl. Burgh),	3158	3670	66	65	131	4	4	8	36	33	69	24
412	Cameron,	1207	1362	21	20	41	—	1	1	10	5	15	11
413	Carnbee,	1129	1157	22	16	38	2	—	2	13	5	18	5
414	Carnock,	3191	2925	39	48	87	1	1	2	20	29	49	17
415	Ceres,	2833	2723	42	48	90	6	3	9	36	32	68	17
416	Collessie,	1520	1530	20	29	49	1	3	4	14	6	20	13
417	CRAIL (incl. Burgh),	1903	1931	26	29	55	1	—	1	27	34	61	11
418	Creich,	386	377	7	7	14	—	—	—	4	3	7	2
419	Cults,	915	800	10	14	24	1	1	2	6	10	16	5
420	CUPAR (incl. Burgh),	7427	6750	110	91	201	12	17	29	71	90	161	42
421	Dairsie,	708	638	13	9	22	2	1	3	4	5	9	3
422	Dalgetty,	1513	1569	26	24	50	1	1	2	9	10	19	9
423	Dunbog,	c. 409	414	7	9	16	—	1	1	1	3	4	2
424	DUNFERMLINE—												
	(1) Burgh,	13836	13506	230	207	437	18	14	32	151	162	313	153
	(2) Landward,	c. 7602	7609	139	151	290	14	12	26	92	84	176	27
425	Dunino,	289	370	4	7	11	—	1	1	—	—	—	1
426	DYSART (incl. Burgh),	8739	8842	171	161	332	10	13	23	105	106	211	88
427	Elie,	843	826	11	12	23	—	1	1	9	15	24	7
428	FALKLAND (incl. Burgh),	3102	2937	35	51	86	6	8	14	18	36	54	15
429	Ferry-Port-on-Craig,	2238	2013	31	36	67	4	4	8	21	19	40	16
430	Flisk,	c. 157	230	1	2	3	—	—	—	3	2	5	4
431	Forgan,	1125	1326	13	28	41	2	2	4	6	8	14	9
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	62	39	101	4	8	12	38	42	80	15
433	Kemback,	956	896	18	12	30	3	1	4	11	7	18	13
434	Kennoway,	2257	2012	28	19	47	2	1	3	12	16	28	16
435	Kettle,	2601	2474	21	32	53	2	2	4	20	17	37	18
436	Kilconquhar (including EARLSFERRY),	2489	2431	30	33	63	—	3	3	23	27	50	15
437	Kilmany,	662	656	9	8	17	—	—	—	5	—	5	4
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER),	2194	2534	51	67	118	2	4	6	34	30	64	11
439	KINGHORN (incl. Burgh),	2455	2349	41	41	82	5	8	13	26	35	61	23

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
440	Kinglassie,	1186	1266	19	21	40	1	1	2	7	7	14	2
441	Kingsbarns,	893	937	13	9	22	1	—	1	8	5	13	3
442	KIRKCALDY (including Burgh),	10636	11117	212	215	427	15	16	31	108	135	243	88
443	Largo,	2800	2626	33	45	78	3	1	4	17	17	34	16
444	LESLIE (incl. Town),	3800	4332	62	67	129	13	5	18	55	50	105	40
445	Leuchars,	1991	1903	31	23	54	1	1	2	13	12	25	7
446	Logie,	467	410	8	12	20	1	2	3	3	4	7	3
447	Markinch,	5843	5375	88	72	160	15	3	18	58	71	129	36
448	Monimail,	1102	1054	12	14	26	2	2	4	4	9	13	4
449	Moonzie,	198	179	1	2	3	—	—	—	1	—	1	1
450	NEWBURGH (including Burgh),	2986	2693	56	54	110	5	4	9	30	33	63	26
451	Newburn,	375	374	3	8	11	1	—	1	5	1	6	1
452	PITTENWEEM (incl. Burgh),	1473	1710	28	29	57	5	3	8	13	11	24	8
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews),	7327	7605	111	115	226	7	14	21	59	83	142	53
454	St Monance (or Abercrombie),	1241	1498	43	24	67	—	1	1	11	17	28	9
455	Saline,	1792	1610	26	38	64	1	4	5	10	6	16	9
456	Scoonie (incl. LEVEN),	3115	3257	64	56	120	8	8	16	24	39	63	22
457	Strathmiglo,	2509	2261	29	32	61	1	5	6	16	32	48	13
458	Torryburn,	1341	1229	28	18	46	3	3	6	7	16	23	6
459	Wemyss,	5647	6003	110	122	232	4	4	8	54	70	124	41
	Total,	153789	155021	2630	2638	5268	212	213	425	1503	1685	3188	1093
	15. KINROSS.												
460	Cleish,	659	649	9	4	13	2	—	2	5	3	8	4
461	Fossoway and Tullicbole,	1621	1584	22	22	44	2	2	4	12	17	29	8
462	KINROSS (incl. Town),	3227	2649	24	35	59	6	5	11	30	36	66	15
463	Orwell,	2569	2399	38	30	68	5	4	9	21	25	46	20
464	Portmoak,	1550	1450	25	17	42	1	1	2	20	12	32	11
	Total,	9626	8731	118	108	226	16	12	28	88	93	181	58
	16. CLACKMANNAN.												
465	ALLOA (incl. Town),	9493	8867	170	174	344	14	12	26	104	91	195	50
466	Clackmannan,	5802	4425	97	79	176	11	7	18	57	30	87	23
467	Dollar,	1574	1776	24	27	51	5	1	6	21	18	39	9
468	TILlicOUNTRY (including Town),	4686	5054	96	77	173	9	10	19	55	65	120	38
	Total,	21555	20122	387	357	744	39	30	69	237	204	441	120
	V. WEST-MIDLAND.												
	17. STIRLING.												
469	Airth,	1319	1194	27	30	57	4	5	9	8	12	20	2
470	ALVA (incl. Town),	3204	3283	69	77	146	8	5	13	31	35	66	20
471	Baldernock,	801	718	7	8	15	1	1	2	2	6	8	8
472	Balfon,	1900	1517	31	29	60	5	6	11	18	20	38	10
473	Bothkennar,	1179	1722	33	35	68	2	2	4	19	18	37	10
474	Buchanan,	632	705	13	8	21	1	—	1	4	5	9	2
475	Campsie (including LENNOXTOWN),	6918	6483	109	94	203	10	7	17	53	62	120	48
476	DENNY (incl. Town),	4754	4988	84	105	189	4	7	11	38	34	72	45
477	Drymen,	1481	1619	16	20	36	2	1	3	15	13	28	7
478	Dunipace,	1472	1731	29	31	60	1	1	2	10	19	29	14
479	FALKIRK—(1) Burgh,	8752	9030	196	152	348	13	10	23	115	93	208	78
	(2) Landward,	7686	7996	182	153	335	14	7	21	101	88	189	88

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
480	Fintry,	823	685	11	8	19	1	1	2	3	7	10	2
481	Gargunnoch,	754	728	9	8	17	—	1	1	4	4	8	3
482	Killearn,	1176	1171	16	18	34	1	2	3	8	8	16	7
483	KILSYTH (incl. Town),	5346	6112	151	141	292	15	23	38	81	72	153	56
484	Kippen,	1892	1722	28	22	50	2	4	6	16	19	35	8
485	Larbert,	4606	4999	94	96	190	7	5	12	59	42	101	40
486	Muiravonside,	2647	2660	71	68	139	3	3	6	21	16	37	16
487	Polmont,	3764	4111	89	71	160	2	11	13	29	25	54	33
488	St Ninians (includ. BAN- NOCKBURN, Town),	7630	6648	140	119	259	12	4	16	65	77	142	53
489	Slamannan,	1655	2916	75	91	166	2	4	6	28	30	58	22
490	STIRLING (incl. Burgh),	12401	14012	276	230	506	20	20	40	190	202	392	141
491	Strathblane,	1010	1388	15	23	38	—	1	1	9	3	12	8
Total,		83802	88138	1771	1637	3408	130	131	261	932	910	1842	721
18. DUMBARTON.													
492	Arrochar,	562	629	8	9	17	1	—	1	7	4	11	2
493	BONHILL (includ. Town, & ALEXANDRIA, Town),	7819	9059	143	137	280	5	9	14	76	61	137	68
494	Cardross (incl. RENTON),	3402	4168	88	74	162	9	9	18	44	52	96	36
495	Cumbernauld,	3778	3513	73	76	149	9	7	16	35	42	77	13
496	DUMBARTON (incl. Burgh)	5445	8268	251	205	456	13	4	17	119	118	237	64
497	Kilmaronock,	1033	1085	14	18	32	2	1	3	5	6	11	4
498	KIRKINTILLOCH (incl. Town)	8426	8179	155	138	293	15	19	34	109	95	204	42
499	Luss,	907	831	11	18	29	—	2	2	10	6	16	2
500	New, or East, Kilpatrick,	4286	4910	121	82	203	6	4	10	58	54	112	20
501	Old, or West, Kilpatrick (incl. DUNTOCHER, Town)	5921	5577	113	87	200	12	5	17	70	75	145	46
502	Roseneath,	1044	1626	22	23	45	1	1	2	18	15	33	8
503	Row (incl. HELENSBURGH),	4372	6334	113	106	219	10	3	13	69	68	137	38
Total,		46995	54179	1112	973	2085	83	64	147	620	596	1216	343
19. ARGYLL.													
Mainland.													
504	Ardchattan,	1525	1381	15	9	24	1	1	2	7	13	20	3
505	Ardnamurchan—												
	(1) Aharacle, c.	1791	1544	31	15	46	3	1	4	13	9	22	11
	(2) Arisaig, c.	1555	1343	13	10	23	1	1	2	10	6	16	8
	(3) Sunart (or Strontian) c.	875	759	13	10	23	1	—	1	4	5	9	2
	(4) Western District, . . c.	1225	1054	13	13	26	—	2	2	7	10	17	—
506	Ballachulish and Corran of Ardgor, c.	1125	919	18	7	25	—	—	—	8	6	14	3
507	CAMPBELTOWN (incl. Burgh),	9381	8149	136	113	249	13	14	27	84	74	158	46
508	Craignish,	756	618	5	6	11	1	—	1	7	4	11	2
509	Cumlodden,	1095	1033	10	13	23	—	—	—	8	5	13	3
510	DUNOON and KILMUN (incl. DUNOON & KIRN),	4518	5461	64	77	141	2	6	8	66	66	132	40
511	Glassary, c.	1860	1769	19	28	47	2	1	3	14	12	26	6
512	Glenorchy and Inishail,	1450	1307	21	9	30	4	2	6	5	7	12	2
513	INVERARAY (including Burgh),	1755	1650	24	16	40	—	2	2	16	15	31	8
514	Inverchaolain,	474	424	8	4	12	—	—	—	4	1	5	1
515	Kilbrandon & Kilchattan, c.	2571	2053	27	26	53	—	2	2	22	18	40	5
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell, . . . c.	930	742	10	3	13	—	—	—	2	5	7	5
	(2) Kilberry,	689	583	6	6	12	—	—	—	4	2	6	—
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	494	385	6	4	10	1	2	3	1	5	6	3
	(2) Dalavich,	282	230	3	3	6	1	—	1	3	3	6	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
518	Kilfinan,	1695	1891	37	31	68	2	—	2	17	11	28	10
519	Killeen and Kilchenzie, . .	2219	1890	31	19	50	1	2	3	18	16	34	8
520	Kilmalie,	c. 4110	3353	31	34	65	1	4	5	24	31	55	5
521	Kilmartin,	1144	949	11	14	25	—	1	1	15	5	20	10
522	Kilmodan,	500	433	2	6	8	—	—	—	5	4	9	2
523	Kilmore and Kilbride (incl. Burgh of OBAN),	3131	2962	41	36	77	4	2	6	32	33	65	16
524	Kilninner, etc.— (1) Kilninner,	449	314	5	4	9	—	—	—	2	2	4	—
	(2) Kilmelford,	265	486	11	6	17	—	—	—	3	5	8	2
525	Lismore, etc.— (1) Lismore,	c. 1167	1023	15	9	24	—	—	—	10	8	18	2
	(2) Appin,	c. 940	825	9	6	15	1	—	1	6	4	10	1
	(3) Glencoe & Ballachu- lish,	c. 1510	1324	22	20	42	—	2	2	14	6	20	3
	(4) Daror,	c. 480	423	4	5	9	2	—	2	1	1	2	1
526	Lochgilphead,	c. 3263	3312	64	51	115	1	3	4	41	36	77	20
527	Lochgailhead, etc.— (1) Lochgailhead,	446	418	4	6	10	—	—	—	3	—	3	2
	(2) Kilmorich,	388	284	3	3	6	—	—	—	2	2	4	1
528	Morvern,	1547	1226	14	18	32	—	2	2	8	10	18	4
529	Muckairn,	788	729	8	7	15	—	—	—	5	1	6	2
530	North Knapdale,	1666	1327	10	14	24	1	—	1	5	6	11	4
531	Saddell, etc.— (1) Saddell,	791	739	13	7	20	2	—	2	6	2	8	3
	(2) Skipness,	c. 705	533	5	5	10	—	—	—	3	6	9	2
532	Southend,	1406	1214	15	16	31	4	2	6	7	9	16	5
533	South Knapdale,	565	654	7	6	13	1	—	1	2	1	3	3
534	Stralachlan, etc.— (1) Stralachlan,	397	309	6	7	13	—	1	1	2	3	5	3
	(2) Strachur,	518	563	2	7	9	—	1	1	5	2	7	4
535	Tarbert,	c. 1828	1661	28	29	57	3	—	3	15	12	27	13
	<i>Insular.</i>												
536	Bowmore (or Kilarrow), . .	3469	2701	25	20	45	2	6	8	22	23	45	6
537	Gigha,	547	467	1	3	4	—	—	—	3	2	5	1
538	Iona,	c. 900	743	10	9	19	—	1	1	4	5	9	4
539	Jura, etc.—(1) Jura,	c. 868	858	19	5	24	4	—	4	4	1	5	6
	(2) Colonsay,	837	598	9	6	15	1	1	2	2	2	4	2
540	Kilchoman,	c. 2865	2377	22	26	48	4	1	5	21	15	36	11
541	Kildalton,	c. 2450	2187	17	28	45	5	7	12	17	11	28	5
542	Kilfinichen & Kilviekeon, .	c. 2171	1792	19	23	42	1	2	3	14	11	25	5
543	Kilmeny,	1413	1268	15	12	27	1	2	3	11	15	26	1
544	Kilninian and Kilmore, . .	c. 1890	1641	13	12	25	1	1	2	13	2	15	3
545	Kinlochspelve,	c. 420	428	10	6	16	2	—	2	3	1	4	1
546	Oa,	c. 860	769	6	6	12	—	1	1	4	7	11	2
547	Portnahaven,	c. 1277	1059	11	14	25	2	—	2	10	6	16	2
548	Salen,	c. 634	604	10	7	17	1	2	3	5	5	10	3
549	Tobermory,	c. 1804	1566	19	18	37	—	1	1	18	15	33	2
550	Torosay,	c. 550	557	4	6	10	—	—	—	—	6	6	2
551	Tyree, etc.—(1) Tyree, . .	3709	3217	41	34	75	5	4	9	27	18	45	13
	(2) Coll,	1109	781	13	8	21	—	1	1	6	12	18	7
	Total,	94042	83859	1104	981	2085	82	84	166	720	639	1359	351
	20. BUTE.												
552	Cumbraes,	1275	1256	17	14	31	—	—	—	14	12	26	9
553	Kilbride,	c. 2340	2253	21	26	47	1	1	2	23	20	43	11
554	Kilmory,	c. 2724	2515	26	17	43	2	2	4	25	20	45	11
555	Kingarth,	1007	905	14	11	25	—	1	1	12	9	21	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
556	Lochranza,	c. 883	824	10	11	21	—	—	—	5	11	16	5
557	North Bute,	c. 1235	1351	19	15	34	—	4	4	16	12	28	10
558	ROTHESAY,	c. 7144	7227	95	114	209	7	6	13	95	93	188	50
	Total,	16608	16331	202	208	410	10	14	24	190	177	367	103
VI. SOUTH-WESTERN.													
21. RENFREW.													
559	ABBEY—												
	(1) Part of PAISLEY,	16351	15889	315	292	607	35	19	54	197	189	386	180
	(2) Landward (including part of BARRHEAD),	c. 4867	5670	82	98	180	6	6	12	39	49	88	46
	(3) JOHNSTONE (including Town),	c. 7363	8142	178	165	343	11	10	21	108	98	206	66
560	Cathcart,	2916	3782	77	84	161	2	1	3	41	39	80	22
561	Eaglesham,	2524	2323	32	22	54	2	2	4	13	12	25	11
562	EASTWOOD,	9243	11314	242	212	454	19	22	41	119	126	245	85
563	Erskine,	1232	1457	17	23	45	—	1	1	10	11	21	16
564	GREENOCK—												
	(1) New, or Middle	9414	9446	258	252	510	14	32	46	185	173	358	51
	(2) East,	7704	12135	441	242	683	15	8	23	197	185	382	117
	(3) Old, or West,	20318	22313	601	567	1168	27	32	59	479	456	935	344
565	Houston and Killellan,	2753	2490	40	36	76	5	1	6	16	27	43	14
566	Inchinnan,	649	619	11	10	21	—	1	1	8	6	14	6
567	Innerkip—												
	(1) Innerkip,	c. 1026	1188	20	27	47	—	—	—	17	14	31	5
	(2) GOUROCK (including Town),	c. 1992	2307	55	44	99	2	3	5	30	32	62	17
568	KILBARCHAN,	5474	6348	104	114	218	7	8	15	55	61	116	29
569	Kilmalcolm,	1399	1455	27	19	46	3	2	5	18	18	36	16
570	Lochwinnoch,	4153	3821	55	47	102	5	9	14	41	35	76	24
571	Mearns,	3704	3547	52	65	117	8	9	17	35	40	75	32
572	Neilston (including part of BARRHEAD),	12233	11013	173	153	326	17	25	42	81	81	162	69
573	PAISLEY—												
	(1) High,	14643	14900	302	285	587	27	27	54	194	216	410	113
	(2) Low,	7205	6712	140	100	240	7	6	13	142	139	281	68
	(3) Middle,	9904	9926	183	190	373	18	25	43	156	177	333	105
574	PORT-GLASGOW (incl. Burgh),	7017	7294	270	239	509	23	18	41	155	169	324	105
575	RENFREW (incl. Burgh),	3866	4650	112	117	229	6	4	10	53	51	104	18
	Total,	157950	168746	3787	3408	7195	259	271	530	2389	2404	4793	1565
22. AYR.													
576	ARDROSSAN—												
	(1) Old (including part of SALTCOATS),	c. 3434	3530	69	56	125	7	6	13	30	30	60	41
	(2) New (including ARDROSSAN),	c. 2147	3246	67	75	142	1	3	4	33	27	60	19
577	Auchinleck,	3697	4213	113	101	214	4	7	11	59	48	107	21
578	AYR (incl. Burgh),	18845	19659	320	275	595	38	22	60	198	235	433	114
579	Ballantrae,	1801	1483	20	30	50	4	5	9	20	11	31	8
580	Barr,	907	910	12	13	25	1	—	1	5	3	8	2
581	BEITH (incl. Town),	6425	5775	99	117	216	12	9	21	69	86	155	53
582	Colmonell,	2934	2588	30	34	64	5	3	8	11	19	30	11
583	Coylton,	1542	1604	26	15	41	3	1	4	11	9	20	7
584	Craigie,	793	730	9	3	12	—	—	—	3	1	4	11
585	Dailly,	2413	2050	32	32	64	5	4	9	12	14	26	16

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
586	Dalmellington,	2910	4194	132	101	233	14	7	21	49	39	88	23
587	DALRY (incl. Town),	8865	11156	343	297	640	18	13	31	160	119	279	78
588	Dalrymple,	1096	1325	25	31	56	3	3	6	15	13	28	11
589	Dreghorn,	1828	3283	74	70	144	5	4	9	31	26	57	16
590	Dundonald (incl. TROON),	4555	4694	61	70	131	2	3	5	45	39	84	33
591	Dunlop,	1115	1038	13	14	27	1	—	1	12	9	21	7
592	Fenwick,	1741	1532	11	17	28	1	4	5	7	24	31	10
593	GALSTON (incl. Town),	4392	5254	122	143	265	4	11	15	55	61	116	52
594	GIRVAN (incl. Town),	8588	7053	106	92	198	29	29	58	69	60	129	42
595	IRVINE (incl. Burgh),	8463	8607	154	144	298	14	11	25	119	137	256	58
596	KILBIRNIE (incl. Town),	5484	5265	120	127	247	8	8	16	67	56	123	40
597	KILMARNOCK (incl. part of Burgh),	21287	23556	479	448	927	35	35	70	234	274	508	212
598	Kilmaurs,	3144	3526	68	56	124	5	1	6	29	30	59	18
599	KILWINNING (incl. Town),	6359	7717	184	161	345	13	14	27	72	71	143	58
600	Kirkmichael,	3262	2823	36	41	77	5	5	10	21	17	38	23
601	Kirkoswald,	2242	2060	39	21	60	6	4	10	19	12	31	7
602	LARGS (incl. Town),	3715	3620	46	64	110	3	3	6	34	50	84	24
603	Loudoun (incl. NEW- MILNS),	4720	4840	87	80	167	4	5	9	31	41	72	45
604	Mauchline,	2470	2303	45	29	74	3	4	7	20	27	47	9
605	MAYBOLE (incl. Town),	7615	6713	125	108	233	18	16	34	71	51	122	33
606	Monkton and Prestwick,	1960	1937	24	33	57	2	4	6	23	17	40	20
607	MUIRKIRK (incl. Town),	3423	3270	56	65	121	4	10	14	32	25	57	20
608	New Cumnock,	2759	2891	53	51	104	7	3	10	32	35	67	25
609	Ochiltree,	1787	1676	17	23	40	1	1	2	9	10	19	9
610	Old Cumnock (including Town),	3777	3721	71	70	141	6	3	9	30	34	64	24
611	Riccarton (incl. part of KILMARNOCK),	4583	5629	131	140	271	6	15	21	71	50	121	40
612	St Quivox and Newton- upon-Ayr,	2231	1870	26	33	59	6	4	10	13	13	26	7
613	Sorn (incl. CAIRNE),	4174	4042	71	66	137	6	5	11	35	41	76	39
614	Stair,	820	743	12	12	24	—	1	1	4	10	14	1
615	STEVENSTON (incl. Town and part of SALTCOATS),	3811	5452	141	124	265	18	14	32	54	57	111	28
616	STEWARTON (incl. Town),	4572	4449	71	60	131	5	6	11	39	43	82	49
617	Straiton,	1540	1544	30	23	53	4	2	6	11	16	27	12
618	Symington,	902	855	11	9	20	—	—	—	4	5	9	5
619	Tarbolton,	2824	2669	78	45	123	3	5	8	49	32	81	27
620	West Kilbride,	2021	1968	32	25	57	7	4	11	9	9	18	15
Total,		189973	199063	3891	3644	7535	346	317	663	2026	2036	4062	1403
23. LANARK.													
621	Avondale (incl. STRATH- AVEN),	6451	6125	96	91	187	11	7	18	58	61	119	46
622	Barony— (1) MARYHILL (incl. Town and part of GLASGOW),	c. 4007	6734	160	165	325	11	13	24	102	96	198	51
	(2) Springburn (incl. pt. of GLASGOW),	c. 6386	8911	266	235	501	37	30	67	322	302	624	48
	(3) Shettleston,	c. 6564	6914	141	118	259	5	8	13	74	72	146	49
623	Biggar,	2049	1999	31	34	65	4	2	6	9	19	28	15
624	Blantyre,	2848	3092	57	50	107	11	9	20	29	24	53	21
625	Bothwell— (1) Bothwell (including BELLSHILL),	c. 5583	7059	157	157	314	5	9	14	103	80	183	33
	(2) Holytown,	c. 9700	10844	246	203	449	16	9	25	112	127	239	93

REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
6 Cadder—												
(1) Western District, . . .	c. 2550	3023	53	74	127	3	1	4	27	22	49	21
(2) Eastern District, . . .	c. 2464	2925	56	56	112	2	3	5	28	28	56	12
6 Calderhead,	c. 2140	3789	96	92	188	3	7	10	19	28	47	24
7 Cambuslang,	3306	3647	80	79	159	4	6	10	37	25	62	23
8 Cambusnethan (including WISHAW) (part of), . . .	c. 8571	c.13377	369	401	770	23	27	50	160	155	315	131
9 CARLUKE (incl. Town), . .	6283	6176	129	136	265	16	18	34	69	63	132	55
0 Carmichael,	805	836	9	13	22	1	3	4	7	3	10	7
1 Carmunnock,	710	734	10	9	19	—	1	1	4	7	11	7
2 Carnwath,	3551	3584	120	91	211	26	11	37	48	40	88	32
3 Carstairs,	1066	1345	35	24	59	3	2	5	10	10	20	14
4 Covington & Thankerton,	548	532	9	7	16	—	1	1	2	2	4	6
5 Crawford—												
(1) Crawford,	c. 730	694	14	17	31	3	1	4	2	2	4	10
(2) Leadhills,	c. 940	896	26	18	44	1	4	5	9	9	18	11
6 Crawfordjohn,	1111	980	15	13	28	3	4	7	9	10	19	3
7 Culter,	472	665	5	6	11	1	—	1	4	4	8	4
8 Dalserf—												
(1) LARKHALL (includ- ing Town),	c. 2670	3629	91	111	202	8	9	17	44	51	95	26
(2) Dalserf,	c. 913	1247	29	24	53	3	2	5	13	15	28	13
9 Dalziel (incl. MOTHER- WELL),	2262	5438	186	152	338	4	6	10	83	65	148	35
0 Dolphington,	305	260	3	2	5	—	—	—	4	1	5	2
1 Douglas,	2611	2490	47	49	96	9	7	16	22	18	40	21
2 Dunsyre,	312	312	9	8	17	1	—	1	4	3	7	2
3 East Kilbride,	3760	4064	76	59	135	6	5	11	37	26	63	27
4 GLASGOW—												
(1) Central District, . . .	c. 43270	49678	1262	1210	2472	230	210	440	1155	1142	2297	390
(2) High,	c. 42005	48119	1137	1052	2189	99	73	172	1339	1112	2451	400
(3) Bridgeton,	c. 38385	45485	1054	1032	2086	92	84	176	718	756	1474	413
(4) Calton,	c. 33310	36625	827	763	1590	55	72	127	583	555	1138	560
(5) Clyde,	c. 32800	29975	557	526	1083	73	88	161	500	483	983	230
(6) Blythswood,	c. 21405	28697	450	448	898	33	32	65	280	353	633	606
(7) Milton,	c. 26240	33360	831	864	1695	73	63	136	504	542	1046	319
(8) Anderston,	c. 30035	40945	1054	949	2003	53	58	111	605	580	1185	379
(9) Tradeston,	c. 27163	38600	927	884	1811	70	55	125	648	659	1307	508
(10) Hutchesontown, . . .	c. 34484	44019	1081	1048	2129	79	82	161	685	715	1400	358
5 Glassford,	1955	1938	27	32	59	6	2	8	12	17	29	17
6 GOVAN—												
(1) GOVAN (incl. Town), . .	c. 6238	13725	479	451	930	15	17	32	245	234	479	190
(2) PARTICK (incl. Town), .	c. 7852	14859	452	390	842	19	12	31	221	210	431	185
7 HAMILTON (incl. Burgh), .	11740	14047	314	280	594	10	12	22	185	174	359	130
8 LANARK (incl. Burgh), . .	8243	7891	131	128	259	22	20	42	90	114	204	70
9 Lesmahagow,	7746	9266	194	166	360	24	12	36	88	86	174	59
0 Libberton,	800	836	14	13	27	2	3	5	5	4	9	3
1 New Monkland—												
(1) AIRDRIE,	14435	12922	275	302	577	33	26	59	150	175	325	144
(2) Landward,	8766	7632	164	155	319	19	16	35	93	75	168	43
2 Old Monkland—												
(1) Western District, . . .	c. 6646	6932	174	165	339	9	13	22	100	81	181	28
(2) Middle District (incl. COATBRIDGE),	c. 13168	15303	387	421	808	21	23	44	225	197	422	160
(3) Eastern District (incl. CALDERBANK), . . .	c. 7519	7308	157	190	347	10	8	18	81	55	136	26
3 Pettinain,	428	407	8	5	13	—	1	1	3	6	9	6
4 RUTHERGLEN (incl. Burgh),	7954	9335	206	160	366	6	4	10	127	126	253	93
5 Shotts (part of),	c. 3892	c. 4778	107	94	201	2	6	8	45	37	82	24

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
656	STONEHOUSE (incl. Town),	2781	3267	73	60	133	5	9	14	40	40	80	2
657	Symington,	536	528	13	5	18	1	1	2	6	1	7	
658	Walston,	497	480	5	8	13	1	1	2	5	5	10	
659	Wandell and Lamington,	369	380	6	5	11	—	—	—	1	3	4	
660	Wiston and Robertson, .	839	786	6	11	17	—	1	1	9	7	16	
	Total,	533169	640444	14993	14311	29304	1282	1209	2491	10199	9912	20111	6211
	VII. SOUTH-EASTERN.												
	24. LINLITHGOW.												
661	Abercorn,	977	965	6	14	20	—	2	2	9	14	23	11
662	BATHGATE (incl. Town and ARMADALE), .	4533	10134	304	272	576	17	23	40	109	89	198	87
663	BORROWSTOUNNESS (incl. Town),	5192	5698	139	124	263	13	8	21	70	70	140	48
664	Carriden,	1724	1821	42	45	87	2	4	6	29	17	46	23
665	Dalmeny,	768	804	17	15	32	2	1	3	6	13	19	8
666	Ecclesmachan,	289	309	6	1	7	—	—	—	1	2	3	4
667	Kirkliston,	2029	1907	50	33	83	3	1	4	16	16	32	14
668	LINLITHGOW—												
	(1) Burgh,	4213	3843	60	63	123	6	8	14	45	44	89	31
	(2) Landward,	1902	1941	33	28	61	2	6	8	13	23	36	9
669	Livingstone,	1289	1366	24	38	62	5	8	13	14	15	29	9
670	QUEENSFERRY (incl. Burgh),	1195	1391	30	37	67	5	3	8	22	22	44	10
671	Torphichen,	1356	1848	44	24	68	3	1	4	18	16	34	19
672	Uphall,	1331	1507	36	41	77	5	4	9	15	15	30	9
673	Whitburn,	3792	5511	139	147	286	10	14	24	61	58	119	43
	Total,	30590	39045	930	882	1812	73	83	156	428	414	842	317
	25. EDINBURGH.												
674	Borthwick,	1614	1742	35	30	65	3	5	8	16	11	27	11
675	Carrington,	710	681	9	13	22	1	2	3	3	2	5	6
676	Cockpen,	3228	2902	67	55	122	4	8	12	26	29	55	20
677	Colinton,	2676	2656	49	48	97	9	5	14	30	18	48	19
678	Corstorphine,	1499	1579	22	13	35	2	—	2	15	18	33	6
679	Cramond,	2547	2695	57	53	110	3	3	11	29	17	46	18
680	Cranston,	1235	1035	9	22	31	1	1	2	10	10	20	8
681	Crichton,	1387	1304	23	35	58	2	8	10	10	17	27	9
682	Currie,	2190	2248	31	39	70	2	4	6	15	20	35	8
683	DALKEITH (incl. Town),	6521	7114	135	148	283	10	13	23	68	95	163	62
684	Duddingston—												
	(1) PORTOBELLO,	3559	4366	68	75	143	9	7	16	47	60	107	45
	(2) Landward,	904	857	14	11	25	2	2	4	4	9	13	4
685	EDINBURGH—												
	(1) St George (incl. Landward of St Cuthbert),	c. 38540	42068	769	667	1436	32	30	62	576	601	1177	386
	(2) St Andrew,	c. 37435	38731	478	466	944	30	28	58	319	376	695	405
	(3) Canongate (incl. Landward),	c. 29230	30169	710	662	1372	65	58	123	821	646	1467	267
	(4) St Giles,	c. 29245	29679	651	645	1296	162	134	296	352	415	767	327
	(5) Newington,	c. 27198	29797	582	565	1147	39	39	78	344	408	752	399
686	Fala and Soutra,	434	382	6	9	15	—	1	1	2	3	5	4
687	Glencross,	1138	1217	16	16	32	1	1	2	4	11	15	4
688	Heriot,	352	407	4	5	9	—	1	1	2	1	3	5
689	Inveresk (incl. MUSSELBURGH),	8653	9518	196	169	365	12	18	30	140	157	297	77

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
690	Kirknewton and East-Calder,	1630	1549	23	24	47	3	2	5	19	15	34	8
691	Lasswade,	5821	5688	111	96	207	9	16	25	59	49	108	57
692	LEITH—												
	(1) North Leith,	c. 9494	11562	255	260	515	17	15	32	145	140	285	102
	(2) South Leith,	c. 22725	24467	551	520	1071	29	39	68	332	331	663	254
693	Liberton,	3528	3510	59	37	96	5	2	7	38	39	77	19
694	Mid-Calder,	1474	1389	16	16	32	1	2	3	8	4	12	9
695	Newbattle,	2518	2837	67	53	120	10	4	14	32	25	57	20
696	Newton,	1780	1553	24	17	41	—	1	1	8	16	24	9
697	Penicuik,	3003	3249	59	55	114	7	6	13	32	30	62	24
698	Ratho,	1718	1659	34	23	57	5	2	7	10	18	28	14
699	Stow,	1973	2171	41	32	73	7	3	10	17	18	35	9
700	Temple,	1414	1385	35	25	60	4	1	5	14	8	22	10
701	West-Calder,	2120	1927	59	58	117	5	5	10	34	33	67	26
	Total,	259493	274093	5265	4962	10227	491	471	962	3581	3650	7231	2651
	26. HADDINGTON.												
702	Aberlady,	1099	1019	12	15	27	1	—	1	7	8	15	6
703	Athelstaneford,	971	902	13	8	21	—	1	1	6	8	14	6
704	Bolton,	373	332	3	5	8	1	—	1	2	3	5	2
705	Dirleton,	1634	1540	16	14	30	1	1	2	18	9	27	10
706	DUNBAR (incl. Burgh),	4415	4944	82	76	158	13	11	24	42	41	83	19
707	Garvald,	869	891	19	14	33	4	3	7	6	9	15	6
708	Gladsmuir,	1780	1945	47	33	80	6	3	9	19	11	30	12
709	HADDINGTON (incl. Burgh),	5525	5548	86	86	172	6	14	20	54	75	129	56
710	Humbie,	925	997	12	14	26	3	—	3	9	7	16	3
711	Innerwick,	1012	937	14	18	32	2	1	3	4	9	13	3
712	Morham,	249	281	4	3	7	—	—	—	3	2	5	1
713	NORTH BERWICK (incl. Burgh),	1643	2071	44	44	88	4	1	5	27	22	49	10
714	Oldhamstocks,	692	615	14	8	22	2	2	4	8	3	11	8
715	Ormiston,	811	915	19	17	36	1	1	2	11	7	18	9
716	Pencaitland,	1175	1187	17	26	43	2	3	5	14	20	34	10
717	Prestonkirk,	1894	1960	32	26	58	3	—	3	25	28	53	14
718	Prestonpans,	2123	2080	42	32	74	4	1	5	19	25	44	17
719	Salton,	697	712	16	6	22	2	—	2	6	8	14	3
720	Spott,	595	555	4	14	18	—	1	1	3	8	11	4
721	Stenton,	719	692	11	5	16	4	—	4	9	7	16	3
722	TRANENT (incl. Town),	4158	4647	98	80	178	10	9	19	43	55	98	23
723	Whitekirk & Tynninghame,	1131	1113	13	11	24	2	1	3	14	6	20	6
724	Whittinghame,	671	710	11	4	15	2	1	3	2	3	5	1
725	Yester (or Gifford),	1202	1033	14	22	36	1	1	2	9	5	14	6
	Total,	36363	37626	643	581	1224	74	55	129	360	379	739	238
	27. BERWICK.												
726	Abbey St Bathans,	155	179	4	2	6	—	—	—	1	2	3	—
727	Ayton,	1959	2014	29	29	58	1	2	3	28	21	49	12
728	Bunkle and Preston,	715	756	8	8	16	1	—	1	4	6	10	4
729	Channelkirk,	728	671	6	5	11	—	—	—	3	1	4	2
730	Chirnside,	1384	1502	18	18	36	1	—	1	12	11	23	10
731	Cockburnspath,	1196	1194	18	17	35	1	1	2	8	12	20	8
732	Coldingham,	3188	3241	56	64	120	9	9	18	32	29	61	19
733	Coldstream,	3245	2823	46	33	79	7	5	12	23	35	58	16
734	Cranshaws,	127	134	2	4	6	—	1	1	—	1	1	—
735	DUNSE (incl. Town),	3407	3595	59	53	112	6	3	9	51	35	86	23
736	Earlston,	1819	1825	35	31	66	4	1	5	13	18	31	16

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
737	Eccles,	1392	1361	22	23	55	10	1	11	10	25	35	12
738	Edrom,	1474	1592	22	17	39	3	1	4	10	15	25	11
739	Eyemouth,	1488	1804	40	49	89	3	1	4	22	20	42	14
740	Fogo,	604	559	4	5	9	1	1	2	2	3	5	3
741	Foulden,	430	431	5	5	10	1	—	1	3	7	10	6
742	Gordon,	983	931	17	8	25	1	1	2	6	3	9	9
743	Greenlaw,	1373	1370	18	23	41	7	1	8	12	14	26	5
744	Hume,	406	420	7	9	16	—	—	—	4	1	5	4
745	Hutton,	1102	1067	18	17	35	2	—	2	5	6	11	7
746	Ladykirk,	561	564	9	6	15	1	—	1	1	2	3	6
747	Langton,	484	502	8	10	18	1	1	2	4	3	7	4
748	LAUDER (incl. Burgh),	2154	2198	42	45	87	10	7	17	32	22	54	9
749	Legerwood,	587	599	8	8	16	2	2	4	—	—	—	2
750	Longformacus,	411	448	14	5	19	1	—	1	4	1	5	4
751	Merton,	692	729	9	6	15	1	1	2	5	7	12	7
752	Mordington,	427	377	6	4	10	—	—	—	9	3	12	1
753	Nenthorn,	441	461	7	4	11	3	1	4	1	2	3	1
754	Polwarth,	331	251	3	1	4	—	—	—	1	2	3	2
755	Swinton,	994	964	19	19	38	2	4	6	7	7	14	2
756	Westruther,	791	786	9	13	22	1	4	5	8	4	12	—
757	Whitsome,	612	640	12	8	20	—	—	—	5	10	15	1
	Total,	36165	36488	590	549	1139	80	48	128	326	328	654	220
	28. PEEBLES.												
758	Broughton,	284	297	4	5	9	—	2	2	1	—	1	—
759	Drumelzier,	244	209	3	3	6	—	—	—	2	2	4	1
760	Eddlestone,	790	753	12	11	23	1	2	3	10	7	17	6
761	Glenholm,	252	198	4	2	6	—	—	—	2	1	3	—
762	Innerleithen,	1236	1823	39	43	82	8	4	12	16	29	45	8
763	Kilbucko,	345	228	2	6	8	—	3	3	1	2	3	2
764	Kirkurd,	326	362	4	5	9	—	—	—	—	4	4	1
765	Lyne, etc.—(1) Lyne,	95	81	—	1	1	—	—	—	—	—	—	—
	(2) Meggat,	63	53	1	2	3	—	—	—	—	—	—	—
766	Manor,	256	247	7	2	9	—	—	—	4	3	7	—
767	Newlands,	950	987	22	18	40	2	2	4	9	7	16	10
768	PEEBLES (incl. Burgh),	2673	2850	61	40	101	6	2	8	26	21	47	16
769	Skirling,	316	317	3	3	6	—	1	1	—	—	—	2
770	Stobo,	478	478	9	8	17	—	—	—	1	4	5	1
771	Traquair,	646	687	10	19	29	1	1	2	9	3	12	4
772	Tweedsmuir,	220	196	—	5	5	—	—	—	1	1	2	2
773	West Linton,	1630	1534	31	21	52	4	3	7	19	18	37	13
	Total,	10804	11300	212	194	406	22	20	42	101	102	203	66
	29. SELKIRK.												
774	Ettrick,	477	454	7	6	13	1	1	2	3	3	6	2
775	GALASHIELS (incl. part of Town),	3014	3379	77	87	164	13	4	17	45	39	84	39
776	Kirkhope,	c. 600	555	10	8	18	3	2	5	3	3	6	2
777	Roberton,	670	640	4	14	18	1	4	5	4	3	7	6
778	SELKIRK (incl. Burgh),	4347	4739	85	84	169	9	11	20	53	53	106	32
779	Yarrow,	c. 694	643	7	8	15	—	—	—	2	3	5	1
	Total,	9802	10410	190	207	397	27	22	49	110	104	214	82
	VIII. SOUTHERN.												
	30. ROXBURGH.												
780	Ancrum,	1554	1511	28	17	45	5	2	7	14	15	29	8
781	Ashkirk,	578	578	6	8	14	—	—	—	4	1	5	5

NO. OF PARISH.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
82	Bedrule,	240	222	4	4	8	—	—	—	3	2	5	3
83	Bowden,	981	864	10	19	29	—	2	2	6	13	19	9
84	Castleton,	2130	3688	42	35	77	5	5	10	17	20	37	17
85	Cavers,	1495	1824	29	29	58	2	—	2	13	14	27	13
86	Crailing,	734	673	6	6	12	—	1	1	3	5	8	13
87	Eckford,	1073	957	5	13	18	—	3	3	3	6	9	5
87	Edgerston,	c. 373	359	3	5	8	—	1	1	3	3	6	—
88	Ednam,	658	599	16	9	25	1	—	1	5	3	8	7
89	HAWICK (incl. part of Town),	7801	8726	173	163	341	24	20	44	109	91	200	61
90	Hobkirk,	720	771	15	10	25	1	1	2	4	1	5	3
91	Hownam,	252	289	5	4	9	—	—	—	1	—	1	1
92	JEDBURGH (incl. Burgh),	c. 5220	5011	77	72	149	3	7	10	51	51	102	35
93	KELSO (incl. Town),	5634	5192	76	55	131	9	4	13	56	55	111	28
94	Kirktown,	282	421	5	9	14	1	1	2	2	1	3	1
95	Lilliesleaf,	798	772	8	11	19	2	2	4	8	5	13	3
96	Linton,	630	608	8	7	15	1	1	2	4	5	9	6
97	Makerston,	345	380	—	5	5	—	1	1	1	1	2	2
98	Maxton,	550	497	9	8	17	1	2	3	3	2	5	—
99	Melrose—												
	(1) Melrose,	3592	3557	67	57	124	6	4	10	41	43	84	24
	(2) Ladhope (incl. part of GALASHIELS),	3773	4154	76	86	162	6	8	14	41	49	90	59
800	Minto,	467	430	5	7	12	3	1	4	2	1	3	3
801	Morebattle,	997	1031	16	9	25	1	—	1	6	12	18	2
802	Oxnam,	c. 632	592	14	8	22	1	—	1	9	8	17	2
803	Roxburgh,	1141	1178	18	17	35	1	5	6	10	6	16	6
804	St Boswells,	884	865	11	15	26	1	1	2	12	11	23	3
805	Smailholm,	617	554	9	10	19	—	1	1	5	3	8	2
806	Southdean,	c. 765	687	4	7	11	—	1	1	2	2	4	4
807	Sprouston,	1424	1305	19	22	41	2	2	4	12	9	21	9
808	Stitchel,	426	425	5	9	14	1	2	3	2	3	5	3
809	Teviothead,	550	438	5	8	13	—	2	2	2	—	2	3
810	WILTON (incl. Town and part of HAWICK),	2557	3357	76	76	152	10	8	18	40	40	80	30
811	Yetholm,	1352	1207	23	19	42	2	3	5	7	10	17	11
	Total,	51225	53722	873	844	1717	89	91	180	501	491	992	381
	31. DUMFRIES.												
812	ANNAN (incl. part of Burgh),	c. 5128	5113	90	77	167	13	6	19	72	56	128	20
813	Applegarth,	918	935	18	19	37	—	2	2	11	5	16	5
813	Brydekirk (incl. part of ANNAN),	c. 864	779	11	7	18	4	—	4	4	7	11	4
814	Canonbie,	3163	3219	52	48	100	7	5	12	20	17	37	20
815	Carlaverock,	1418	1248	16	24	40	3	4	7	7	15	22	6
816	Closeburn,	1732	1651	39	30	69	4	4	8	16	9	25	11
817	Cummertrees,	c. 1334	1184	15	15	30	1	4	5	7	10	17	5
818	Dalton,	761	679	7	5	12	—	1	1	2	—	2	2
819	Dornock,	936	856	12	17	29	2	4	6	4	7	11	7
820	Dryfesdale,	2409	2309	42	49	91	7	7	14	15	25	40	20
821	DUMFRIES (incl. part of Burgh),	12298	13523	223	258	481	32	48	80	199	200	399	98
822	Dunscore,	1578	1554	22	21	43	2	3	5	14	10	24	11
823	Durrisdeer,	1795	1320	14	14	28	—	—	—	5	8	13	7
824	Eskdalemuir,	672	590	5	6	11	—	3	3	3	2	5	1
825	Ewes,	354	356	7	7	14	1	—	1	3	6	9	—
826	Glencairn,	1980	1867	27	32	59	2	3	5	12	20	32	15

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
827	Graitney (or Gretna),	1830	1620	22	15	37	4	3	7	17	19	36	8
828	Halfmorton,	687	713	8	11	19	—	2	2	3	5	8	1
829	Hoddam,	c. 1705	1568	27	25	52	9	5	14	20	10	30	6
830	Holywood,	1060	1115	12	14	26	—	1	1	6	10	16	5
831	Hutton,	836	876	8	14	22	—	2	2	4	5	9	2
832	Johnstone,	1261	1149	14	16	30	2	1	3	7	10	17	8
833	Keir,	960	849	9	19	28	3	3	6	15	8	23	6
834	Kirkconnel,	1245	996	10	20	30	—	2	2	10	12	22	6
835	Kirkmahoe,	1553	1462	19	21	40	3	2	5	19	13	32	15
836	Kirkmichael,	1124	1026	13	15	28	1	—	1	7	10	17	3
837	Kirkpatrick-Fleming,	1829	1925	27	38	65	4	5	9	23	15	38	9
838	Kirkpatrick-Juxta,	1097	1025	15	24	39	2	4	6	4	10	14	10
839	Langholm,	2990	2979	67	61	128	11	9	20	26	36	62	22
840	LOCHMABEN (includ. Burgh),	3127	3087	51	54	105	8	11	19	32	31	63	19
841	Middlebie,	2163	2004	27	32	59	4	5	9	15	12	27	16
842	Moffat,	2304	2232	33	34	67	5	5	10	19	28	47	21
843	Morton,	2482	2253	34	38	72	8	5	13	25	19	44	13
844	Mousewald,	686	633	10	9	19	—	—	—	9	10	19	3
845	Penpont,	1411	1326	14	15	29	2	—	2	15	10	25	5
846	Ruthwell,	1110	1046	16	13	29	3	1	4	10	6	16	5
847	St Mungo,	645	686	10	10	20	—	1	1	4	2	6	4
848	SANQUHAR (including Burgh),	c. 3155	2758	38	35	73	2	4	6	30	22	52	13
849	Tinwald,	1080	1079	22	17	39	2	6	8	8	12	20	5
850	Torthorwald,	1313	1254	23	24	47	3	8	11	10	14	24	7
851	Tundergarth,	577	507	9	9	18	2	—	2	2	5	7	3
852	Tynron,	482	446	5	4	9	—	1	1	5	5	10	2
853	Wamphray,	523	559	11	9	20	2	1	3	3	5	8	1
854	Wanlockhead,	c. 916	811	7	14	21	1	2	3	6	10	16	3
854	Westerkirk,	658	537	6	8	14	1	2	3	3	4	7	3
Total,		78149	75904	1167	1247	2414	160	185	345	751	759	1510	456
32. KIRKCUDBRIGHT.													
855	Anwoth,	900	899	10	9	19	1	—	1	7	7	14	8
856	Balmaclellan,	c. 938	890	14	18	32	2	2	4	11	10	21	3
857	Balmaghie,	1217	1225	14	20	34	1	3	4	8	8	16	1
857	Bargrennan,	c. 500	c. 500	8	—	8	—	—	—	2	2	4	3
858	Borgue,	1043	1162	18	14	32	4	2	6	8	8	16	3
859	Buittle,	1042	1165	17	17	34	4	4	8	4	7	11	10
860	Carsphairn,	855	553	1	6	7	—	1	1	6	12	18	1
861	Colvend,	1398	1366	21	17	38	2	3	5	9	11	20	8
862	Corsock-Bridge,	c. 550	544	11	11	22	3	2	5	5	2	7	2
863	Crossmichael,	1362	1536	25	38	63	3	4	7	20	20	40	6
864	Dalbeattie,	c. 1927	2054	45	45	90	5	8	13	26	27	53	10
865	Dalry,	1238	1149	9	13	22	3	1	4	9	23	32	5
866	Girthon,	1787	1702	25	28	53	4	2	6	13	12	25	13
867	Irongray,	918	913	13	16	29	5	3	8	8	6	14	5
868	Kells (incl. NEW GAL-LOWAY),	1091	1170	15	20	35	1	4	5	8	4	12	2
869	Kelton,	3186	3436	49	53	102	5	9	14	24	47	71	24
870	Kirkbean,	982	942	12	11	23	—	1	1	10	9	19	2
871	KIRKCUDBRIGHT (including Burgh),	3555	3407	53	54	107	7	7	14	51	45	96	23
872	Kirkgunzeon,	734	793	17	12	29	4	—	4	6	4	10	4
873	Kirkmabreck,	2266	1851	31	33	64	7	5	12	13	23	36	10
874	Kirkpatrick-Durham,	c. 1349	1323	31	23	54	7	5	12	9	16	25	4
875	Lochrutton,	726	677	11	8	19	2	1	3	6	7	13	2
876	Minnigaff,	c. 1804	c. 1554	22	20	42	5	4	9	5	15	20	6

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
877	New Abbey,	1098	1063	22	18	40	3	2	5	7	7	14	4
878	Parton, c.	547	572	10	5	15	—	1	1	—	3	3	3
879	Berrick,	1725	1738	26	42	68	4	3	7	8	11	19	14
880	Terregles (incl. part of DUMFRIES),	566	580	12	7	19	1	1	2	5	6	11	1
881	Tongland,	924	892	15	12	27	4	3	7	3	8	11	4
882	Troqueer (incl. part of DUMFRIES),	4925	4743	97	88	185	14	13	27	55	70	125	32
883	Twynholm,	782	815	12	5	17	2	3	5	4	8	12	2
884	Urr, c.	1436	1531	20	23	43	4	4	8	13	14	27	11
	Total,	43121	42495	686	686	1372	107	101	208	363	452	815	226
	33. WIGTOWN.												
885	Glasserton,	1487	1472	14	14	28	5	3	8	9	8	17	2
886	Inch,	2579	2460	37	32	69	4	7	11	17	16	33	10
887	Kirkcolm,	2018	1860	30	31	61	8	3	11	11	15	26	13
888	Kirkcowan,	1541	1434	20	19	39	3	6	9	10	10	20	6
889	Kirkinner,	1914	1716	25	30	55	5	8	13	11	15	26	6
890	Kirkmaiden,	2681	2333	37	34	71	4	6	10	17	21	38	7
891	Leswalt,	1703	1417	16	19	35	1	4	5	9	10	19	7
892	Mochrum,	2946	2694	45	36	81	5	4	9	21	27	48	12
893	New Luce,	791	731	10	10	20	1	1	2	8	9	17	2
894	Old Luce (or Glenluce), .	2841	2800	39	34	73	9	3	12	14	17	31	15
895	Penninghame (incl. NEW- TON-STEWART),	4155	4061	52	53	105	3	12	15	25	28	53	21
896	Portpatrick,	1963	2189	23	29	52	9	5	14	16	20	36	9
897	Sorbie,	1886	1814	28	23	51	5	5	10	19	22	41	1
898	Stoneykirk,	3321	3228	48	48	96	7	5	12	21	18	39	12
899	STRANRAER (incl. Burgh)	5738	6315	125	88	213	16	19	35	75	83	158	38
900	WHITHORN (incl. Burgh)	3001	2934	39	45	84	5	7	12	20	46	66	10
901	WIGTOWN (incl. Burgh)	2824	2637	31	35	66	5	4	9	25	29	54	12
	Total,	43389	42095	619	580	1199	95	102	197	328	394	722	183

SUMMARY.

DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
INSULAR,	166,487	1,607,333	2577	2469	5046	170	167	337	1236	1252	2488	776
MAINLAND-RURAL,	1,711,717	1,762,576	30561	28760	59321	3234	3069	6303	16339	16653	32992	11184
TOWN,	1,010,538	1,138,985	25082	23621	48703	2375	2247	4622	17615	17796	35411	11651
SCOTLAND,	2,888,742	3,062,294	58220	54850	113070	5779	5483	11262	35190	35701	70891	23611

MARRIAGES registered in SCOTLAND in 1865, according to the Rites of the several Religious Denominations, with the number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.		Regular Marriages according to the Rites of							Irregular Marriages.	Signed the Register by Marks.			
		Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		TOTAL.	Men.	Women.	Both Sexes.
SCOTLAND.		10177	5636	3345	476	2399	1516	30	23579	32	2697	5247	7944
INSULAR DISTRICTS . . .		343	290	68	1	25	41	8	776	—	195	285	480
MAINLAND-RURAL DISTRICTS		5907	2603	1480	124	621	424	18	11177	7	913	1786	2699
TOWN DISTRICTS		3927	2743	1797	351	1753	1051	4	11626	25	1589	3176	4765
DIVISIONS.													
I.	Northern	216	267	57	—	—	64	15	619	—	36	110	146
II.	North-Western	242	510	25	2	38	4	2	823	1	250	398	648
III.	North-Eastern	1497	693	130	62	61	132	—	2575	—	88	276	364
IV.	East-Midland	1925	831	667	95	360	186	2	4066	2	379	753	1132
V.	West-Midland	724	338	210	16	143	81	6	1518	—	192	331	523
VI.	South-Western	3275	1986	1433	183	1438	853	5	9173	14	1414	2837	4251
VII.	South-Eastern	1617	783	625	108	301	132	—	3566	8	274	451	725
VIII.	Southern	681	228	198	10	58	64	—	1239	7	64	91	155
COUNTIES.													
1	Shetland	82	27	16	—	—	24	6	155	—	11	43	54
2	Orkney	74	31	40	—	—	12	—	157	—	2	10	12
3	Caithness	50	133	1	—	—	27	9	220	—	13	32	45
4	Sutherland	10	76	—	—	—	1	—	87	—	10	25	35
5	Ross and Cromarty ...	67	293	6	1	1	4	—	372	—	126	177	303
6	Inverness	175	217	19	1	37	—	2	451	1	124	221	345
7	Nairn	20	19	13	—	4	—	—	56	—	9	13	22
8	Elgin	104	104	27	2	5	1	—	243	—	10	35	45
9	Banff	227	96	17	6	20	14	—	380	—	20	52	72
10	Aberdeen	947	416	65	46	30	114	—	1618	—	39	149	188
11	Kincardine	199	58	8	8	2	3	—	278	—	10	27	37
12	Forfar	831	368	291	76	310	124	—	2000	1	303	590	893
13	Perth	384	243	98	13	28	30	—	796	—	27	55	82
14	Fife	638	176	228	6	20	22	2	1092	1	45	91	136
15	Kinross	32	12	14	—	—	—	—	58	—	2	3	5
16	Clackmannan	40	32	36	—	2	10	—	120	—	2	14	16
17	Stirling	288	151	144	3	69	60	6	721	—	82	157	239
18	Dumbarton	172	58	32	7	59	15	—	343	—	54	97	151
19	Argyll	218	92	23	5	10	3	—	351	—	48	70	118
20	Bute	46	37	11	1	5	3	—	103	—	8	7	15
21	Renfrew	685	302	186	33	291	68	—	1565	—	286	528	814
22	Ayr	776	265	183	12	88	78	1	1403	—	189	357	546
23	Lanark	1814	1419	1064	138	1059	707	4	6205	14	939	1952	2891
24	Linlithgow	129	72	44	6	49	17	—	317	—	70	84	154
25	Edinburgh	1135	619	468	100	220	101	—	2643	8	166	309	475
26	Haddington	134	47	26	—	28	3	—	238	—	28	42	70
27	Berwick	136	25	52	—	1	6	—	220	—	6	10	16
28	Peebles	36	9	18	—	3	—	—	66	—	2	4	6
29	Selkirk	47	11	17	2	—	5	—	82	—	2	2	4
30	Roxburgh	181	60	88	5	25	21	—	380	1	17	24	41
31	Dumfries	240	90	69	3	17	31	—	450	6	16	19	35
32	Kirkcudbright	154	37	16	2	10	7	—	226	—	11	20	31
33	Wigtown	106	41	25	—	6	5	—	183	—	20	28	48

CONDITION and AGE of Persons married in SCOTLAND in 1865.

CONDITION.	TOTAL.	AGES.																			Age not stated		
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80		85	90
BACHELORS with SPINSTERS.	20158	—	—	1	15	111	478	1071	8001	6570	2307	888	371	181	85	39	14	7	2	1	—	—	16
	20158	2	10	72	261	868	1574	2101	8450	4849	1314	419	142	46	8	6	1	—	—	—	—	—	35
BACHELORS with WIDOWS.	593	—	—	—	—	1	—	9	85	153	138	77	65	30	18	9	3	2	1	—	—	—	2
	593	—	—	—	—	—	1	2	34	137	183	120	72	23	11	2	2	3	—	—	—	—	3
WIDOWERS with SPINSTERS.	2055	—	—	—	—	—	—	1	42	245	365	408	359	248	167	102	77	22	12	3	2	—	2
	2055	—	—	6	2	20	27	37	314	534	427	355	202	89	26	10	3	—	—	—	—	—	3
WIDOWERS with WIDOWS.	642	—	—	—	—	—	—	—	5	25	62	102	111	111	97	58	41	17	12	—	—	—	1
	642	—	—	—	—	—	1	—	11	73	121	137	139	80	48	23	6	2	—	—	—	—	1
{ MEN. WOMEN.	163	—	—	—	—	—	1	2	36	52	31	12	11	3	3	4	—	—	1	—	—	—	7
	163	—	1	—	—	3	9	13	45	44	20	7	5	5	1	1	—	—	—	—	—	—	9
TOTAL MEN.....	23611	—	—	1	15	112	479	1083	8169	7045	2903	1487	917	573	370	212	135	48	28	4	2	—	28
TOTAL WOMEN	23611	2	11	78	263	891	1612	2153	8854	5637	2065	1038	560	243	94	42	12	5	—	—	—	—	51

Condition not stated.

AGES of MALES married in Scotland in 1865.

AGES OF MALES MARRIED IN SCOTLAND IN 1865.																							
TOTAL MALES.	Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.	
																						28	
Scotland . . .	23611	-	-	1	15	112	479	1083	8169	7045	2903	1487	917	573	370	212	135	48	28	4	2	-	28
DISTRICTS.																							
INSULAR . . .	776	-	-	-	-	10	10	153	262	156	76	35	23	17	12	6	4	5	1	-	-	-	6
MAINLAND-RURAL	11184	-	-	1	7	49	212	499	3800	3456	674	448	253	169	88	68	17	11	1	1	1	-	19
TOWN . . .	11651	-	-	-	8	63	257	574	4216	3327	737	434	297	184	112	61	27	12	2	1	-	3	
DIVISIONS.																							
1. NORTHERN . . .	619	-	-	-	1	13	9	155	201	113	52	25	12	12	6	8	5	1	-	-	-	-	6
2. NORTH-WESTERN	824	-	-	-	1	1	7	147	255	200	104	46	21	22	7	8	2	3	-	-	-	-	-
3. NORTH-EASTERN	2575	-	-	-	1	6	44	85	810	829	180	102	78	39	27	20	4	2	-	1	-	-	1
4. EAST-MIDLAND .	4068	-	-	-	2	18	80	194	1445	466	219	156	93	64	42	28	10	3	-	-	-	-	5
5. WEST-MIDLAND	1518	-	-	-	3	8	21	50	466	503	97	67	40	22	17	1	1	5	1	-	-	-	3
6. SOUTH-WESTERN	9187	-	-	-	4	61	238	536	3440	2537	542	336	215	132	62	46	16	11	1	1	-	-	5
7. SOUTH-EASTERN	3574	-	-	1	2	12	63	152	1285	1071	200	141	79	59	42	21	8	3	2	1	-	-	5
8. SOUTHERN . . .	1246	-	-	-	3	5	19	50	421	406	93	44	35	20	9	3	2	-	-	-	-	-	3
COUNTIES.																							
Shetland . . .	155	-	-	-	-	4	3	37	58	22	13	3	2	3	1	2	1	-	-	-	-	-	6
Orkney . . .	157	-	-	-	-	3	4	40	47	24	15	7	4	4	4	1	3	1	-	-	-	-	-
Caithness . . .	220	-	-	-	1	5	2	65	71	43	14	7	2	3	1	5	1	-	-	-	-	-	-
Sutherland . . .	87	-	-	-	-	1	-	13	25	24	10	8	4	2	-	-	-	-	-	-	-	-	-
Ross and Cromarty	372	-	-	-	1	1	5	72	124	81	44	26	7	5	1	4	1	-	-	-	-	-	-
Inverness . . .	452	-	-	-	-	-	2	75	131	119	60	20	14	17	6	4	1	3	-	-	-	-	-

AGES of MALES married in Scotland in 1865.

[illegible]

AGES of FEMALES married in Scotland in 1865.

AGES OF FEMALES MARRIED IN SCOTLAND IN 1865.																						
Total FEMALES	Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
		2	11	78	263	891	1612	2153	8854	5637	2065	1038	560	243	94	42	12	5	-	-	-	
Scotland . . .																						
DISTRICTS.																						
INSULAR . . .	-	-	1	7	9	23	59	267	233	93	50	12	9	4	1	1	-	-	-	-	-	7
MAINLAND-RURAL	2	6	39	123	409	757	950	4209	2774	1004	466	237	110	38	21	6	3	-	-	-	-	30
TOWN . . .	-	5	38	133	473	832	1144	4378	2630	968	522	311	124	52	20	5	2	-	-	-	-	14
DIVISIONS.																						
1. NORTHERN . . .	-	-	-	3	10	32	42	214	174	74	37	12	10	3	-	1	-	-	-	-	-	7
2. NORTH-WESTERN	-	-	4	5	6	39	49	269	262	112	47	17	8	3	-	1	-	-	-	-	-	2
3. NORTH-EASTERN	-	3	13	19	104	176	211	931	663	233	114	66	28	7	4	1	-	-	-	-	-	2
4. EAST-MIDLAND .	2	-	3	21	100	234	355	1606	1023	362	165	111	46	20	11	2	-	-	-	-	-	7
5. WEST-MIDLAND .	-	-	6	25	50	93	113	578	400	133	73	26	10	3	5	1	1	-	-	-	-	1
6. SOUTH-WESTERN	-	5	32	126	454	743	959	3451	1937	723	391	214	85	30	14	3	3	-	-	-	-	17
7. SOUTH-EASTERN	-	3	17	44	135	214	317	1336	856	327	164	80	41	19	6	2	1	-	-	-	-	12
8. SOUTHERN . . .	-	-	3	20	32	81	107	469	322	101	47	34	15	9	2	1	-	-	-	-	-	3
COUNTIES.																						
Shetland . . .	-	-	-	-	-	5	11	64	42	17	6	2	2	-	-	-	-	-	-	-	-	6
Orkney . . .	-	-	-	2	7	4	14	51	40	15	15	4	4	1	-	-	-	-	-	-	-	-
Caithness . . .	-	-	-	-	2	17	12	78	64	25	12	2	4	2	-	1	-	-	-	-	-	1
Sutherland . . .	-	-	-	1	1	6	5	21	28	17	4	4	-	-	-	-	-	-	-	-	-	-
Ross and Cromarty	-	-	2	1	2	16	24	131	118	48	18	8	1	-	-	1	-	-	-	-	-	2
Inverness . . .	-	-	2	4	4	23	25	138	144	64	29	9	7	3	-	-	-	-	-	-	-	-

DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
	1851.	1861.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND .	2888742	3062294	70891	6817	2512	4770	6145	2801	1914	1578	3345	1801	2366	2813	2570
Insular . .	166487	160733	2488	228	78	101	137	73	47	33	70	55	78	107	91
Mainland .	1711717	1762576	32992	3183	1002	1902	2258	1102	766	582	1603	912	1156	1286	1126
Towns . .	1010538	1138985	35411	3406	1432	2767	3750	1626	1101	763	1672	834	1132	1420	1361
Shetland . .	31078	31670	515	33	8	11	30	19	9	5	20	15	15	16	21
Orkney . .	31455	32395	457	23	3	5	12	8	6	9	14	9	18	24	19
Caithness .	39782	42200	754	57	19	33	39	38	26	18	47	32	24	27	24
Sutherland .	24720	24157	344	29	7	4	13	5	9	4	16	7	15	17	6
Ross & Cromarty	83781	82427	1362	133	47	83	87	41	39	26	70	27	33	49	29
Inverness .	91954	84902	1316	138	55	59	56	41	15	21	43	29	46	65	49
Nairn . .	8076	8347	157	14	2	3	2	3	2	—	6	1	3	5	8
Elgin . .	40532	44218	773	82	23	40	39	27	15	20	30	16	28	23	28
Banff . .	51353	56020	862	63	20	40	43	18	15	15	31	31	27	33	33
Aberdeen .	213461	223344	4388	475	163	222	230	135	111	73	232	118	169	164	150
Kincardine .	34944	34854	560	48	22	31	17	9	7	12	28	19	20	18	23
Forfar . .	193627	206750	5267	580	201	350	491	187	128	95	248	137	164	202	190
Perth . .	137369	133198	2654	217	55	100	145	77	65	45	111	56	79	105	87
Fife . .	153789	155021	3188	249	111	206	272	126	80	57	156	65	99	116	83
Kinross . .	9626	8731	181	12	4	6	12	4	3	1	12	6	4	9	4
Clackmannan .	21555	20122	441	48	19	26	37	21	10	10	17	18	15	11	12
Stirling . .	83802	88138	1842	196	55	123	162	69	39	38	104	60	67	61	85
Dumbarton .	46995	54179	1216	107	43	95	90	31	29	25	49	34	47	64	49
Argyll . .	94042	83859	1359	100	33	55	55	32	22	14	37	32	51	55	53
Bute . .	16608	16331	367	15	9	15	19	12	7	4	9	8	12	21	18
Renfrew . .	157950	168746	4793	465	190	390	495	238	158	111	240	111	184	165	180
Ayr . .	189973	199063	4062	361	137	262	374	194	128	85	215	131	142	187	157
Lanark . .	533169	640444	20111	1968	830	1762	2418	1008	667	459	1019	546	682	845	783
Linlithgow .	30590	39045	842	124	35	78	83	33	25	8	42	18	21	29	27
Edinburgh .	259493	274093	7231	723	267	471	610	262	169	134	285	126	186	230	259
Haddington .	36363	37626	739	82	21	32	34	29	12	9	37	15	21	36	22
Berwick . .	36165	36488	634	61	9	33	33	15	9	5	27	21	27	24	23
Peebles . .	10804	11300	203	22	3	5	10	8	4	1	9	7	6	16	8
Selkirk . .	9802	10410	214	29	10	19	11	11	7	4	11	6	8	11	7
Roxburgh .	51225	53722	992	106	29	52	65	22	31	24	40	25	41	44	22
Dumfries .	78149	75904	1510	124	44	76	88	38	39	28	77	42	52	72	65
Kirkcudbright	43121	42495	815	74	21	42	42	23	18	7	33	19	26	37	27
Wigtown .	43389	42095	722	59	17	41	31	17	10	11	30	14	34	32	27

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1865.—BOTH SEXES.

Inverness	16496	16162	423	38	22	28	23	23	7	10	16	12	14	22	18
Aberdeen	71973	73900	1981	196	78	116	114	68	65	35	109	37	65	82	65
Arbroath	17238	17831	467	63	13	29	38	22	12	7	21	12	14	16	8
Dundee	80027	91664	3000	342	135	254	338	120	79	57	136	78	96	123	130
Forfar	11009	10838	271	33	8	12	29	10	9	4	16	5	4	8	6
Montrose	16037	15668	338	25	10	11	17	8	5	4	11	10	14	13	12
Perth	24670	26094	729	56	21	40	59	32	21	20	32	13	24	22	22
Dunfermline	13836	13506	313	28	13	20	22	14	9	4	7	10	13	14	6
Kirkcaldy	10636	11117	243	19	9	28	26	9	6	2	9	4	2	13	7
Stirling	12401	14012	392	37	15	33	30	14	12	10	25	8	12	16	16
Greenock	37436	43894	1675	170	75	164	188	81	68	35	76	30	53	67	76
Paisley	48071	47427	1410	121	53	92	143	77	41	44	73	39	59	41	43
Ayr	18845	19659	433	28	16	13	27	18	8	7	31	9	15	20	17
Kilmarnock	21287	23556	508	57	19	31	51	22	20	18	18	12	20	28	22
Glasgow	329097	395503	13914	1279	574	1244	1756	740	490	345	705	332	473	608	562
Barony	16050	22559	968	82	42	69	100	39	25	21	34	34	32	33	32
Govan	14996	28584	910	103	47	74	115	57	31	11	53	26	32	31	43
Hamilton	11740	14047	359	40	13	33	35	10	12	7	15	9	4	19	17
Airdrie	14435	12922	325	41	18	23	33	12	8	3	22	17	11	7	6
Coatbridge, etc.	13168	13303	422	48	21	48	46	23	14	9	31	15	14	16	10
Edinburgh	161648	170444	4858	457	175	296	430	171	109	81	165	92	130	167	177
Leith	32219	36029	948	110	40	77	89	40	23	14	47	14	18	30	34
Dumfries	17223	18266	524	41	15	32	41	16	27	15	20	16	13	24	26

DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND	2382	2419	2438	2444	2511	2469	3079	3058	3259	2970	2492	1373	490	136	37	94	
Insular	91	72	72	53	74	73	111	132	176	169	163	112	52	19	7	14	
Mainland	974	987	941	975	1037	1183	1506	1659	1870	1860	1671	940	342	86	26	57	
Towns	1317	1360	1425	1416	1400	1213	1462	1267	1213	941	658	321	96	31	4	23	
Shetland	19	15	11	9	10	14	13	38	32	52	31	36	20	5	1	7	
Orkney	16	10	19	10	8	12	34	32	43	39	39	36	5	2	1	1	
Caithness	23	18	20	28	21	17	23	43	43	38	58	22	11	3	1	1	
Sutherland	13	10	11	13	16	14	9	19	26	20	28	15	14	3	—	1	
Ross and Cromarty	40	20	29	30	40	41	55	73	81	101	102	48	20	10	2	6	
Inverness	39	38	35	31	50	39	60	65	95	89	90	37	12	11	6	2	
Nairn	5	4	6	2	3	11	7	6	13	12	23	6	6	1	—	3	
Elgin	13	26	19	23	23	18	33	36	53	58	55	27	12	3	2	1	
Banff	24	22	22	25	23	26	41	43	60	74	70	36	19	5	—	3	
Aberdeen	136	139	124	139	134	152	185	191	239	263	237	149	38	15	3	2	
Kincardine	10	14	15	17	16	23	16	23	44	44	42	24	13	5	—	—	
Forfar	177	195	201	162	198	218	237	217	232	193	144	80	25	6	1	8	
Perth	95	78	83	79	98	116	152	169	199	173	147	81	32	6	3	1	
Fife	88	81	89	94	94	119	154	187	186	189	155	73	42	10	—	7	
Kinross	9	5	3	6	4	5	5	12	16	16	10	10	3	—	—	—	
Clackmannan	15	19	11	16	9	14	19	30	19	19	18	7	1	—	—	—	
Stirling	46	58	55	58	60	63	77	92	80	79	57	47	8	2	1	—	
Dumbarton	49	49	48	46	34	44	56	52	58	45	44	14	6	5	—	3	
Argyll	52	42	48	37	48	70	86	77	81	90	91	59	25	6	2	6	
Bute	9	17	14	16	12	10	25	18	37	22	17	9	10	—	1	1	
Renfrew	158	164	182	171	171	146	184	196	171	133	96	64	18	6	1	5	
Ayr	130	135	117	123	152	118	185	162	183	152	135	63	22	9	—	3	
Lanark	745	729	767	809	761	627	733	603	521	389	252	136	32	8	3	9	
Linlithgow	24	27	23	31	28	20	26	32	34	32	28	10	3	—	—	1	
Edinburgh	282	315	294	299	310	299	380	351	345	277	224	91	29	5	—	8	
Haddington	21	17	27	21	31	29	40	42	44	46	38	24	6	1	—	2	
Berwick	13	23	21	11	20	36	34	38	51	50	31	21	10	—	—	8	
Peebles	6	11	7	5	9	9	13	14	6	7	10	5	2	—	—	—	
Selkirk	6	5	5	5	4	6	7	11	14	9	3	4	1	—	—	—	
Roxburgh	43	34	39	33	32	36	45	55	56	54	42	15	6	1	—	—	
Dumfries	34	41	45	49	55	64	77	61	86	95	86	53	14	1	3	1	
Kirkcudbright	21	30	26	23	18	20	36	37	63	64	51	36	11	4	3	3	
Wigtown	21	28	22	23	19	33	32	33	48	46	38	35	14	3	3	1	

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1865.—BOTH SEXES.

Inverness	7	15	8	14	13	15	21	12	30	28	20	12	2	—	—	—
Aberdeen	71	71	75	78	72	84	95	77	89	101	76	46	10	4	1	1
Arbroath	12	10	20	10	20	24	18	20	29	19	18	9	3	—	—	—
Dundee	116	126	127	108	109	94	118	92	82	65	46	15	6	3	—	5
Forfar	4	3	9	5	8	21	22	14	14	16	7	3	1	—	—	—
Montrose	9	17	12	11	20	16	22	21	26	17	13	13	—	—	1	—
Perth	26	30	29	36	32	33	42	38	41	22	22	11	5	—	—	—
Dunfermline	8	9	17	14	13	13	19	15	18	14	8	4	—	—	—	1
Kirkcaldy	6	8	10	7	8	8	13	14	14	7	7	3	2	1	—	1
Stirling	12	13	13	12	17	6	15	19	15	19	8	11	3	1	—	—
Greenock	64	58	69	68	59	42	60	47	47	33	22	14	7	—	—	2
Paisley	42	49	57	57	49	40	49	67	60	51	36	21	1	4	—	1
Ayr	17	18	16	10	23	17	24	27	24	18	15	7	5	2	—	—
Kilmarnock	16	15	11	18	22	15	14	19	28	17	9	3	2	1	—	—
Glasgow	550	543	551	574	531	443	488	397	319	209	116	61	16	4	2	2
Barony	50	30	51	39	47	31	47	34	46	21	13	8	2	—	—	—
Govan	26	35	34	22	34	20	27	25	21	27	10	3	—	2	—	1
Hamilton	10	9	14	18	4	16	10	14	11	15	11	7	3	1	—	2
Airdrie	9	9	10	18	19	9	12	11	12	4	4	6	1	—	—	—
Coatbridge, etc.	7	9	14	20	19	9	16	12	5	6	7	2	1	—	—	—
Edinburgh	209	221	210	220	221	205	261	240	227	179	146	44	15	5	—	5
Leith	37	47	47	35	39	33	46	35	28	29	24	6	6	—	—	—
Dumfries	9	15	21	22	21	19	23	17	27	24	20	12	5	2	—	1

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—MALES.

	MALE POPULATION.		ALL AGES.	MALES.											
				AGE UNDER											
	1851.	1861.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND	1375479	1449848	35199	3854	1414	2540	3150	1432	960	699	1705	876	1220	1430	1240
Insular	76760	73409	1236	125	50	51	78	37	23	16	39	33	46	58	49
Mainland	828832	848998	16339	1789	558	1020	1167	568	381	287	801	452	602	670	560
Towns	469867	527441	17615	1949	806	1469	1905	827	556	396	865	391	572	702	631
Shetland	13145	13053	236	22	5	5	20	8	5	3	6	8	10	5	11
Orkney	14350	14924	214	9	2	4	5	4	4	2	8	8	15	14	9
Caithness	18809	19846	354	35	10	18	23	20	13	9	20	15	17	12	15
Sutherland	11437	11058	175	19	4	3	6	—	4	1	8	2	9	6	5
Ross & Cromarty	39489	38462	659	77	30	42	44	16	21	16	33	12	17	28	12
Inverness	42814	39479	665	77	41	29	32	25	8	12	24	14	20	36	28
Nairn	3831	3976	72	10	1	1	1	1	1	—	1	1	—	3	5
Elgin	18943	20737	401	44	15	23	24	13	7	11	15	11	17	14	12
Banff	24195	26401	421	32	10	27	25	8	8	6	12	15	14	21	18
Aberdeen	100935	105322	2143	262	88	118	116	67	49	35	126	55	87	97	74
Kincairdine	17188	16939	270	30	12	17	9	3	2	7	18	10	12	8	6
Forfar	89408	93280	2341	319	110	176	246	86	63	49	139	64	79	90	88
Perth	65697	63169	1286	115	30	51	65	41	32	24	61	25	39	45	46
Fife	73305	72714	1503	143	61	97	134	58	45	32	67	36	50	50	39
Kinross	4660	4150	88	9	1	5	5	—	2	1	8	1	2	6	1
Clackmannan	10634	9742	237	31	13	20	23	10	5	3	9	6	7	6	4
Stirling	41113	43487	932	110	32	64	89	39	25	24	56	26	28	32	49
Dumbarton	23340	26455	620	54	21	50	39	15	13	9	17	22	24	41	24
Argyll	46197	40914	720	57	19	29	31	23	9	5	21	14	30	40	33
Bute	7518	7208	190	8	5	6	11	7	2	3	5	5	6	13	9
Renfrew	74224	79380	2389	264	107	221	248	119	77	60	117	49	73	88	88
Ayr	92933	97035	2026	200	76	145	189	114	65	44	107	71	70	89	66
Lanark	258449	308263	10199	1158	470	945	1220	507	336	230	510	264	376	414	358
Linlithgow	15422	20069	428	70	21	45	49	15	12	3	25	10	9	18	14
Edinburgh	119428	126429	3581	398	145	251	323	147	88	64	151	67	99	116	124
Haddington	17592	17866	360	49	15	19	19	13	7	5	13	4	11	16	13
Berwick	17367	17354	326	35	5	12	15	8	5	4	14	9	19	10	11
Peebles	5400	5603	101	14	—	3	7	3	1	1	7	3	2	6	4
Selkirk	4836	5069	110	15	4	9	9	5	3	3	5	1	3	9	6
Roxburgh	25002	26593	501	55	20	30	38	11	15	13	25	15	19	28	6
Dumfries	37200	35687	751	65	23	34	44	22	22	13	44	22	28	38	41
Kirkeudbright	20223	19789	363	37	12	24	22	13	7	3	15	3	12	15	10
Wigtown	20335	19395	328	31	6	17	19	11	4	4	18	8	16	16	11

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1865.

Inverness	7401	7261	208	13	17	15	9	14	3	7	9	6	8	10	12
Aberdeen	31746	32554	947	108	41	64	55	35	30	21	60	18	31	51	32
Arbroath	7866	7770	217	39	7	15	18	4	6	4	12	5	5	8	3
Dundee	36364	40395	1492	192	72	128	178	62	44	29	76	41	48	48	63
Forfar	5017	4735	123	17	7	5	13	4	3	2	7	1	1	3	2
Montrose	7061	6736	145	14	4	7	6	5	1	3	7	5	5	8	3
Perth	11689	11947	368	32	10	20	27	15	14	9	18	6	13	10	12
Dunfermline	6901	6447	151	13	7	11	12	5	5	2	2	5	10	5	1
Kirkcaldy	4906	5074	108	11	2	13	18	3	3	—	2	2	1	5	1
Stirling	5908	6814	190	18	11	13	15	7	6	7	17	4	3	8	10
Greenock	17905	21567	861	99	43	101	92	37	30	20	33	10	22	41	38
Paisley	22608	21913	639	71	32	51	71	47	22	29	38	18	16	16	20
Ayr	8675	9094	198	19	10	6	15	8	3	4	12	5	5	9	6
Kilmarnock	10163	11398	234	28	13	15	28	10	12	8	12	7	8	10	10
Glasgow	154930	185556	7017	759	330	671	877	364	240	174	358	144	265	307	261
Barony	8090	11221	498	53	21	37	54	21	16	7	19	16	16	14	10
Govan	7286	13603	466	64	22	32	67	32	20	8	30	15	12	14	15
Hamilton	5576	6798	185	22	7	21	19	6	6	1	7	6	2	10	8
Airdrie	7333	6242	150	21	10	9	10	9	3	1	10	8	5	3	2
Coatbridge, etc.	7084	8155	225	24	10	28	25	13	6	9	18	7	7	6	3
Edinburgh	72067	76013	2412	249	100	151	226	102	64	37	81	46	69	84	90
Leith	15482	17894	477	61	21	40	51	16	9	6	27	9	12	17	14
Dumfries	7809	8254	254	22	9	16	19	8	10	8	10	7	8	15	15

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND	1122	1144	1199	1217	1797	1232	1483	1423	1466	1231	1031	558	173	44	10	58	
Insular	35	27	34	27	40	46	45	65	84	72	72	50	19	6	1	8	
Mainland	472	431	440	497	534	605	733	801	857	798	717	403	126	33	7	39	
Towns	615	686	725	693	705	581	705	557	525	361	242	105	28	5	2	11	
Shetland	6	7	3	3	7	7	3	18	17	21	12	13	6	—	—	5	
Orkney	8	3	6	4	5	9	9	14	23	14	16	17	1	—	—	1	
Caithness	9	5	8	11	9	8	13	21	16	12	23	9	3	—	—	—	
Sutherland	9	7	6	8	7	7	4	6	13	10	15	9	5	1	—	1	
Ross and Cromarty	17	7	14	17	18	25	23	30	36	50	45	18	4	5	—	2	
Inverness	17	17	18	15	24	18	28	29	50	33	38	21	5	6	—	—	
Nairn	2	2	4	—	2	3	5	3	4	5	9	4	1	—	—	3	
Elgin	5	11	10	16	16	10	16	18	26	21	30	9	5	1	—	1	
Banff	12	11	10	12	12	11	21	20	31	35	22	16	8	2	—	2	
Aberdeen	61	59	62	72	65	83	95	88	110	101	106	51	10	4	1	1	
Kincardine	3	6	9	8	8	4	10	14	19	20	21	10	1	3	—	—	
Forfar	81	90	98	68	92	97	122	98	113	72	53	35	7	—	1	5	
Perth	44	40	40	31	49	62	75	82	94	76	67	33	16	2	1	—	
Fife	43	30	40	40	47	50	80	88	81	83	57	29	16	2	—	5	
Kinross	4	3	1	3	3	3	1	3	7	8	6	4	1	—	—	—	
Clackmannan	7	11	3	8	6	6	10	19	13	5	7	4	1	—	—	—	
Stirling	21	31	19	29	29	31	38	39	37	44	23	14	2	1	—	—	
Dumbarton	24	27	21	22	22	28	32	32	31	24	19	5	—	2	—	2	
Argyll	30	19	27	18	24	36	47	43	38	39	43	26	10	2	2	5	
Bute	3	8	9	10	8	4	13	11	14	12	10	4	4	—	—	—	
Renfrew	62	77	94	91	96	76	87	81	76	59	39	27	8	4	—	1	
Ayr	58	57	53	67	82	60	86	86	80	61	58	28	8	3	—	3	
Lanark	337	372	384	409	386	319	353	289	231	154	92	61	14	2	1	7	
Linlithgow	15	11	12	18	14	12	9	9	12	13	8	3	—	—	—	1	
Edinburgh	158	159	158	157	161	139	166	141	140	105	81	35	6	—	—	2	
Haddington	10	4	12	11	16	19	21	23	15	20	13	8	3	—	—	1	
Berwick	9	12	14	6	8	18	12	22	21	23	16	7	3	—	—	8	
Peebles	4	5	2	2	4	5	7	4	1	5	7	2	2	—	—	—	
Selkirk	2	1	3	1	3	4	2	6	5	5	3	2	1	—	—	—	
Roxburgh	26	13	22	18	13	17	24	26	23	16	18	6	4	—	—	—	
Dumfries	18	19	15	22	24	33	40	35	38	43	37	19	8	1	2	1	
Kirkcudbright	9	9	9	11	7	14	16	13	28	27	22	18	3	2	2	—	
Wigtown	8	11	13	9	12	14	15	12	23	15	15	11	7	1	—	1	

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1865.—MALES.

Inverness	3	6	5	6	7	7	12	5	16	10	5	3	—	—	—	—
Aberdeen	26	32	37	37	37	40	45	33	38	30	32	12	1	1	—	—
Arbroath	6	4	10	5	7	14	10	9	7	10	7	2	—	—	—	—
Dundee	51	61	64	47	52	41	64	40	36	27	18	5	2	—	—	3
Forfar	3	1	4	1	4	11	11	8	8	5	1	1	—	—	—	—
Montrose	4	10	2	4	7	5	9	5	14	5	6	5	—	—	1	—
Perth	16	17	19	13	17	18	22	16	17	12	10	3	2	—	—	—
Dunfermline	2	4	6	6	7	9	12	4	12	6	4	—	—	—	—	1
Kirkcaldy	1	3	5	2	3	2	7	5	6	5	5	2	—	—	—	1
Stirling	5	8	6	6	5	3	4	7	10	12	2	2	1	—	—	—
Greenock	24	29	41	39	38	25	32	13	23	15	7	7	2	—	—	—
Paisley	17	24	28	26	25	19	23	26	26	18	15	8	1	2	—	—
Ayr	9	9	5	5	13	6	14	12	6	6	5	3	2	—	—	1
Kilmarnock	4	5	5	9	8	5	5	7	11	9	3	1	1	—	—	—
Glasgow	247	276	276	277	267	213	227	195	135	82	41	22	6	—	1	2
Barony	26	20	25	22	27	16	25	11	22	9	7	3	1	—	—	—
Govan	15	16	15	15	16	10	11	14	11	7	3	—	—	1	—	1
Hamilton	6	4	7	7	3	7	6	9	8	5	2	2	3	—	—	1
Airdrie	2	3	6	11	9	5	7	5	6	1	1	3	—	—	—	—
Coatbridge, etc.	3	8	9	11	10	8	6	7	4	2	2	—	—	—	—	—
Edinburgh	122	115	111	118	114	93	120	102	87	58	54	15	3	—	—	1
Leith	21	23	30	17	21	15	19	14	12	14	5	1	2	—	—	—
Dumfries	2	8	9	9	8	10	14	10	10	13	7	5	1	1	—	—

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—FEMALES.

	FEMALE POPULATION.		ALL AGES.	FEMALES.												
				AGE UNDER												
	1851.	1861.		MONTHS.												
				3	6	12	2	3	4	5	10	15	20	25	30	
SCOTLAND	1513263	1612446	35701	2963	1698	2230	2995	1369	954	679	1640	925	1146	1383	1338	
Insular	89727	87324	1252	103	28	59	59	36	24	17	31	22	32	49	42	
Mainland	882865	913578	16653	1403	444	882	1091	534	385	295	802	460	554	616	566	
Towns	540671	611544	17796	1457	626	1298	1845	799	545	367	807	443	560	718	730	
Shetland	17933	18617	279	11	3	6	10	11	4	2	14	7	5	11	10	
Orkney	17105	17471	243	14	1	1	7	4	2	7	6	1	3	10	10	
Caithness	20973	22354	400	22	9	15	16	18	13	9	27	17	7	15	9	
Sutherland	13283	13099	169	10	3	1	7	5	5	3	8	5	6	11	1	
Ross & Cromarty	44292	43965	703	56	17	41	43	25	18	10	37	15	16	21	17	
Inverness	49140	45523	651	61	14	30	24	16	7	9	19	15	26	29	21	
Nairn	4245	4371	85	4	1	2	1	2	1	—	5	—	3	2	3	
Elgin	21589	23481	372	33	8	17	15	14	8	9	15	5	11	9	16	
Banff	27158	29619	441	31	10	13	18	10	7	9	19	16	13	12	15	
Aberdeen	112526	118022	2245	213	75	104	114	68	62	38	106	63	82	67	76	
Kincairdine	17756	17915	290	18	10	14	8	6	5	5	10	9	8	10	17	
Forfar	104219	113470	2726	261	91	174	245	101	65	46	109	73	85	112	102	
Perth	71672	70029	1363	102	25	49	80	36	33	21	50	31	40	60	41	
Fife	80484	82307	1635	106	50	109	138	68	35	25	89	29	47	66	44	
Kinross	4966	4581	93	3	3	1	7	4	1	—	4	5	2	3	3	
Clackmannan	10921	10380	204	17	6	6	14	11	5	7	8	12	8	5	8	
Stirling	42689	44651	910	86	23	59	73	30	14	14	48	34	39	29	36	
Dumbarton	23655	27724	596	53	22	45	51	16	16	16	32	12	23	23	25	
Argyll	47845	42945	639	43	14	26	24	9	13	9	16	18	21	15	20	
Bute	9090	9123	177	7	4	9	8	5	5	1	4	3	6	8	9	
Renfrew	83726	89366	2404	201	83	169	247	119	81	51	123	62	111	77	92	
Ayr	96980	102028	2036	161	61	117	185	80	63	41	108	60	72	98	91	
Lanark	274420	332181	9912	810	360	817	1198	501	331	229	509	282	306	431	425	
Linlithgow	15168	18976	414	54	14	33	34	18	13	5	17	8	12	11	13	
Edinburgh	140065	147664	3650	325	122	220	287	115	81	70	134	59	87	114	135	
Haddington	18771	19760	379	33	6	13	15	16	5	4	24	11	10	20	9	
Berwick	18798	19134	323	26	4	21	18	7	4	1	13	12	8	14	12	
Peebles	5404	5697	102	8	3	2	3	5	3	—	2	4	4	10	4	
Selkirk	4966	5341	104	14	6	10	2	6	4	1	6	5	5	2	1	
Roxburgh	26223	27129	491	51	9	22	27	11	16	11	15	10	22	16	16	
Dumfries	40940	42217	759	59	21	42	44	16	17	15	33	20	24	34	24	
Kirkcudbright	22898	22706	452	37	9	18	29	10	11	4	18	16	11	22	17	
Wigtown	23054	22700	394	28	11	24	12	6	6	7	12	6	13	16	16	

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1865.—FEMALES.

Inverness	9095	8901	215	17	5	13	14	9	4	3	7	6	6	12	6	
Aberdeen	40227	41346	1034	83	37	52	59	33	35	14	49	19	34	31	33	
Arbroath	9372	10061	250	24	6	14	20	18	6	3	9	7	9	8	5	
Dundee	43663	51269	1508	150	63	126	160	58	35	28	60	37	48	75	67	
Forfar	5992	6103	148	16	1	7	16	6	6	2	9	4	3	5	4	
Montrose	8976	8932	193	11	6	4	11	3	4	1	4	5	9	5	9	
Perth	12981	14147	361	24	11	20	32	17	7	11	14	7	11	12	10	
Dunfermline	6935	7059	162	15	6	9	10	9	4	2	5	5	3	9	5	
Kirkcaldy	5730	6043	135	8	7	15	8	6	3	2	7	2	1	8	6	
Stirling	6493	7198	202	19	4	20	15	7	6	3	8	4	9	8	6	
Greenock	19531	22327	814	71	32	63	96	44	38	15	43	20	31	26	38	
Paisley	25463	25514	721	50	21	41	72	30	19	15	35	21	43	25	23	
Ayr	10170	10565	235	9	6	7	12	10	5	3	19	4	10	11	11	
Kilmarnock	11124	12158	274	29	6	16	23	12	8	10	6	5	12	18	12	
Glasgow	174167	209947	6897	520	244	573	879	376	250	171	347	188	208	301	301	
Barony	7000	11338	470	29	21	32	46	18	9	14	15	18	16	19	28	
Govan	7710	14981	444	39	25	42	48	25	11	3	23	11	20	17	28	
Hamilton	6164	7249	174	18	6	12	16	4	6	6	8	3	2	9	9	
Airdrie	7102	6680	175	20	8	14	23	3	5	2	12	9	6	4	4	
Coatbridge, etc.	6084	7148	197	24	11	20	21	10	8	—	13	8	7	10	7	
Edinburgh	89581	94431	2446	208	75	145	204	69	45	44	84	46	61	83	87	
Leith	16737	18135	471	49	19	37	38	24	14	8	20	5	6	13	20	
Dumfries	9414	10012	270	19	6	16	22	8	17	7	10	9	5	9	11	

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1865.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1260	1275	1239	1227	1232	1237	1596	1635	1793	1739	1461	815	317	92	27	36
Insular . . .	56	45	38	26	34	27	66	67	92	97	91	62	33	13	6	6
Mainland . . .	502	556	501	478	503	578	773	858	1013	1062	954	537	216	53	19	18
Towns . . .	702	674	700	723	695	632	757	710	688	580	416	216	68	26	2	12
Shetland . . .	13	8	8	6	3	7	10	20	15	31	19	23	14	5	1	2
Orkney . . .	8	7	13	6	3	3	25	18	20	25	23	19	4	2	1	—
Caithness . . .	14	13	12	17	12	9	10	22	27	26	35	13	8	3	1	1
Sutherland . . .	4	3	5	5	9	7	5	13	13	10	13	6	9	2	—	—
Ross and Cromarty .	23	13	15	13	22	16	32	43	45	51	57	30	16	5	2	4
Inverness . . .	22	21	17	16	26	21	32	36	45	56	52	16	7	5	6	2
Nairn . . .	3	2	2	2	1	8	2	3	9	7	14	2	5	1	—	—
Elgin . . .	8	15	9	7	7	8	17	18	27	37	25	18	7	2	2	—
Banff . . .	12	11	12	13	11	15	20	23	29	39	48	20	11	3	—	1
Aberdeen . . .	75	80	62	67	69	69	90	103	129	162	131	98	28	11	2	1
Kincardine . . .	7	8	6	9	8	19	6	9	25	24	21	14	12	2	—	—
Forfar . . .	96	105	103	94	106	121	115	119	119	121	91	45	18	6	—	3
Perth . . .	51	38	43	48	49	54	77	87	105	97	80	48	16	4	2	1
Fife . . .	45	51	49	54	47	69	74	99	105	106	98	44	26	8	—	2
Kinross . . .	5	2	2	3	1	2	4	9	9	8	4	6	2	—	—	—
Clackmannan . . .	8	8	8	8	3	8	9	11	6	14	11	3	—	—	—	—
Stirling . . .	25	27	36	29	31	32	39	53	43	35	34	33	6	1	1	—
Dumbarton . . .	25	22	27	24	12	16	24	20	27	21	25	9	6	3	—	1
Argyll . . .	22	23	21	19	24	34	39	34	43	51	48	33	15	4	—	1
Bute . . .	6	9	5	6	4	6	12	7	23	10	7	5	6	—	1	1
Renfrew . . .	96	87	88	80	75	70	97	115	95	74	57	37	10	2	1	4
Ayr . . .	72	78	64	56	70	58	99	76	103	91	77	35	14	6	—	—
Lanark . . .	408	357	383	400	375	308	380	314	290	235	160	75	18	6	2	2
Linlithgow . . .	9	16	11	13	14	8	17	23	22	19	20	7	3	—	—	—
Edinburgh . . .	124	156	136	142	149	160	214	210	205	172	143	56	23	5	—	6
Haddington . . .	11	13	15	10	15	10	19	19	29	26	25	16	3	1	—	1
Berwick . . .	4	11	7	5	12	18	22	16	30	27	15	14	7	—	—	—
Peebles . . .	2	6	5	3	5	4	6	10	5	2	3	3	—	—	—	—
Selkirk . . .	4	4	2	4	1	2	5	5	9	4	—	2	—	—	—	—
Roxburgh . . .	17	21	17	15	19	19	21	29	33	38	24	9	2	1	—	—
Dumfries . . .	16	22	30	27	31	31	37	26	48	52	49	34	6	—	1	—
Kirkeudbright . . .	12	21	17	12	11	6	20	24	35	37	29	18	8	2	1	3
Wigtown . . .	13	17	9	14	7	19	17	21	25	31	23	24	7	2	3	—

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1865.—FEMALES.

Inverness . . .	4	9	3	8	6	8	9	7	14	18	15	9	2	1	—	—
Aberdeen . . .	45	39	38	41	35	44	50	44	51	71	44	34	9	3	1	1
Arbroath . . .	6	6	10	5	13	10	8	11	22	9	11	7	3	—	—	—
Dundee . . .	65	65	63	61	57	53	54	52	46	38	28	10	4	3	—	2
Forfar . . .	1	2	5	4	4	10	11	6	6	11	6	2	1	—	—	—
Montrose . . .	5	7	10	7	13	11	13	16	12	12	7	8	—	—	—	—
Perth . . .	10	13	10	23	15	15	20	22	24	10	12	8	3	—	—	—
Dunfermline . . .	6	5	11	8	6	4	7	11	6	8	4	4	—	—	—	—
Kirkcaldy . . .	5	5	5	5	5	6	6	9	8	2	2	1	2	1	—	—
Stirling . . .	7	5	7	6	12	3	11	12	5	7	6	9	2	1	—	—
Greenock . . .	40	29	28	29	21	17	28	34	24	18	15	7	5	—	—	2
Paisley . . .	25	25	29	31	24	21	26	41	34	33	21	13	—	2	—	1
Ayr . . .	8	9	11	5	10	11	10	15	18	12	10	4	3	2	—	—
Kilmarnock . . .	12	10	6	9	14	10	9	12	17	8	6	2	1	1	—	—
Glasgow . . .	303	267	275	297	264	230	261	202	184	127	75	39	10	4	1	—
Barony . . .	24	10	26	17	20	15	22	23	24	12	6	5	1	—	—	—
Govan . . .	11	19	19	7	18	10	16	11	10	20	7	3	—	1	—	—
Hamilton . . .	4	5	7	11	1	9	4	5	3	10	9	5	—	1	—	1
Airdrie . . .	7	6	4	7	10	4	5	6	6	3	3	3	1	—	—	—
Coatbridge, etc. . .	4	1	5	9	9	2	10	5	1	4	5	2	1	—	—	—
Edinburgh . . .	87	106	99	102	107	112	141	138	140	121	92	29	12	5	—	4
Leith . . .	16	24	17	18	18	18	27	21	16	15	19	5	4	—	—	—
Dumfries . . .	7	7	12	13	13	9	9	7	17	11	13	7	4	1	—	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Fovfar.	Perth.	Fife.	Kinross.
ALL CAUSES	70891	515	457	754	344	1362	1316	157	773	862	4388	560	5267	2654	3188	181
SPECIFIED CAUSES	67727	400	408	697	290	1129	1150	149	710	815	4216	535	5039	2518	3002	169
I. Zymotic Class	16863	41	61	262	51	308	198	21	154	147	1010	101	1371	589	797	36
II. Diseases of Uncer. Seat	2355	14	23	39	16	49	48	9	28	29	176	25	165	114	122	6
III. Tubercular Class	11417	53	55	78	37	107	163	11	97	119	646	88	799	367	387	22
IV. Brain and Nervous Sys.	5387	18	25	35	17	81	90	16	92	68	385	41	407	232	247	11
V. Organs of Circulation	3049	7	10	12	8	23	31	6	34	39	238	34	282	159	154	9
VI. Respiratory Organs	9362	31	36	53	20	87	116	11	63	99	487	58	621	261	344	16
VII. Organs of Digestion	5056	19	23	49	16	56	94	8	56	77	341	31	368	179	230	15
VIII. Urinary Organs	949	3	3	15	4	23	27	2	11	29	98	9	70	39	45	7
IX. Organs of Generation	588	3	8	2	3	11	17	2	8	11	35	5	49	21	29	2
X. Organs of Locomotion	430	1	2	4	4	10	9	1	4	12	26	7	13	21	16	1
XI. Skin, etc.	105	—	—	—	2	3	2	—	1	1	4	1	8	6	8	—
XII. Malformation	211	—	2	2	—	1	2	1	1	1	16	3	19	6	7	—
XIII. Premature Debility	3116	13	12	26	10	50	47	4	29	36	200	19	295	96	104	8
XIV. Atrophy	465	2	3	5	1	7	7	2	3	5	24	1	28	11	16	—
XV. Age	5818	168	129	96	88	302	257	43	109	111	398	91	368	335	363	29
XVI. Sudden Deaths	174	1	—	—	1	5	3	—	—	1	7	1	17	3	17	—
XVII. Violent Deaths	2382	26	16	19	12	26	39	12	20	30	125	20	159	79	116	7
I. Small Pox	383	—	—	53	1	13	30	4	—	1	13	3	8	14	3	—
Measles	1195	—	—	—	—	8	1	—	1	1	17	—	220	60	78	—
Scarlatina	2244	2	15	58	11	81	7	—	20	4	230	12	73	55	98	1
Diphtheria	995	6	2	21	18	26	11	—	16	29	153	18	122	45	76	13
Hooping Cough	2318	14	6	15	—	49	40	—	28	14	28	6	119	57	101	1
Croup	1015	3	2	15	9	44	29	—	25	25	43	10	98	42	58	2
Thrush	23	1	—	—	—	—	3	—	—	—	5	1	5	—	1	—
Diarrhoea	1707	1	4	5	4	10	11	2	14	10	119	8	132	56	69	6
Dysentery	316	1	1	4	—	4	—	3	1	9	30	2	54	11	17	3
Cholera	214	—	—	1	—	2	2	—	—	—	12	—	23	6	5	1
Influenza	160	—	6	2	1	6	7	—	—	7	30	3	11	7	6	—
Purpura	39	1	2	—	—	—	1	—	—	—	2	—	5	3	2	—
Ague	9	—	—	—	—	1	—	—	—	—	2	—	3	—	—	—
Worms	28	—	—	—	—	2	1	—	1	—	—	—	2	1	—	—
Typhus	3272	9	16	70	5	38	17	8	17	15	188	12	278	95	134	3
Enteric Fever	1048	—	2	2	1	9	8	4	12	18	38	8	78	49	38	4
Relapsing Fever	62	1	1	—	—	1	1	—	2	1	7	2	10	4	4	—
Simple Cont. Fever	839	1	—	3	—	—	9	—	4	4	37	7	51	51	54	—
Infantile Remittent	164	—	—	2	—	1	1	—	3	2	5	3	8	2	11	—
Metria	213	—	1	4	1	2	2	—	1	3	13	3	15	13	18	—
Rheumatic Fever	119	—	1	3	—	3	4	—	3	1	8	—	6	4	4	1
Erysipelas	300	1	2	2	—	8	12	—	4	2	20	1	28	11	13	1
Pyæmia	27	—	—	—	—	—	—	—	—	1	1	—	3	1	2	—
Syphilis	158	—	—	2	—	—	1	—	2	—	9	2	18	2	3	—
Noma	15	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	82	1	—	—	1	3	1	—	1	—	3	—	6	6	6	—
Dropsy	688	7	11	15	7	16	23	1	9	2	34	3	49	38	35	—
Abscess	132	—	—	—	—	3	1	—	—	1	9	6	6	4	5	1
Ulcer	47	—	1	—	—	2	1	—	1	—	4	—	4	1	2	—
Fistula	13	—	—	—	—	1	—	—	—	—	2	—	—	1	—	—
Mortification	124	1	1	4	—	2	2	—	—	5	9	—	8	6	7	—
Cancer	1257	4	10	20	8	21	19	8	15	21	115	16	92	57	66	5
Gout	12	1	—	—	—	1	1	—	2	—	—	—	—	1	1	—
III. Scrofula	609	7	7	4	3	3	6	—	4	7	58	3	33	19	19	1
Tabes Mesenterica	885	1	2	2	—	3	8	—	4	6	42	5	23	8	24	2
Phthisis	8089	42	44	61	31	98	135	9	73	96	438	67	612	292	275	16
Hydrocephalus	1834	3	2	11	3	3	14	2	16	10	108	13	131	48	69	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—BOTH SEXES.

DISEASES.	Clack- mannan	Stirling.	Dun- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	441	1842	1216	1359	367	4793	4062	20111	842	7231	739	654	203	214	992	1510	815	722
SPECIFIED CAUSES . . .	408	1696	1147	1211	348	4613	3911	19656	796	7125	709	624	199	213	963	1420	766	695
Zymotic Class . . .	84	400	316	186	68	1310	983	5542	186	1565	148	137	48	54	204	257	115	113
Uncertain Seat . . .	14	72	56	40	13	132	150	488	25	252	31	29	6	7	42	67	40	28
Tubercular Class . . .	76	263	209	203	69	834	852	3616	153	1132	83	82	32	42	198	251	143	150
Brain, etc.	29	148	103	114	42	332	295	1336	35	697	59	69	15	11	92	128	75	42
Heart, etc.	24	80	44	51	16	160	131	667	45	456	60	43	16	16	61	64	44	25
Respiratory Organs . . .	51	215	105	150	39	661	429	3516	116	1113	88	49	22	26	96	181	112	90
Digestive Organs . . .	21	169	105	96	29	335	312	1400	64	511	34	60	16	20	71	129	66	56
Urinary Organs	6	18	15	15	6	45	48	192	8	130	10	9	—	3	7	34	6	12
Generative Organs . . .	3	12	12	5	3	35	34	150	10	59	12	9	4	2	10	8	4	10
Locomotive Organs . . .	3	12	4	14	1	24	25	117	7	54	3	5	—	2	4	15	3	6
Skin	—	5	5	2	—	9	8	9	2	13	—	4	—	1	3	3	2	3
Malformation	3	6	6	1	1	8	13	48	6	31	1	7	1	2	7	3	4	2
Premature Debility . . .	31	76	35	30	4	246	171	945	56	347	46	20	7	15	63	46	23	26
Atrophy	5	13	8	4	—	32	36	149	1	57	12	6	6	1	6	8	4	2
Age	45	142	75	244	49	292	261	752	45	398	85	62	17	8	64	180	107	105
Sudden Deaths	1	8	1	1	—	11	8	68	2	9	4	1	1	—	—	2	1	—
Violent Deaths	12	57	48	55	8	147	155	661	35	301	33	32	8	3	35	44	17	25
Small Pox	—	42	1	6	—	13	39	67	13	16	1	12	—	4	8	12	4	2
Measles	2	10	3	10	1	105	58	453	8	135	5	1	5	—	—	2	1	5
Scarlatina	14	78	24	16	4	179	110	691	34	235	9	5	7	10	53	70	29	9
Diphtheria	7	21	8	19	11	33	48	140	4	63	20	12	—	12	9	12	15	5
Hooping Cough	2	30	61	16	6	251	111	1078	16	199	11	1	1	5	36	13	3	—
Croup	25	30	17	14	—	67	87	193	21	73	9	15	2	3	5	25	7	17
Thrush	—	1	—	1	—	—	—	2	—	—	—	1	—	—	—	1	—	1
Diarrhoea	11	51	26	10	9	121	113	573	21	233	18	11	4	5	13	19	8	10
Dysentery	—	4	6	3	3	12	23	54	3	28	4	8	1	4	1	11	7	4
Cholera	—	5	1	3	4	9	21	59	3	30	1	6	2	2	9	4	—	3
Influenza	—	6	3	4	1	3	14	16	1	6	1	2	1	—	7	2	—	7
Purpura	—	—	—	—	—	2	1	8	—	6	—	—	—	—	1	2	2	1
Ague	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Worms	—	1	—	1	—	—	2	6	—	1	—	1	1	—	3	1	3	1
Typhus	4	35	107	31	14	337	138	1426	12	212	9	6	2	—	13	10	7	4
Enteric Fever	4	9	28	17	2	38	78	257	17	130	37	39	19	6	23	49	10	14
Relapsing Fever	—	2	—	2	—	4	1	13	1	2	—	1	—	1	—	1	—	—
Simple Cont. Fever . . .	8	52	12	9	10	61	68	261	15	65	8	5	—	—	14	11	3	16
Infantile Remittent . . .	4	10	1	—	—	18	17	33	1	23	4	1	1	—	1	4	3	5
Metria	—	6	8	8	1	16	14	43	4	21	4	2	2	—	2	2	1	3
Rheumatic Fever	1	3	2	8	1	7	5	20	1	17	—	4	—	1	2	3	3	3
Erysipelas	2	3	5	3	—	21	21	77	5	39	6	2	—	—	2	1	6	2
Pyæmia	—	—	—	—	—	—	1	10	—	5	—	—	—	—	1	—	2	—
Syphilis	—	1	3	4	1	12	10	48	6	26	1	2	—	1	1	2	—	1
Noma	—	—	—	1	—	—	3	7	—	—	—	—	—	—	—	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	2	3	1	—	3	7	19	—	12	—	—	1	—	2	2	—	1
Dropsy	5	33	25	13	2	52	50	169	6	30	5	6	—	1	12	14	6	9
Abscess	—	4	2	1	—	11	12	40	1	20	—	—	—	—	—	3	2	—
Ulcer	1	1	—	2	—	4	1	6	1	7	1	2	—	—	2	1	1	1
Fistula	—	—	1	1	—	1	2	2	—	2	—	—	—	—	—	—	—	—
Mortification	—	3	4	4	—	8	5	17	2	12	2	4	1	—	6	3	5	3
Cancer	7	29	21	18	11	53	73	235	15	165	23	17	4	6	20	44	25	14
Gout	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	1	—
Scrofula	1	14	6	13	2	42	68	162	20	67	2	7	2	—	9	10	6	4
Tabes Mesenterica	—	14	13	7	3	55	93	347	23	119	11	9	2	4	13	19	11	12
Phthisis	65	181	156	164	47	611	552	2476	66	745	58	50	24	32	146	195	110	122
Hydrocephalus	10	34	34	19	47	126	139	631	44	201	12	16	4	6	30	27	16	12

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—BOTH SEXES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	397	1	6	4	1	12	13	1	4	6	31	4	17	5	18	1
Apoplexy	1180	4	4	11	2	8	14	3	23	21	78	9	100	64	62	1
Paralysis	1683	5	11	12	11	30	32	9	26	25	101	15	128	97	92	5
Delirium Tremens . . .	74	—	—	—	—	—	2	—	1	1	5	—	5	5	3	—
Chorea	12	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—
Epilepsy	229	3	1	3	1	7	3	—	4	2	7	5	16	12	9	—
Tetanus	41	—	—	—	—	4	3	—	—	—	—	2	2	—	2	1
Insanity	34	2	—	1	—	2	2	1	3	—	7	—	1	1	1	—
Convulsions	888	—	2	2	—	8	10	1	22	6	90	2	80	20	22	1
Brain Disease	849	3	1	2	2	10	10	1	9	7	66	4	57	27	38	2
V. Pericarditis	64	—	—	—	—	1	—	—	—	1	6	—	5	1	5	1
Aneurism	80	—	—	1	—	1	—	—	—	1	12	—	6	3	2	—
Heart Disease	2905	7	10	11	8	21	31	6	34	37	220	34	271	155	147	8
VI. Laryngitis	141	1	—	1	—	—	3	—	2	1	10	—	13	7	7	1
Bronchitis	6194	15	14	30	7	43	53	9	36	62	312	45	393	183	215	7
Pleurisy	238	4	1	1	—	4	20	1	5	6	18	—	11	9	21	1
Pneumonia	1969	3	11	16	5	10	12	—	12	19	121	10	133	44	71	6
Asthma	515	7	4	5	8	26	24	1	4	9	17	1	45	14	25	1
Lung Disease	305	1	6	—	—	4	4	—	4	2	9	2	26	4	5	—
VII. Teething	1047	6	—	1	1	8	20	1	9	15	73	5	104	32	49	2
Quinsey	58	2	1	—	—	1	1	—	2	1	3	—	8	4	3	—
Gastritis	189	—	—	3	1	—	6	—	3	2	20	3	8	8	7	1
Enteritis	943	—	2	8	1	9	12	2	16	10	35	5	46	24	23	5
Peritonitis	314	1	—	4	—	2	7	—	3	1	22	3	19	11	13	1
Ascites	92	—	2	1	1	1	4	1	1	1	5	—	10	3	4	—
Ulceration of Intestines	206	1	1	3	—	1	1	—	1	6	25	2	18	2	14	1
Hernia	93	—	—	1	2	1	4	1	2	—	10	—	6	4	5	1
Ileus	275	2	3	2	—	3	5	1	3	10	36	2	17	13	17	1
Intussusception	36	—	—	3	—	—	—	—	—	—	—	—	3	—	4	—
Stricture of Intestines	22	—	—	—	—	—	1	—	—	1	3	—	—	1	1	—
Stomach Disease	761	2	9	7	4	17	18	—	8	14	42	4	54	33	33	2
Pancreas Disease	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	146	2	1	6	—	1	1	1	—	2	8	—	11	3	6	—
Jaundice	174	1	2	3	2	3	2	—	3	3	23	2	20	7	11	—
Liver Disease	668	2	2	6	4	7	12	1	5	10	32	5	43	30	40	1
Spleen Disease	30	—	—	1	—	2	—	—	—	1	4	—	1	4	—	—
VIII. Nephritis	58	—	—	—	—	1	1	—	—	—	2	1	—	2	1	1
Nephria	229	1	—	3	1	3	3	—	3	5	12	1	24	12	12	3
Addison's Disease . . .	8	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—
Ischuria	42	—	—	1	—	3	3	—	1	—	5	—	3	6	—	—
Diabetes	80	—	—	1	1	—	4	—	—	1	6	1	4	4	4	—
Stone	55	2	2	4	2	4	5	—	—	7	10	—	2	2	4	1
Cystitis	170	—	—	2	—	5	2	1	1	10	23	1	9	6	10	2
Stricture of Urethra . .	10	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Kidney Disease	297	—	1	4	—	6	9	1	6	5	40	5	25	7	14	—
IX. Paramenia	25	—	—	—	—	2	—	—	—	2	—	2	2	—	1	—
Ovarian Dropsy	74	—	2	—	—	—	2	—	3	3	10	1	2	2	5	—
Childbirth	422	3	6	—	3	7	15	2	5	3	21	2	42	14	19	2
Organs of Generation . .	67	—	—	2	—	2	—	—	—	3	4	—	3	5	4	—
X. Arthritis	94	—	—	—	—	1	1	—	2	4	4	3	4	4	3	1
Rheumatism	187	1	1	4	—	8	5	1	2	7	12	1	1	10	8	—
Joint and Bone Disease	149	—	1	—	4	1	3	—	—	1	10	3	8	7	5	—
XI. Carbuncle	35	—	—	—	1	2	1	—	—	—	2	—	3	1	5	—
Phlegmon	14	—	—	—	1	—	—	—	1	—	—	—	1	1	—	—
Skin Disease	56	—	—	—	—	1	1	—	—	1	2	1	4	4	3	—
XVII. Intemperance . . .	88	—	—	—	—	—	2	—	1	—	4	1	8	3	2	1
Privation	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	144	—	—	1	—	—	—	—	—	—	12	—	5	5	6	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	38	—	—	1	1	3	3	—	—	2	2	—	1	1	2	1
Poison	52	—	—	1	—	1	1	—	—	—	1	—	3	2	3	—
Poisoned Wounds	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Burns and Scalds	276	7	2	4	—	4	1	—	4	3	20	1	9	8	14	1
Hanging, etc. . . .	58	—	2	—	—	1	1	—	—	—	1	—	5	1	9	—
Suffocation	107	—	—	—	—	—	—	—	—	3	5	3	29	1	3	—
Drowning	519	17	8	4	9	13	16	9	5	13	25	5	18	17	39	2
Fracture and Contusion	877	1	4	8	2	4	11	2	9	7	40	8	58	36	28	1
Gunshot Wounds	10	—	—	—	—	—	—	—	1	—	1	1	2	—	—	1
Cuts and Stabs	73	1	—	—	—	—	1	—	—	1	6	—	10	1	4	—
Other Violent Causes . .	130	—	—	—	—	—	2	1	—	1	8	1	11	4	6	—
Not Specified	3164	115	49	57	54	233	166	8	63	47	172	25	228	136	186	12

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—BOTH SEXES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis . . .	8	9	7	9	1	27	14	101	2	51	6	4	1	4	4	14	7	4
Apoplexy . . .	7	29	29	36	17	72	73	260	7	130	10	15	4	3	16	27	33	8
Paralysis . . .	7	50	25	37	13	107	113	302	15	229	26	24	4	2	40	52	20	18
Delirium Tremens . . .	—	1	1	1	—	5	6	19	—	14	2	—	—	—	1	—	2	—
Chorea . . .	—	1	—	—	—	1	2	3	—	—	—	—	—	—	1	—	1	—
Epilepsy . . .	1	6	6	4	—	14	6	57	1	36	3	6	—	—	5	7	2	2
Tetanus . . .	—	1	—	3	—	3	2	12	—	5	—	—	—	—	—	1	—	—
Insanity . . .	—	—	1	—	—	3	1	4	—	4	—	—	—	—	—	—	—	—
Convulsions . . .	5	20	16	10	2	40	34	334	4	112	8	6	4	1	9	8	6	3
Brain Disease . . .	1	31	18	14	9	60	44	244	6	116	4	14	2	1	16	19	4	7
Pericarditis . . .	1	2	1	2	—	3	3	17	2	7	—	1	—	—	2	1	2	—
Aneurism . . .	—	2	2	—	—	1	3	13	—	29	—	—	—	1	1	1	1	—
Heart Disease . . .	23	73	41	49	16	156	125	637	43	420	60	42	16	15	58	62	41	25
Laryngitis . . .	—	3	1	3	1	5	14	36	—	23	1	1	—	1	—	2	4	—
Bronchitis . . .	35	112	69	84	22	484	277	2414	80	785	58	28	15	20	60	114	64	49
Pleurisy . . .	2	3	4	3	—	9	15	36	1	36	1	3	2	1	8	4	7	1
Pneumonia . . .	10	60	18	34	14	121	78	781	26	179	24	14	3	3	23	50	32	26
Asthma . . .	4	14	9	21	1	21	34	140	2	48	4	—	1	1	3	9	5	7
Lung Disease . . .	—	23	4	5	1	21	11	109	7	42	—	3	1	—	2	2	—	7
Teething . . .	5	33	21	13	—	115	42	368	13	64	3	4	2	—	11	15	5	7
Quinsey . . .	—	2	1	—	—	6	1	13	1	3	1	1	—	—	—	2	—	1
Gastritis . . .	—	5	6	5	2	10	9	67	—	8	—	1	—	—	3	5	4	2
Enteritis . . .	5	35	14	9	7	71	89	336	15	71	8	7	2	1	11	27	22	15
Peritonitis . . .	1	10	4	2	1	15	16	88	11	44	1	7	—	6	3	9	5	4
Ascites . . .	1	2	3	5	1	4	5	27	—	7	—	—	—	—	—	2	—	1
Ulceration of Intestines . . .	—	3	4	2	1	6	14	38	4	35	—	1	1	4	6	6	1	4
Hernia . . .	—	3	—	1	—	4	8	17	—	12	1	1	—	—	—	4	4	1
Ileus . . .	1	7	7	7	—	7	14	62	3	29	4	5	—	—	5	8	1	—
Intussusception . . .	1	—	1	5	—	—	3	7	—	5	1	1	—	—	—	2	—	—
Stricture of Intestines . . .	—	—	—	2	—	3	1	4	—	3	—	—	—	—	1	—	1	—
Stomach Disease . . .	2	38	23	21	3	32	45	157	6	99	7	17	6	5	12	18	9	9
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Hepatitis . . .	—	6	3	2	2	10	23	28	1	10	2	1	1	1	1	8	2	3
Jaundice . . .	1	7	5	4	—	3	5	37	1	12	3	6	—	—	2	3	1	2
Liver Disease . . .	4	17	13	17	7	48	35	148	8	105	3	6	4	3	16	18	9	7
Spleen Disease . . .	—	1	—	1	—	1	2	3	1	4	—	2	—	—	—	—	2	—
Nephritis . . .	1	2	3	—	1	5	4	19	1	7	—	1	—	—	1	4	—	—
Nephria . . .	2	3	4	4	2	16	13	44	5	37	2	2	—	—	1	7	2	2
Addison's Disease . . .	—	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	1	2	—	3	5	6	—	2	—	—	—	1	—	—	—	—
Diabetes . . .	—	2	1	—	1	3	4	20	—	9	1	3	—	1	—	7	1	1
Stone . . .	—	—	—	2	—	—	1	4	—	2	—	—	—	—	—	—	—	1
Cystitis . . .	1	3	3	5	1	8	8	26	1	22	1	2	—	1	3	7	2	4
Stricture of Urethra . . .	—	—	—	—	—	—	—	3	—	3	1	—	—	—	—	1	—	—
Kidney Disease . . .	2	8	3	2	1	10	13	67	1	46	5	1	—	—	2	8	1	4
Paramenia . . .	—	1	1	2	—	2	3	4	—	—	1	—	—	1	1	—	—	—
Ovarian Dropsy . . .	—	2	—	—	1	4	3	13	2	12	1	2	2	—	1	—	—	1
Childbirth . . .	3	8	11	3	2	27	23	115	7	41	10	4	1	1	7	6	3	6
Organs of Generation . . .	—	1	—	—	—	2	5	18	1	6	—	3	1	—	1	2	1	3
Arthritis . . .	—	1	1	3	1	4	7	21	1	20	1	1	—	—	1	4	1	—
Rheumatism . . .	1	7	3	6	—	15	9	54	3	12	2	2	—	1	3	6	1	1
Joint Disease . . .	2	4	—	5	—	5	9	42	3	22	—	2	—	1	—	5	1	5
Carbuncle . . .	—	1	—	—	—	3	2	1	—	5	—	4	—	—	1	1	1	1
Phlegmon . . .	—	1	1	—	—	—	2	3	1	—	—	—	—	—	1	—	—	1
Skin Disease . . .	—	3	4	2	—	6	4	5	1	8	—	—	—	1	1	2	1	1
Intemperance . . .	—	—	1	1	1	8	4	31	3	15	1	1	—	—	—	—	—	—
Privation . . .	—	—	—	1	—	—	1	3	—	1	—	—	—	—	1	—	—	1
Want of Breast Milk . . .	1	2	—	4	—	6	5	58	—	31	—	—	—	—	3	5	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	2	1	—	2	—	3	3	6	1	2	—	—	—	—	—	1	—	—
Poison . . .	1	1	1	1	—	3	6	21	—	5	—	—	—	—	1	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	2	18	3	5	—	21	20	71	8	33	2	5	1	—	4	4	1	—
Hanging, etc. . .	—	—	—	3	—	4	3	15	—	6	3	1	—	—	1	2	—	—
Suffocation . . .	—	3	—	—	—	3	5	30	—	16	2	1	—	—	1	—	—	2
Drowning . . .	3	9	25	21	7	43	18	95	8	34	11	12	2	2	3	7	4	15
Fracture and Contusion . . .	1	20	15	15	—	49	78	271	10	118	12	10	3	1	18	22	8	7
Gunshot Wounds . . .	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	—	—
Cuts and Stabs . . .	2	3	—	2	—	4	7	21	—	6	—	2	—	—	1	1	—	—
Other Violent Causes . . .	—	—	3	—	—	3	3	39	5	32	1	—	2	—	2	2	4	—
Not Specified . . .	33	146	69	148	19	180	151	455	46	106	30	30	4	1	29	90	49	27

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	35190	236	214	354	175	659	665	72	401	421	2143	270	2541	1286	1503	88
SPECIFIED CAUSES	33514	175	194	328	145	535	578	66	370	396	2052	256	2437	1232	1397	82
I. Zymotic Class	8318	16	29	130	19	153	100	6	87	62	502	55	686	290	364	13
II. Diseases of Uncer. Seat	908	5	11	8	9	18	23	4	15	12	68	10	61	48	41	2
III. Tubercular Class	5551	22	32	40	21	55	82	2	55	58	323	33	384	174	191	13
IV. Brain and Nervous Sys.	2821	10	16	17	8	36	54	7	48	42	196	24	194	110	124	6
V. Organs of Circulation	1517	4	4	8	4	12	16	3	19	16	111	18	123	77	72	6
VI. Respiratory Organs	4835	14	22	13	8	35	58	6	36	50	248	24	307	135	160	9
VII. Organs of Digestion	2554	13	9	30	10	30	55	7	28	40	167	18	178	89	113	6
VIII. Urinary Organs	636	3	2	10	4	19	21	1	8	20	67	7	51	30	31	4
IX. Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
X. Organs of Locomotion	225	—	1	1	2	5	3	—	3	5	15	6	6	10	9	—
XI. Skin, etc.	66	—	—	—	2	2	2	—	1	—	4	—	7	3	6	—
XII. Malformation	103	—	1	1	—	1	2	1	—	1	8	1	7	3	3	—
XIII. Premature Debility	1740	8	6	16	7	16	21	3	16	19	112	11	156	56	53	6
XIV. Atrophy	205	1	—	3	1	1	5	2	1	4	9	—	9	4	6	—
XV. Age	2130	60	47	32	39	120	105	13	38	42	136	33	138	140	129	13
XVI. Sudden Deaths	105	—	—	—	1	4	1	—	—	1	4	—	8	1	6	0
XVII. Violent Deaths	1799	19	14	14	10	23	30	11	15	24	82	16	122	61	89	4
I. Small Pox	208	—	—	32	1	9	21	—	—	1	7	2	1	10	3	—
Measles	612	—	—	—	—	1	1	—	1	—	11	—	110	18	45	—
Scarlatina	1178	—	7	32	3	44	3	—	11	1	114	6	40	29	44	1
Diphtheria	470	1	1	11	7	15	3	—	6	14	78	10	49	22	32	6
Hooping Cough	1050	6	4	7	—	18	19	—	14	8	14	3	63	23	43	—
Croup	556	1	1	9	3	27	17	—	15	13	23	5	54	25	29	—
Thrush	14	1	—	—	—	—	2	—	—	—	3	1	5	—	—	—
Diarrhoea	842	1	1	2	1	7	6	1	9	4	55	7	66	27	36	1
Dysentery	143	—	1	2	—	3	—	1	—	4	12	—	26	3	7	1
Cholera	123	—	—	—	—	—	2	—	—	—	7	—	17	4	1	1
Influenza	69	—	3	2	1	2	2	—	—	2	14	1	3	3	2	—
Purpura	23	1	1	—	—	—	—	—	—	—	—	—	3	3	1	—
Ague	5	—	—	—	—	—	1	—	—	—	1	—	2	—	—	—
Worms	12	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Typhus	1725	3	6	31	3	22	11	2	9	5	36	6	145	56	62	2
Enteric Fever	470	—	—	1	—	1	4	2	9	5	18	5	28	29	11	1
Relapsing Fever	37	1	1	—	—	1	—	—	2	1	4	2	4	3	2	—
Simple Cont. Fever	389	1	—	—	—	—	4	—	3	—	21	5	32	24	30	—
Infantile Remittent	83	—	—	—	—	—	1	—	2	2	3	—	5	1	6	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	54	—	1	1	—	3	1	—	2	—	4	—	3	2	1	—
Erysipelas	146	—	2	—	—	4	3	—	2	2	11	—	16	5	7	—
Pyæmia	15	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—
Syphilis	86	—	—	—	—	—	—	—	1	—	5	2	11	2	1	—
Noma	8	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	43	—	—	—	1	1	1	—	1	—	1	—	3	2	4	—
Dropsy	296	2	5	4	4	8	8	1	2	2	11	1	20	14	14	—
Abscess	59	—	—	—	—	—	—	—	—	1	3	4	2	2	1	—
Ulcer	21	—	—	—	—	1	—	—	1	—	2	—	1	1	1	—
Fistula	9	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—
Mortification	61	1	1	1	—	1	2	—	—	5	7	—	4	4	1	—
Cancer	411	2	5	3	4	5	11	3	9	4	43	5	31	24	19	2
Gout	8	—	—	—	—	1	1	—	2	—	—	—	—	—	1	—
III. Scrofula	332	4	6	2	1	2	2	—	4	1	36	1	15	8	9	1
Tabes Mesenterica	499	—	2	2	—	1	6	—	2	3	24	1	15	6	10	1
Phthisis	3716	16	22	31	17	50	65	2	38	50	207	24	288	134	128	9
Hydrocephalus	1004	2	2	5	3	2	9	—	11	4	56	7	66	26	44	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—MALES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	237	932	620	720	190	2389	2026	10199	428	3581	360	326	101	110	501	751	363	328
SPECIFIED CAUSES . . .	217	845	579	640	181	2293	1933	9961	402	3529	344	305	100	110	484	700	335	313
Zymotic Class . . .	44	207	144	91	40	665	457	2784	90	772	70	63	19	28	118	112	48	49
Uncertain Seat . . .	5	26	25	20	8	50	61	178	9	97	14	9	3	4	16	27	9	12
Tubercular Class . . .	38	112	99	119	34	373	415	1727	84	581	33	42	18	21	102	136	60	72
Brain, etc.	13	77	57	58	26	183	154	733	15	357	33	38	10	4	43	66	43	19
Heart, etc.	14	46	30	35	6	86	70	349	21	221	32	15	9	9	24	30	18	9
Respiratory Organs . . .	35	118	53	74	18	360	240	1864	56	565	40	23	9	14	47	87	53	49
Digestive Organs . . .	9	86	55	52	16	160	143	700	40	272	17	34	10	11	42	62	26	26
Urinary Organs . . .	4	12	9	12	3	31	35	109	4	81	8	7	—	2	5	24	4	8
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	1	5	4	10	1	13	15	60	5	25	1	4	—	—	2	8	2	3
Skin	—	2	3	1	—	7	4	5	1	4	—	4	—	1	3	2	1	1
Malformation	—	3	5	1	—	4	7	26	3	13	1	3	1	—	4	1	1	1
Premature Debility . . .	23	47	16	16	2	133	93	551	36	177	31	11	4	9	31	25	11	13
Atrophy	2	5	4	3	—	11	21	63	—	29	6	3	3	—	2	3	2	2
Age	18	52	32	105	21	102	92	253	13	121	29	24	8	5	17	77	45	31
Sudden Deaths	1	4	1	1	—	7	1	49	2	8	3	1	—	—	—	1	—	—
Violent Deaths	10	43	42	42	6	103	125	510	23	206	26	24	6	2	23	39	12	18
Small Pox	—	23	1	2	—	5	19	40	6	8	—	2	—	2	5	5	1	2
Measles	—	4	—	7	1	63	26	229	6	79	2	—	3	—	—	1	—	4
Scarlatina	8	52	11	9	3	92	61	359	19	123	4	4	3	7	33	34	17	4
Diphtheria	3	14	—	11	6	14	22	66	2	28	13	7	—	8	4	7	7	3
Hooping Cough	1	8	24	6	3	115	51	482	6	98	7	—	—	1	21	5	—	—
Croup	14	16	12	7	—	37	46	108	10	47	4	8	—	2	2	8	3	10
Thrush	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Diarrhœa	10	22	9	5	6	54	60	293	12	110	9	4	2	3	6	6	4	3
Dysentery	—	2	3	2	—	7	6	32	—	12	1	6	—	2	1	3	3	3
Cholera	—	2	1	3	3	8	10	33	—	14	—	3	1	1	7	2	—	3
Influenza	—	4	1	4	—	3	5	7	—	1	1	—	—	—	4	2	—	2
Purpura	—	—	—	—	—	1	1	7	—	3	—	—	—	—	1	1	—	—
Ague	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	2	1
Typhus	2	16	60	17	7	181	67	769	7	113	4	5	2	—	9	3	3	1
Enteric Fever	1	6	13	8	2	21	30	127	7	56	15	17	7	1	14	24	2	5
Relapsing Fever	—	2	—	1	—	2	—	7	—	2	—	1	—	—	—	1	—	—
Simple Cont. Fever	2	25	5	2	7	31	25	119	8	24	5	1	—	—	6	4	2	3
Infantile Remittent	3	7	1	—	—	6	11	15	—	12	2	1	1	—	—	2	1	1
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	2	—	2	1	3	2	10	1	8	—	1	—	1	2	2	—	1
Erysipelas	—	2	2	2	—	13	9	39	3	17	2	1	—	—	1	—	2	1
Pyæmia	—	—	—	—	—	—	1	7	—	4	—	—	—	—	—	—	—	—
Syphilis	—	—	1	1	1	9	3	28	3	13	1	1	—	—	—	2	—	1
Noma	—	—	—	1	—	—	1	3	—	—	—	—	—	—	—	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	2	3	1	—	1	1	10	—	7	—	—	1	—	—	2	—	1
Dropsy	2	13	12	7	1	19	27	81	5	19	2	1	—	—	5	5	—	1
Abscess	—	2	—	1	—	7	5	20	1	8	—	—	—	—	—	1	1	—
Ulcer	1	1	—	—	—	3	—	3	—	2	1	1	—	—	1	1	—	—
Fistula	—	—	1	1	—	—	1	2	—	1	—	—	—	—	—	—	—	—
Mortification	—	1	1	2	—	2	4	4	1	7	1	1	—	—	4	2	1	3
Cancer	2	7	8	8	7	18	23	58	2	50	10	6	2	4	6	16	7	7
Gout	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—
Scrofula	—	6	3	7	2	27	40	86	12	35	1	4	2	—	5	5	2	3
Tabes Mesenterica	—	4	7	4	1	27	49	208	11	70	5	4	2	2	8	15	5	4
Phthisis	31	74	71	95	23	249	251	1089	33	364	23	25	12	16	74	101	43	61
Hydrocephalus	7	28	18	13	8	70	75	344	28	112	4	9	2	3	15	15	10	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—MALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	219	—	4	3	1	5	7	—	3	3	19	3	7	2	8	1
Apoplexy . . .	621	3	2	4	1	3	5	1	14	14	35	4	48	28	38	1
Paralysis . . .	785	2	9	9	5	16	22	4	12	14	54	9	52	40	36	3
Delirium Tremens . .	58	—	—	—	—	—	2	—	1	1	3	—	3	4	3	—
Chorea . . .	5	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Epilepsy . . .	108	2	—	—	—	1	2	—	2	1	3	2	9	6	4	—
Tetanus . . .	30	—	—	—	—	1	3	—	—	—	—	2	2	—	1	1
Insanity . . .	17	—	—	—	—	—	1	1	2	—	2	—	—	—	1	—
Convulsions . . .	485	—	1	1	—	5	6	—	10	4	42	2	41	11	11	—
Brain Disease . . .	493	3	—	—	1	5	5	1	4	5	38	2	32	18	22	—
V. Pericarditis . . .	27	—	—	—	—	—	—	—	—	1	1	—	2	1	2	1
Aneurism . . .	57	—	—	—	—	1	—	—	—	1	7	—	5	3	2	—
Heart Disease . . .	1433	4	4	8	4	11	16	3	19	14	103	18	116	73	68	5
VI. Laryngitis . . .	89	—	—	—	—	—	3	—	1	—	6	—	9	5	5	1
Bronchitis . . .	3016	7	6	9	1	20	25	5	18	30	152	15	175	87	95	4
Pleurisy . . .	135	2	1	1	—	3	13	—	4	2	8	—	7	5	9	1
Pneumonia . . .	1157	2	8	6	3	4	9	—	9	10	69	7	81	27	37	3
Asthma . . .	260	3	2	2	4	6	5	1	2	7	7	1	21	10	11	—
Lung Disease . . .	178	—	5	—	—	2	3	—	2	1	6	1	14	1	3	—
VII. Teething . . .	552	5	—	—	1	3	14	1	7	10	37	3	54	19	21	1
Quinsey . . .	29	1	—	—	—	1	1	—	—	—	1	—	2	2	1	—
Gastritis . . .	103	—	—	1	1	—	4	—	—	1	11	2	7	2	4	1
Enteritis . . .	495	—	—	5	1	4	8	2	9	4	21	3	26	10	16	3
Peritonitis . . .	121	—	—	2	—	1	4	—	—	1	5	2	10	3	6	—
Ascites . . .	36	—	1	1	—	1	2	—	1	—	—	—	4	1	2	—
Ulceration of Intestines	107	—	1	1	—	1	—	—	1	3	15	1	9	—	7	—
Hernia . . .	38	—	—	1	1	—	2	1	1	—	4	—	2	2	1	—
Ileus . . .	146	2	2	2	—	2	—	1	2	5	16	1	8	8	9	—
Intussusception . . .	20	—	—	2	—	—	—	—	—	—	—	—	1	—	2	—
Stricture of Intestines	13	—	—	—	—	—	—	—	—	1	2	—	—	1	1	—
Stomach Disease . . .	365	1	2	3	2	8	11	—	4	6	21	2	21	17	18	1
Pancreas Disease . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	78	2	1	5	—	1	1	1	—	2	3	—	3	2	3	—
Jaundice . . .	84	—	2	2	1	2	1	—	1	2	9	1	9	4	5	—
Liver Disease . . .	350	2	—	4	3	5	7	1	2	5	19	3	22	16	17	—
Spleen Disease . . .	16	—	—	1	—	1	—	—	—	—	3	—	—	2	—	—
VIII. Nephritis . . .	30	—	—	—	—	—	1	—	—	—	2	1	—	2	—	1
Nephria . . .	119	1	—	2	1	1	2	—	3	1	7	1	13	6	8	—
Addison's Disease . .	6	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—
Ischuria . . .	34	—	—	—	—	3	3	—	1	—	4	—	3	6	—	—
Diabetes . . .	54	—	—	1	1	—	2	—	—	—	4	—	3	3	4	—
Stone . . .	52	2	2	3	2	4	5	—	—	7	9	—	2	2	3	1
Cystitis . . .	148	—	—	2	—	4	2	1	1	8	20	1	8	6	7	2
Stricture of Urethra . .	10	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Kidney Disease . . .	183	—	—	2	—	6	6	—	3	3	21	4	19	5	9	—
IX. Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
X. Arthritis . . .	57	—	—	—	—	1	—	—	1	4	2	3	2	3	—	—
Rheumatism . . .	82	—	—	1	—	4	1	—	2	1	6	1	—	4	5	—
Joint and Bone Disease	86	—	1	—	2	—	2	—	—	—	7	2	4	3	4	—
XI. Carbuncle . . .	28	—	—	—	1	2	1	—	—	—	2	—	2	1	3	—
Phlegmon . . .	9	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—
Skin Disease . . .	29	—	—	—	—	—	1	—	—	—	2	—	4	2	3	—
XVII. Intemperance . .	56	—	—	—	—	—	2	—	—	—	2	—	6	2	1	1
Privation . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	79	—	—	1	—	—	—	—	—	—	7	—	2	4	4	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	24	—	—	—	—	3	2	—	—	1	—	—	1	—	2	1
Poison . . .	31	—	—	1	—	1	—	—	—	—	—	—	1	2	2	—
Poisoned Wounds . . .	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	147	2	2	1	—	3	—	—	2	3	6	—	4	4	11	—
Hanging, etc. . .	41	—	2	—	—	1	1	—	—	—	1	—	3	1	6	—
Suffocation . . .	66	—	—	—	—	—	—	—	—	3	3	2	18	1	2	—
Drowning . . .	449	16	7	4	9	13	15	9	4	12	20	5	16	13	33	—
Fracture and Contusion	742	—	3	7	1	2	7	1	8	4	30	7	49	32	23	1
Gunshot Wounds . . .	9	—	—	—	—	—	—	—	1	—	1	1	2	—	—	1
Cuts and Stabs . . .	58	1	—	—	—	—	1	—	—	—	6	—	10	—	3	—
Other Violent Causes . .	92	—	—	—	—	—	1	1	—	1	6	1	10	2	2	—
Not Specified . . .	1676	61	20	26	30	124	87	6	31	25	91	14	104	54	106	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—MALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	5	9	3	4	—	17	5	59	1	24	3	3	—	1	4	10	4	1
Apoplexy	3	12	17	18	13	44	34	144	3	69	4	9	3	2	10	13	18	4
Paralysis	2	18	15	15	7	46	55	152	4	92	15	10	4	—	13	27	14	9
Delirium Tremens . .	—	1	—	—	—	4	5	16	—	12	1	—	—	—	1	—	1	—
Chorea	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	4	3	3	—	9	4	20	—	19	2	5	—	—	3	2	1	1
Tetanus	—	1	—	3	—	3	2	9	—	2	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	2	1	3	—	4	—	—	—	—	—	—	—	—
Convulsions	3	15	8	5	1	21	19	187	3	69	5	3	2	—	4	3	3	—
Brain Disease	—	16	11	10	5	36	29	142	4	66	3	8	1	1	8	11	2	4
Pericarditis	—	1	—	—	—	2	3	7	1	3	—	1	—	—	1	—	—	—
Aneurism	—	2	2	—	—	1	—	9	—	23	—	—	—	—	—	1	—	—
Heart Disease	14	43	28	35	6	83	67	333	20	195	32	14	9	9	23	29	18	9
Laryngitis	—	2	1	2	1	2	10	20	—	14	—	1	—	1	—	1	4	—
Bronchitis	24	55	30	41	6	251	150	1222	31	382	25	13	6	10	26	42	28	25
Pleurisy	1	1	2	3	—	7	2	22	—	24	1	1	2	1	5	4	2	1
Pneumonia	6	35	10	19	9	75	52	459	18	97	13	7	1	1	13	33	18	16
Asthma	4	10	8	5	1	11	19	83	1	23	1	—	—	1	2	5	1	3
Lung Disease	—	15	2	4	1	14	7	58	6	25	—	1	—	—	1	2	—	4
Teething	3	16	12	7	—	65	20	193	8	30	3	3	2	—	7	3	1	3
Quinsey	—	2	—	—	—	2	1	10	—	2	—	1	—	—	—	1	—	1
Gastritis	—	4	4	1	1	3	5	35	—	7	—	1	—	—	3	3	1	1
Enteritis	1	18	5	7	3	35	43	175	9	39	3	4	1	1	6	14	12	7
Peritonitis	1	3	3	—	—	4	6	32	7	16	1	3	—	2	1	4	1	3
Ascites	—	2	3	2	1	1	3	7	—	3	—	—	—	—	—	—	1	1
Ulceration of Intestines	—	2	—	—	—	1	7	19	3	26	—	1	—	1	3	3	1	1
Hernia	—	—	—	1	—	1	4	7	—	4	1	—	—	—	—	2	2	1
Ileus	1	4	4	4	—	3	6	36	3	13	3	3	—	—	3	5	—	—
Intussusception . . .	1	—	1	3	—	—	1	3	—	3	—	1	—	—	—	2	—	—
Stricture of Intestines	—	—	—	2	—	3	—	1	—	2	—	—	—	—	—	—	—	—
Stomach Disease . . .	—	19	10	12	4	10	21	78	4	48	4	9	3	3	8	8	3	4
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Hepatitis	—	3	1	1	1	7	8	12	1	9	—	—	—	1	1	6	1	2
Jaundice	—	5	2	1	—	1	3	16	—	6	1	5	—	—	2	2	—	1
Liver Disease	2	7	10	11	6	24	13	74	5	62	1	1	4	3	8	8	4	1
Spleen Disease	—	1	—	—	—	—	2	2	—	2	—	2	—	—	—	—	—	—
Nephritis	—	1	—	—	—	3	3	7	1	3	—	1	—	—	1	3	—	—
Nephria	1	2	3	2	1	8	8	22	2	15	1	1	—	—	—	5	2	—
Addison's Disease . .	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Ischuria	—	—	—	2	—	3	4	4	—	—	—	—	—	1	—	—	—	—
Diabetes	—	1	1	—	1	3	3	11	—	7	1	2	—	1	—	4	—	1
Stone	—	—	—	2	—	—	1	4	—	2	—	—	—	—	—	—	—	1
Cystitis	1	3	3	5	—	7	8	21	—	21	1	2	—	—	3	6	1	4
Stricture of Urethra . .	—	—	—	—	—	—	—	3	—	3	1	—	—	—	—	1	—	—
Kidney Disease	2	5	2	1	1	7	8	35	1	29	4	1	—	—	1	5	1	2
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	1	1	—	1	4	5	14	—	9	—	1	—	—	—	4	1	—
Rheumatism	—	3	3	5	—	4	4	26	2	4	1	1	—	—	2	2	—	—
Joint Disease	1	1	—	5	—	5	6	20	3	12	—	2	—	—	—	2	1	3
Carbuncle	—	1	—	—	—	3	2	1	—	2	—	4	—	—	1	—	1	1
Phlegmon	—	1	—	—	—	—	2	2	—	—	—	—	—	—	1	—	—	—
Skin Disease	—	—	3	1	—	4	—	2	1	2	—	—	—	1	1	2	—	—
Intemperance	—	—	—	—	—	3	4	24	1	9	—	1	—	—	—	—	—	—
Privation	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	—	1	—	—	—	—	3	31	—	22	—	—	—	—	1	3	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	1	—	1	—	2	2	2	1	2	—	—	—	—	—	1	—	—
Poison	1	1	1	1	—	3	3	11	—	3	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	2	12	1	3	—	11	10	43	3	16	—	2	1	—	3	2	—	—
Hanging, etc. . . .	—	—	—	3	—	1	3	11	—	3	2	—	—	—	1	2	—	—
Suffocation	—	2	—	—	—	2	3	21	—	5	2	—	—	—	1	—	—	1
Drowning	3	5	22	20	6	36	14	82	6	28	10	12	1	2	3	7	3	13
Fracture and Contusion .	1	18	15	13	—	38	74	242	8	91	10	7	2	—	17	21	6	4
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—
Cuts and Stabs	1	3	—	—	—	4	4	16	—	5	—	2	—	—	1	1	—	—
Other Violent Causes . .	—	—	3	—	—	3	3	26	4	20	1	—	2	—	1	2	3	—
Not Specified	20	87	41	80	9	96	93	238	26	52	16	21	1	—	17	51	28	15

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	35701	279	243	400	169	703	651	85	372	441	2245	290	2726	1368	1685	93
SPECIFIED CAUSES	34213	225	214	369	145	594	572	83	340	419	2164	279	2602	1286	1605	87
I. Zymotic Class	8545	25	32	132	32	150	98	15	67	85	508	46	685	299	433	23
II. Diseases of Uncer. Seat	1447	9	12	31	7	31	25	5	13	17	108	15	104	66	81	4
III. Tubercular Class	5866	31	23	38	16	52	81	9	42	61	323	55	415	193	196	9
IV. Brain and Nervous Sys.	2566	7	9	18	9	45	26	9	44	26	189	17	213	122	123	5
V. Organs of Circulation	1532	3	6	4	4	11	15	3	15	23	127	16	159	82	82	3
VI. Respiratory Organs	4527	17	14	35	12	52	58	5	27	49	239	34	314	126	184	7
VII. Organs of Digestion	2502	6	14	19	6	26	39	1	28	37	174	13	190	90	117	9
VIII. Urinary Organs	313	—	1	5	—	4	6	1	3	9	31	2	19	9	14	3
IX. Organs of Generation	587	3	8	2	3	11	17	2	8	11	35	5	49	20	29	2
X. Organs of Locomotion	205	1	1	3	2	5	6	1	1	7	11	1	7	11	7	1
XI. Skin, etc.	39	—	—	—	—	1	—	—	—	1	—	1	1	3	2	—
XII. Malformation	108	—	1	1	—	—	—	—	1	—	8	2	12	3	4	—
XIII. Premature Debility	1376	5	6	10	3	14	26	1	13	17	88	8	139	40	51	2
XIV. Atrophy	260	1	3	2	—	6	2	—	2	1	15	1	19	7	10	—
XV. Age	3688	108	82	64	49	182	152	30	71	69	262	58	230	195	234	16
XVI. Sudden Deaths	69	1	—	—	—	1	2	—	—	—	3	1	9	2	11	—
XVII. Violent Deaths	583	7	2	5	2	3	9	1	5	6	43	4	37	18	27	3
I. Small Pox	175	—	—	21	—	4	9	4	—	—	6	1	7	4	—	—
Measles	583	—	—	—	—	7	—	—	—	1	6	—	119	42	33	—
Scarlatina	1066	2	8	26	8	37	4	—	9	3	116	6	33	26	54	—
Diphtheria	525	5	1	10	11	11	8	—	10	15	75	8	73	23	44	7
Hooping Cough	1268	8	2	8	—	31	21	—	14	6	14	3	56	34	58	1
Croup	459	2	1	6	6	17	12	—	10	12	20	5	44	17	29	2
Thrush	9	—	—	—	—	—	1	—	—	—	2	—	—	—	1	—
Diarrhoea	865	—	3	3	3	3	5	1	5	6	64	1	66	29	33	5
Dysentery	173	1	—	2	—	1	—	2	1	5	18	2	28	8	10	2
Cholera	91	—	—	1	—	2	—	—	—	—	5	—	6	2	4	—
Influenza	91	—	3	—	—	4	5	—	—	5	16	2	8	4	4	—
Purpura	16	—	1	—	—	—	1	—	—	—	2	—	2	—	1	—
Ague	4	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
Worms	16	—	—	—	—	2	1	—	—	—	—	—	1	1	—	—
Typhus	1547	6	10	39	2	16	6	6	8	19	92	6	133	39	72	1
Enteric Fever	578	—	2	1	1	8	4	2	3	13	20	3	59	20	27	3
Relapsing Fever	25	—	—	—	—	—	1	—	—	—	3	—	6	1	2	—
Simple Cont. Fever	450	—	—	3	—	—	5	—	1	4	16	2	13	27	24	—
Infantile Remittent	81	—	—	2	—	1	—	—	1	—	2	3	3	1	5	—
Metria	213	—	1	4	1	2	2	—	1	3	13	3	15	13	18	—
Rheumatic Fever	65	—	—	2	—	—	3	—	1	1	4	—	3	2	3	1
Erysipelas	154	1	—	2	—	4	9	—	2	—	9	1	12	6	6	1
Pyæmia	12	—	—	—	—	—	—	—	—	1	—	—	2	—	2	—
Syphilis	72	—	—	2	—	—	1	—	1	—	4	—	7	—	1	—
Noma	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	39	1	—	—	—	2	—	—	—	—	2	—	3	4	2	—
Dropsy	392	5	6	11	3	8	15	—	7	—	23	2	29	24	21	—
Abscess	73	—	—	—	—	3	1	—	—	—	6	2	4	2	4	1
Ulcer	26	—	1	—	—	1	1	—	—	—	2	—	3	—	1	—
Fistula	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Mortification	63	—	—	3	—	1	—	—	—	—	2	—	4	2	6	—
Cancer	846	2	5	17	4	16	8	5	6	17	72	11	61	33	47	3
Gout	4	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
III. Scrofula	277	3	1	2	2	1	4	—	—	6	22	2	18	11	10	—
Tabes Mesenterica	386	1	—	—	—	2	2	—	2	3	18	4	8	2	14	1
Phthisis	4373	26	22	30	14	48	70	7	35	46	231	43	324	158	147	7
Hydrocephalus	830	1	—	6	—	1	5	2	5	6	52	6	65	22	25	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—FEMALES.

DISEASES.	Clack- mann.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	204	910	596	639	177	2404	2036	9912	414	3650	379	328	102	104	491	759	452	394
SPECIFIED CAUSES . . .	191	851	568	571	167	2320	1978	9695	394	3596	365	319	99	103	479	720	431	382
Zymotic Class . . .	40	193	172	95	28	645	526	2758	96	793	78	74	29	26	86	145	67	64
Uncertain Seat . . .	9	46	31	20	5	82	89	310	16	155	17	20	3	3	26	40	31	16
Tubercular Class . . .	38	151	110	84	35	461	437	1889	69	551	50	40	14	21	96	115	83	78
Brain, etc.	16	71	46	56	16	149	141	603	20	340	26	31	5	7	49	62	32	23
Heart, etc.	10	34	14	16	10	74	61	318	24	235	28	28	7	7	37	34	26	16
Respiratory Organs . . .	16	97	52	76	21	301	189	1652	60	548	48	26	13	12	49	94	59	41
Digestive Organs . . .	12	83	50	44	13	175	169	700	24	239	17	26	6	9	29	67	40	30
Urinary Organs	2	6	6		3	14	13	83	4	49	2	2	—	1	2	10	2	4
Generative Organs . . .	3	12	12	5	3	35	34	150	10	59	12	9	4	2	10	8	4	10
Locomotive Organs . . .	2	7	—	4	—	11	10	57	2	29	2	1	—	2	2	7	1	3
Skin	—	3	2	1	—	2	4	4	1	9	—	—	—	—	—	1	1	2
Malformation	3	3	1	—	1	4	6	22	3	18	—	4	—	2	3	2	3	1
Premature Debility . . .	8	29	19	14	2	108	78	394	20	170	15	9	3	6	32	21	12	13
Atrophy	3	8	4	1	—	21	15	86	1	28	6	3	3	1	4	5	2	—
Age	27	90	43	139	28	190	169	499	32	277	56	38	9	3	47	103	62	74
Sudden Deaths	—	4	—	—	—	4	7	19	—	1	1	—	1	—	—	1	1	—
Violent Deaths	2	14	6	13	2	44	30	151	12	95	7	8	2	1	7	5	5	7
Small Pox	—	19	—	4	—	8	20	27	7	8	1	10	—	2	3	7	3	—
Measles	2	6	3	3	—	42	32	229	2	56	3	1	2	—	—	1	1	1
Scarlatina	6	26	13	7	1	87	49	332	15	112	5	1	4	3	20	36	12	5
Diphtheria	4	7	8	8	5	19	26	74	2	35	7	5	—	4	5	5	8	2
Whooping Cough	1	22	37	10	3	136	60	596	10	101	4	1	1	4	15	8	3	—
Croup	11	14	5	7	—	30	41	85	11	26	5	7	2	1	3	17	4	7
Thrush	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—	—
Diarrhœa	1	29	17	5	3	67	53	280	9	123	9	7	2	2	7	13	4	7
Dysentery	—	2	3	1	3	5	17	22	3	16	3	2	1	2	—	8	4	1
Cholera	—	3	—	—	1	1	11	26	3	16	1	3	1	1	2	2	—	—
Influenza	—	2	2	—	1	—	9	9	1	5	—	2	1	—	3	—	—	5
Purpura	—	—	—	—	—	1	—	1	—	3	—	—	—	—	—	1	2	1
Ague	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Worms	—	1	—	1	—	—	1	3	—	1	—	—	1	—	1	1	1	—
Typhus	2	19	47	14	7	156	71	657	5	99	5	1	—	—	4	7	4	3
Enteric Fever	3	3	15	9	—	17	48	130	10	74	22	22	12	5	9	25	8	9
Relapsing Fever	—	—	—	1	—	2	1	6	1	—	—	—	—	1	—	—	—	—
Simple Cont. Fever . . .	6	27	7	7	3	30	43	142	7	41	3	4	—	—	8	7	1	13
Infantile Remittent . . .	1	3	—	—	—	12	6	18	1	11	2	—	—	—	1	2	2	4
Metria	—	6	8	8	1	16	14	43	4	21	4	2	2	—	2	2	1	3
Rheumatic Fever	1	1	2	6	—	4	3	10	—	9	—	3	—	—	—	1	3	2
Erysipelas	2	1	3	1	—	8	12	38	2	22	4	1	—	—	1	1	4	1
Pyæmia	—	—	—	—	—	—	—	3	—	1	—	—	—	—	1	—	2	—
Syphilis	—	1	2	3	—	3	7	20	3	13	—	1	—	1	1	—	—	—
Noma	—	—	—	—	—	—	2	4	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	—	—	—	2	6	9	—	5	—	—	—	—	2	—	—	—
Dropsy	3	20	13	6	1	33	23	88	1	11	3	5	—	1	7	9	6	8
Abscess	—	2	2	—	—	4	7	20	—	12	—	—	—	—	—	2	1	—
Ulcer	—	—	—	2	—	1	1	3	1	5	—	1	—	—	1	—	1	1
Fistula	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—
Mortification	—	2	3	2	—	6	1	13	1	5	1	3	1	—	2	1	4	—
Cancer	5	22	13	10	4	35	50	177	13	115	13	11	2	2	14	28	18	7
Gout	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
Scrofula	1	8	3	6	—	15	28	76	8	32	1	3	—	—	4	5	4	1
Tabes Mesenterica . . .	—	10	6	3	2	28	44	139	12	49	6	5	—	2	5	4	6	8
Phthisis	34	107	85	69	24	362	301	1387	33	381	35	25	12	16	72	94	67	61
Hydrocephalus	3	26	16	6	9	5	64	287	16	89	8	7	2	3	15	12	6	8

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—FEMALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	178	1	2	1	—	7	6	1	1	3	12	1	10	3	10	—
Apoplexy . . .	559	1	2	7	1	5	9	4	9	7	43	5	52	36	24	—
Paralysis . . .	898	3	2	3	6	14	10	5	14	11	47	6	76	57	56	2
Delirium Tremens . .	16	—	—	—	—	—	—	—	—	—	2	—	2	1	—	—
Chorea . . .	7	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy . . .	121	1	1	3	1	6	1	—	2	1	4	3	7	6	5	—
Tetanus . . .	11	—	—	—	—	3	—	—	—	—	—	—	—	—	1	—
Insanity . . .	17	2	—	1	—	2	1	—	1	—	5	—	1	1	—	—
Convulsions . . .	403	—	1	1	—	3	4	1	12	2	48	—	39	9	11	1
Brain Disease . . .	356	—	1	2	1	5	5	—	5	2	28	2	25	9	16	2
V. Pericarditis . . .	37	—	—	—	—	1	—	—	—	—	5	—	3	—	3	—
Aneurism . . .	23	—	—	1	—	—	—	—	—	—	5	—	1	—	—	—
Heart Disease . . .	1472	3	6	3	4	10	15	3	15	23	117	16	155	82	79	3
VI. Laryngitis . . .	52	1	—	1	—	—	—	—	1	1	4	—	4	2	2	—
Bronchitis . . .	3178	8	8	21	6	23	28	4	18	32	160	30	218	96	120	3
Pleurisy . . .	103	2	—	—	—	1	7	1	1	4	10	—	4	4	12	—
Pneumonia . . .	812	1	3	10	2	6	3	—	3	9	52	3	52	17	34	3
Asthma . . .	255	4	2	3	4	20	19	—	2	2	10	—	24	4	14	1
Lung Disease . . .	127	1	1	—	—	2	1	—	2	1	3	1	12	3	2	—
VII. Teething . . .	495	1	—	1	—	5	6	—	2	5	36	2	50	13	28	1
Quinsey . . .	29	1	1	—	—	—	—	—	2	1	2	—	6	2	2	—
Gastritis . . .	86	—	—	2	—	—	2	—	3	1	9	1	1	6	3	—
Enteritis . . .	448	—	2	3	—	5	4	—	7	6	14	2	20	14	7	2
Peritonitis . . .	193	1	—	2	—	1	3	—	3	—	17	1	9	8	7	1
Ascites . . .	56	—	1	—	1	—	2	1	—	1	5	—	6	2	2	—
Ulceration of Intestines	99	1	—	2	—	—	1	—	—	3	10	1	9	2	7	1
Hernia . . .	55	—	—	—	1	1	2	—	1	—	6	—	4	2	4	1
Ileus . . .	129	—	1	—	—	1	5	—	1	5	20	1	9	5	8	1
Intussusception . .	16	—	—	1	—	—	—	—	—	—	—	—	2	—	2	—
Stricture of Intestines	9	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Stomach Disease . .	396	1	7	4	2	9	7	—	4	8	21	2	33	16	15	1
Pancreas Disease . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	68	—	—	1	—	—	—	—	—	—	5	—	8	1	3	—
Jaundice . . .	90	1	—	1	1	1	1	—	2	1	14	1	11	3	6	—
Liver Disease . . .	318	—	2	2	1	2	5	—	3	5	13	2	21	14	23	1
Spleen Disease . . .	14	—	—	—	—	1	—	—	—	1	1	—	1	2	—	—
VIII. Nephritis . . .	28	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Nephria . . .	110	—	—	1	—	2	1	—	—	4	5	—	11	6	4	3
Addison's Disease . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	8	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—
Diabetes . . .	26	—	—	—	—	—	2	—	—	1	2	1	1	1	—	—
Stone . . .	3	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
Cystitis . . .	22	—	—	—	—	1	—	—	—	2	3	—	1	—	3	—
Stricture of Urethra .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	114	—	1	2	—	—	3	1	3	2	19	1	6	2	5	—
IX. Paramenia . . .	25	—	—	—	—	2	—	—	—	2	—	2	2	—	1	—
Ovarian Dropsy . . .	74	—	2	—	—	—	2	—	3	3	10	1	2	2	5	—
Childbirth . . .	422	3	6	—	3	7	15	2	5	3	21	2	42	14	19	2
Organs of Generation	66	—	—	2	—	2	—	—	—	3	4	—	3	4	4	—
X. Arthritis . . .	37	—	—	—	—	—	1	—	1	—	2	—	2	1	3	1
Rheumatism . . .	105	1	1	3	—	4	4	1	—	6	6	—	1	6	3	—
Joint and Bone Disease	63	—	—	—	2	1	1	—	—	1	3	1	4	4	1	—
XI. Carbuncle . . .	7	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—
Phlegmon . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Skin Disease . . .	27	—	—	—	—	1	—	—	—	1	—	1	—	2	—	—
XVII. Intemperance . .	32	—	—	—	—	—	—	—	1	—	2	1	2	1	1	—
Privation . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk .	65	—	—	—	—	—	—	—	—	—	5	—	3	1	2	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	14	—	—	1	1	—	1	—	—	1	2	—	—	1	—	—
Poison . . .	21	—	—	—	—	—	1	—	—	—	1	—	2	—	1	—
Poisoned Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . .	129	5	—	3	—	1	1	—	2	—	14	1	5	4	3	1
Hanging, etc. . .	17	—	—	—	—	—	—	—	—	—	—	—	2	—	3	—
Suffocation . . .	41	—	—	—	—	—	—	—	—	—	2	1	11	—	1	—
Drowning . . .	70	1	1	—	—	—	1	—	1	1	5	—	2	4	6	2
Fracture and Contusion	135	1	1	1	1	2	4	1	1	3	10	1	9	4	5	—
Gunshot Wounds . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	15	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—
Other Violent Causes .	38	—	—	—	—	—	1	—	—	—	2	—	1	2	4	—
Not Specified . . .	1488	54	29	31	24	109	79	2	32	22	81	11	124	82	80	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1865.—FEMALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis . . .	3	—	4	5	1	10	9	42	1	27	3	1	1	3	—	4	3	3
Apoplexy . . .	4	17	12	18	4	28	39	116	4	61	6	6	1	1	6	14	15	4
Paralysis . . .	5	32	10	22	6	61	58	150	11	137	11	14	—	2	27	25	6	9
Delirium Tremens . . .	—	—	1	1	—	1	1	3	—	2	1	—	—	—	—	—	1	—
Chorea . . .	—	—	—	—	—	—	2	2	—	—	—	—	—	—	1	—	1	—
Epilepsy . . .	1	2	3	1	—	5	2	37	1	17	1	1	—	—	2	5	1	1
Tetanus . . .	—	—	—	—	—	—	—	3	—	3	—	—	—	—	—	1	—	—
Insanity . . .	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	2	5	8	5	1	19	15	147	1	43	3	3	2	1	5	5	3	3
Brain Disease . . .	1	15	7	4	4	24	15	102	2	50	1	6	1	—	8	8	2	3
Pericarditis . . .	1	1	1	2	—	1	—	10	1	4	—	—	—	—	1	1	2	—
Aneurism . . .	—	—	—	—	—	—	3	4	—	6	—	—	—	1	1	—	1	—
Heart Disease . . .	9	33	13	14	10	73	58	304	23	225	28	23	7	6	35	33	23	16
Laryngitis . . .	—	1	—	1	—	3	4	16	—	9	1	—	—	—	—	1	—	—
Bronchitis . . .	11	57	39	43	16	233	127	1192	49	403	33	15	9	10	34	72	36	24
Pleurisy . . .	1	2	2	—	—	2	13	14	1	12	—	2	—	—	3	—	5	—
Pneumonia . . .	4	25	8	15	5	46	26	322	8	82	11	7	2	2	10	17	14	10
Asthma . . .	—	4	1	16	—	10	15	57	1	25	3	—	1	—	1	4	—	4
Lung Disease . . .	—	8	2	1	—	7	4	51	1	17	—	2	1	—	1	—	—	3
Teething . . .	2	17	9	6	—	50	22	175	5	34	—	1	—	—	4	12	4	4
Quinsey . . .	—	—	1	—	—	4	—	3	1	1	1	—	—	—	—	1	—	—
Gastritis . . .	—	1	2	4	1	7	4	32	—	1	—	—	—	—	—	2	3	1
Enteritis . . .	4	17	9	2	4	36	46	161	6	32	5	3	1	—	5	13	10	8
Peritonitis . . .	—	7	1	2	1	11	10	56	4	28	—	4	—	4	2	5	4	1
Ascites . . .	1	—	—	3	—	3	2	20	—	4	—	—	—	—	—	2	—	—
Ulceration of Intestines . . .	—	1	4	2	1	5	7	19	1	9	—	—	1	3	3	3	—	3
Hernia . . .	—	3	—	—	—	3	4	10	—	8	—	1	—	—	—	2	2	—
Ileus . . .	—	3	3	3	—	4	8	26	—	16	1	2	—	—	2	3	1	—
Intussusception . . .	—	—	—	2	—	—	2	4	—	2	1	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	—	—	—	1	3	—	1	—	—	—	—	1	—	1	—
Stomach Disease . . .	2	19	13	9	4	22	24	79	2	51	3	8	3	2	4	10	6	5
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Hepatitis . . .	—	3	2	1	1	3	15	16	—	1	2	1	1	—	—	2	1	1
Jaundice . . .	1	2	3	3	—	2	2	21	1	6	2	1	—	—	—	1	1	1
Liver Disease . . .	2	10	3	6	1	24	22	74	3	43	2	5	—	—	8	10	5	6
Spleen Disease . . .	—	—	—	1	—	1	—	1	1	2	—	—	—	—	—	—	2	—
Nephritis . . .	1	1	3	—	1	2	1	12	—	4	—	—	—	—	—	1	—	—
Nephria . . .	1	1	1	2	1	8	5	22	3	22	1	1	—	—	1	2	—	2
Addison's Disease . . .	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	1	—	—	—	1	2	—	2	—	—	—	—	—	—	—	—
Diabetes . . .	—	1	—	—	—	—	1	9	—	2	—	1	—	—	—	3	1	—
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . .	—	—	—	—	1	1	—	5	1	1	—	—	—	1	—	1	1	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	—	3	1	1	—	3	5	32	—	17	1	—	—	—	1	3	—	2
Paramenia . . .	—	1	1	2	—	2	3	4	—	—	1	—	—	1	1	—	—	—
Ovarian Dropsy . . .	—	2	—	—	1	4	3	13	2	12	1	2	2	—	1	—	—	1
Childbirth . . .	3	8	11	3	2	27	23	115	7	41	10	4	1	1	7	6	3	6
Organs of Generation . . .	—	1	—	—	—	2	5	18	1	6	—	3	1	—	1	2	1	3
Arthritis . . .	—	—	—	3	—	—	2	7	1	11	1	—	—	—	1	—	—	—
Rheumatism . . .	1	4	—	1	—	11	5	28	1	8	1	1	—	1	1	4	1	1
Joint Disease . . .	1	3	—	—	—	—	3	22	—	10	—	—	—	1	—	3	—	2
Carbuncle . . .	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	—
Phlegmon . . .	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1
Skin Disease . . .	—	3	1	1	—	2	4	3	—	6	—	—	—	—	—	—	1	1
Intemperance . . .	—	—	1	1	1	5	—	7	2	6	1	—	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—	1
Want of Breast Milk . . .	1	1	—	4	—	6	2	27	—	9	—	—	—	—	2	2	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	—	1	—	1	1	4	—	—	—	—	—	—	—	—	—	—
Poison . . .	—	—	—	—	—	—	3	10	—	2	—	—	—	—	1	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	6	2	2	—	10	10	28	5	17	2	3	—	—	1	2	1	—
Hanging, etc. . .	—	—	—	—	—	3	—	4	—	3	1	1	—	—	—	—	—	—
Suffocation . . .	—	1	—	—	—	1	2	9	—	11	—	—	—	—	—	—	—	1
Drowning . . .	—	4	3	1	1	7	4	13	2	6	1	—	1	—	—	—	1	2
Fracture and Contusion . . .	—	2	—	2	—	11	4	29	2	27	2	3	1	1	1	1	2	3
Gunshot Wounds . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	1	—	—	2	—	—	3	5	—	1	—	—	—	—	—	—	—	—
Other Violent Causes . . .	—	—	—	—	—	—	—	13	1	12	—	—	—	—	1	—	1	—
Not Specified . . .	13	59	28	68	10	84	58	217	20	54	14	9	3	1	12	39	21	12

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	13914	968	910	4858	3000	1981	1410	1675	948	729
SPECIFIED CAUSES	13727	920	899	4829	2872	1969	1374	1638	941	719
I. Zymotic Class	4090	272	238	1047	860	525	420	506	213	212
II. Diseases of Uncertain Seat	296	21	25	185	82	81	51	34	24	16
III. Tubercular Class	2527	165	185	818	473	286	233	278	139	106
IV. Brain and Nervous System	938	46	78	470	207	208	102	124	77	54
V. Organs of Circulation	474	31	25	294	150	111	36	63	68	50
VI. Respiratory Organs	2574	150	134	784	391	260	173	245	146	81
VII. Organs of Digestion	877	58	65	343	184	148	118	108	63	42
VIII. Urinary Organs	134	10	9	82	31	38	7	18	16	7
IX. Organs of Generation	92	11	13	40	26	22	11	12	8	6
X. Organs of Locomotion	77	8	6	46	5	11	10	7	1	4
XI. Skin, etc.	5	—	—	8	4	1	3	5	1	—
XII. Malformation	27	1	3	23	9	6	5	1	3	—
XIII. Premature Debility	649	38	45	224	181	75	51	89	62	42
XIV. Atrophy	97	10	5	34	19	17	7	16	13	5
XV. Age	402	77	30	249	131	123	117	71	44	68
XVI. Sudden Deaths	55	1	1	4	13	6	2	5	1	1
XVII. Violent Deaths	413	21	37	178	106	51	28	56	62	25
I. Small Pox	26	4	1	13	6	9	3	4	—	9
Measles	330	14	28	110	166	3	69	12	21	39
Scarlatina	513	27	37	115	69	184	86	52	26	29
Diphtheria	69	6	9	30	25	20	7	8	14	5
Hooping Cough	879	44	33	155	94	6	43	114	26	20
Croup	110	6	15	43	45	13	11	34	12	10
Thrush	2	—	—	—	4	2	—	—	—	—
Diarrhœa	389	31	34	152	78	70	34	49	27	22
Dysentery	38	2	1	21	33	11	7	4	3	1
Cholera	39	2	4	16	21	3	1	4	6	4
Influenza	12	1	—	2	7	7	—	2	—	—
Purpura	3	1	—	3	3	1	—	2	—	1
Ague	1	—	—	—	3	1	1	—	—	—
Worms	2	—	1	—	2	—	—	—	1	—
Typhus	1177	118	37	166	210	125	93	169	34	47
Enteric Fever	166	1	14	79	24	17	12	13	19	8
Relapsing Fever	3	—	1	2	9	3	1	—	—	—
Simple Continued Fever	168	5	12	54	31	22	26	17	4	11
Infantile Remittent	26	1	—	11	5	2	8	2	5	1
Metria	26	2	3	14	6	7	3	7	5	—
Rheumatic Fever	14	—	2	11	3	6	3	2	4	1
Erysipelas	47	4	3	24	6	8	9	4	5	3
Pyæmia	6	1	1	4	—	—	—	—	1	—
Syphilis	40	2	2	22	10	5	3	7	—	1
Noma	4	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	12	1	2	8	3	3	—	1	1	—
Dropsy	100	5	5	20	32	20	26	8	7	2
Abscess	35	—	3	16	2	4	5	2	1	—
Ulcer	4	1	1	4	1	2	1	3	1	—
Fistula	—	—	1	2	—	1	—	1	—	—
Mortification	11	1	1	11	4	4	3	4	—	3
Cancer	134	13	12	122	40	47	16	15	14	11
Gout	—	—	—	2	—	—	—	—	—	—
III. Scrofula	89	24	4	54	14	18	12	15	3	7
Tabes Mesenterica	200	16	25	77	16	27	18	15	16	3
Phthisis	1770	106	110	539	368	187	171	209	85	76
Hydrocephalus	468	19	46	148	75	54	32	39	35	20

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	423	467	271	338	313	243	392	433	508	359	325	422	524
SPECIFIED CAUSES . . .	423	461	258	330	296	236	386	420	505	335	309	414	509
Zymotic Class . . .	116	115	64	67	81	66	100	112	131	94	66	109	113
Uncertain Seat . . .	21	21	11	15	12	4	16	15	15	5	17	13	26
Tubercular Class . . .	57	70	42	58	41	36	55	71	115	58	62	65	94
Brain, etc.	39	54	18	39	32	20	39	31	50	21	33	15	42
Heart, etc.	13	24	22	30	15	13	18	13	20	19	4	10	21
Respiratory Organs . . .	31	46	27	34	37	41	51	54	69	44	47	82	74
Digestive Organs . . .	47	37	15	29	25	8	42	31	27	23	28	37	38
Urinary Organs . . .	9	5	6	8	1	—	6	6	3	5	4	1	8
Generative Organs . . .	3	2	3	2	1	1	2	6	5	6	2	4	4
Locomotive Organs . . .	2	2	1	2	2	2	3	3	5	2	2	4	2
Skin	—	3	—	—	—	—	1	—	1	—	—	1	3
Malformation	—	2	3	—	1	—	—	1	2	1	—	5	2
Premature Debility . . .	20	37	16	9	12	13	18	13	29	17	12	26	19
Atrophy	1	—	3	—	3	—	3	4	2	1	3	4	2
Age	48	33	21	28	20	22	23	45	16	32	16	15	42
Sudden Deaths	1	1	—	—	3	1	—	—	1	—	3	—	—
Violent Deaths	15	9	6	9	10	9	9	15	14	7	10	23	19
Small Pox	27	—	—	—	—	—	15	12	2	15	—	1	1
Measles	—	27	6	1	—	6	5	7	3	5	7	27	3
Scarlatina	5	—	1	—	16	2	21	25	7	5	9	10	54
Diphtheria	7	18	11	3	5	10	2	2	6	4	4	1	6
Whooping Cough	32	3	6	2	9	4	10	—	26	13	7	4	—
Croup	14	13	8	13	7	5	—	9	13	13	4	6	7
Thrush	1	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa	8	11	9	16	4	13	17	7	21	6	11	19	12
Dysentery	—	2	5	1	—	—	—	3	7	—	1	4	2
Cholera	1	—	1	—	—	—	2	—	—	3	—	—	—
Influenza	—	2	—	—	1	1	1	—	1	—	—	—	—
Purpura	—	1	—	1	—	—	—	—	—	1	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	8	15	7	8	26	13	6	27	14	23	12	7	4
Enteric Fever	6	2	3	11	1	4	3	6	12	3	2	10	18
Relapsing Fever	—	—	—	—	1	—	1	—	—	—	—	2	—
Simple Cont. Fever . . .	3	8	3	3	6	2	11	4	6	2	6	10	2
Infantile Remittent . . .	—	—	—	—	3	3	4	—	5	—	—	—	—
Metria	—	1	—	5	1	2	2	6	—	1	1	1	—
Rheumatic Fever	—	1	—	1	—	—	—	1	2	—	—	—	—
Erysipelas	3	4	2	1	1	1	—	1	2	—	—	2	1
Pyæmia	—	1	—	—	—	—	—	—	1	—	—	—	—
Syphilis	1	5	1	1	—	—	—	2	2	—	2	—	2
Noma	—	1	—	—	—	—	—	—	1	—	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	1	—	1	2	—	1	1	—	—	—	—	1
Dropsy	8	3	2	3	3	—	6	2	2	1	6	6	7
Abscess	1	2	—	1	2	—	1	—	1	—	—	—	1
Ulcer	1	1	—	—	—	—	—	1	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	1	—	—	—	—	—
Mortification	1	2	—	1	1	—	1	—	—	—	—	—	1
Cancer	8	12	9	9	3	4	7	10	12	4	11	7	16
Gout	1	—	—	—	1	—	—	—	—	—	—	—	—
Scrofula	—	1	2	1	1	5	2	9	4	1	3	6	2
Tabes Mesenterica . . .	2	2	—	2	3	1	2	9	7	1	18	9	7
Phthisis	48	55	24	45	23	26	46	44	82	44	37	42	75
Hydrocephalus	7	12	16	10	14	4	5	9	22	12	4	8	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—BOTH SEXES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	65	6	3	31	11	15	8	9	7	—
Apoplexy	189	5	16	86	37	31	21	18	18	22
Paralysis	180	12	24	150	65	58	39	35	24	12
Delirium Tremens	18	—	1	14	2	4	2	3	—	4
Chorea	1	—	1	—	1	—	1	—	—	—
Epilepsy	40	1	5	26	12	3	7	5	1	3
Tetanus	10	—	—	3	—	—	1	1	1	—
Insanity	3	1	—	3	—	4	1	2	—	—
Convulsions	251	12	18	68	63	61	16	13	20	6
Brain Disease	181	9	10	89	16	32	6	38	6	7
V. Pericarditis	12	1	—	5	4	—	1	1	1	—
Aneurism	9	—	1	25	2	8	—	—	1	1
Heart Disease	453	30	24	264	144	103	35	62	66	49
VI. Laryngitis	28	2	2	14	7	5	2	1	2	3
Bronchitis	1778	88	90	562	245	180	117	195	99	63
Pleurisy	18	1	1	25	3	6	—	5	1	1
Pneumonia	581	44	28	111	89	54	38	34	40	7
Asthma	87	9	10	34	37	9	11	3	4	5
Lung Disease	82	6	3	38	10	6	5	7	—	2
VII. Teething	267	20	17	38	65	53	38	59	10	13
Quinsey	10	—	1	3	5	3	2	2	—	—
Gastritis	34	1	4	6	1	4	1	4	2	1
Enteritis	193	9	21	43	18	9	34	15	9	—
Peritonitis	42	4	1	30	6	7	3	6	6	2
Ascites	15	2	—	5	8	2	2	1	—	1
Ulceration of Intestines	18	2	2	26	2	9	3	—	5	1
Hernia	13	—	—	9	2	7	1	1	2	1
Ileus	40	4	3	12	10	15	5	—	8	5
Intussusception	4	—	1	3	2	—	—	—	—	—
Stricture of Intestines	4	—	—	2	—	2	—	1	1	—
Stomach Disease	101	5	10	75	27	12	9	7	8	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	17	—	—	5	4	3	4	1	1	3
Jaundice	23	1	—	9	12	10	—	—	—	1
Liver Disease	96	9	5	75	21	12	16	11	10	9
Spleen Disease	—	1	—	2	1	—	—	—	1	2
VIII. Nephritis	16	—	1	6	—	1	—	2	—	2
Nephria	37	1	2	29	16	6	3	8	3	3
Addison's Disease	1	—	2	—	1	—	—	—	—	—
Ischuria	2	—	—	1	2	1	—	2	—	—
Diabetes	12	1	—	6	—	2	—	2	—	1
Stone	2	—	1	2	1	4	—	—	—	1
Cystitis	14	—	3	9	2	6	2	1	6	—
Stricture of Urethra	1	—	—	3	—	—	—	—	—	—
Kidney Disease	49	8	—	26	9	18	2	3	7	—
IX. Paramenia	4	—	—	—	1	—	—	1	—	—
Ovarian Dropsy	7	1	1	10	—	5	2	—	—	—
Childbirth	71	8	11	25	25	15	9	11	7	5
Organs of Generation	10	2	1	5	—	2	—	—	1	1
X. Arthritis	17	1	1	17	2	2	—	2	—	1
Rheumatism	35	5	1	7	—	5	8	4	1	1
Joint and Bone Disease	25	2	4	22	3	4	2	1	—	2
XI. Carbuncle	—	—	—	4	3	—	—	2	—	—
Phlegmon	3	—	—	—	—	—	—	—	—	—
Skin Disease	2	—	—	4	1	1	3	3	1	—
XVII. Intemperance	27	—	2	10	4	3	3	2	1	3
Privation	1	—	—	1	—	—	—	—	—	—
Want of Breast Milk	42	—	4	23	4	11	—	6	2	2
Neglect	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	1	—	—	1	—	—	—
Poison	17	1	1	2	1	—	2	1	3	2
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	45	2	3	22	5	9	7	7	6	2
Hanging, etc.	10	—	—	4	3	1	1	1	2	—
Suffocation	21	—	2	9	23	2	—	2	1	—
Drowning	57	7	8	4	9	8	4	13	18	3
Fracture and Contusion	151	10	14	70	38	10	10	18	25	12
Gunshot Wounds	—	—	—	2	—	—	—	—	—	—
Cuts and Stabs	15	1	—	5	9	2	—	4	—	—
Other Violent Causes	25	—	3	25	10	5	—	2	4	1
Not Specified	187	48	11	29	128	12	36	37	7	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—BOTH SEXES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	1	1	2	2	2	3	—	2	1	2	2	3
Apoplexy	5	14	4	10	12	4	2	6	9	2	11	4	14
Paralysis	15	14	4	14	13	7	17	19	20	8	10	1	15
Delirium Tremens	2	3	—	—	—	1	1	1	1	—	—	—	—
Chorea	1	—	—	—	—	—	—	1	—	—	—	—	—
Epilepsy	2	1	—	2	—	—	1	—	2	2	—	—	6
Tetanus	—	—	—	1	—	—	1	1	—	—	—	—	1
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	7	7	2	2	4	—	3	2	5	4	7	4	3
Brain Disease	3	14	7	8	1	6	11	1	11	4	2	4	—
Pericarditis	—	1	—	—	2	—	—	—	—	—	—	2	—
Aneurism	—	—	—	2	—	—	1	1	—	1	—	—	—
Heart Disease	13	23	22	28	13	13	17	12	20	18	4	8	21
Laryngitis	1	—	—	1	—	—	—	1	1	—	—	2	—
Bronchitis	15	35	21	27	28	35	32	30	61	33	34	58	49
Pleurisy	2	1	—	1	1	—	—	1	1	1	1	5	2
Pneumonia	5	5	4	4	4	4	14	10	2	6	7	14	21
Asthma	7	2	1	—	3	2	1	11	4	2	3	2	1
Lung Disease	1	3	1	1	1	—	4	1	—	2	2	1	1
Teething	15	15	3	2	4	1	14	4	1	1	3	11	3
Quinsey	—	1	2	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	1	2	1	—	—	3	—	1	8	1	1
Enteritis	9	10	—	7	4	—	10	3	12	5	5	9	7
Peritonitis	2	1	1	1	—	2	1	2	—	3	—	5	1
Ascites	—	1	—	—	—	—	—	2	—	—	1	—	1
Ulceration of Intestines	—	1	2	8	1	—	1	—	1	—	3	3	2
Hernia	—	2	—	1	1	—	—	1	—	—	—	—	2
Ileus	2	1	—	1	3	—	1	2	1	1	1	1	3
Intussusception	—	1	—	—	1	—	—	1	1	—	—	—	2
Stricture of Intestines	1	—	—	—	—	—	—	—	1	—	—	—	—
Stomach Disease	10	—	1	2	6	2	10	6	3	2	5	4	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	1
Hepatitis	1	1	—	1	—	—	2	3	1	5	—	—	—
Jaundice	1	—	—	1	—	—	1	—	1	2	—	1	2
Liver Disease	5	3	5	3	4	3	2	4	4	3	2	2	9
Spleen Disease	—	—	—	—	—	—	—	—	1	—	—	—	1
Nephritis	—	—	—	—	—	—	—	—	—	—	1	—	1
Nephria	1	—	—	6	—	—	3	3	—	1	—	—	4
Addison's Disease	—	—	1	—	—	—	—	—	—	—	—	—	—
Ischuria	2	1	—	—	—	—	—	—	1	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	1
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	2	1	—	—	—	1	1	2	4	1	—	1
Stricture of Urethra	—	—	—	1	—	—	—	—	—	—	—	—	1
Kidney Disease	1	2	4	1	1	—	2	2	—	—	2	1	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	—	—	—	—	1	—	1	1	—	—	—	—
Childbirth	1	1	3	2	1	—	1	4	3	6	2	3	3
Organs of Generation	—	1	—	—	—	—	1	1	1	—	—	1	1
Arthritis	—	—	—	1	—	—	—	—	1	1	—	—	—
Rheumatism	2	—	1	—	—	2	3	2	—	—	1	2	—
Joint Disease	—	2	—	1	2	—	—	1	4	1	1	2	2
Carbuncle	—	—	—	—	—	—	—	—	1	—	—	1	2
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	3	—	—	—	—	1	—	—	—	—	—	1
Intemperance	2	3	1	—	—	—	—	2	—	1	—	1	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	2	—	—	—	—	1	1	4
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	1	—	—	1	—	—	2	1	—	1	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	3	1	2	3	1	1	2	2	1
Hanging, etc.	—	—	1	—	2	—	—	—	1	—	—	—	1
Suffocation	—	2	—	1	—	—	—	—	3	—	—	—	—
Drowning	2	2	2	2	—	3	3	4	1	1	1	6	3
Fracture and Contusion	6	1	2	5	4	3	4	4	7	2	3	13	10
Gunshot Wounds	—	—	—	1	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	—	2	2	—	—
Not Specified	—	6	13	8	17	7	6	13	3	24	16	8	15

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	7017	498	466	2412	1492	947	689	861	477	368
SPECIFIED CAUSES	6925	473	458	2397	1431	943	673	839	476	363
I. Zymotic Class	2055	149	125	508	458	250	215	269	115	110
II. Diseases of Uncertain Seat	111	9	7	77	27	34	19	13	9	6
III. Tubercular Class	1211	69	92	437	241	146	99	119	65	50
IV. Brain and Nervous System	518	26	46	239	99	107	57	73	38	26
V. Organs of Circulation	243	16	14	143	64	50	22	32	30	20
VI. Respiratory Organs	1320	86	71	390	192	132	97	134	70	42
VII. Organs of Digestion	425	34	30	186	79	73	60	57	33	22
VIII. Urinary Organs	74	4	5	53	21	23	6	10	9	7
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	41	3	2	24	4	8	4	4	—	2
XI. Skin, etc.	3	—	—	2	3	1	2	4	1	—
XII. Malformation	17	1	2	11	4	3	2	1	—	—
XIII. Premature Debility	381	25	26	117	94	43	30	53	33	23
XIV. Atrophy	42	3	1	15	8	6	1	8	5	3
XV. Age	132	29	8	79	51	30	38	18	16	31
XVI. Sudden Deaths	39	1	1	4	7	3	1	4	1	1
XVII. Violent Deaths	313	18	28	112	79	34	20	40	51	20
I. Small Pox	14	4	1	7	1	3	—	2	—	8
Measles	160	9	11	65	89	2	38	9	12	10
Scarlatina	274	17	19	62	37	86	50	24	11	18
Diphtheria	37	3	5	10	10	9	3	3	11	2
Hooping Cough	402	18	14	76	50	2	20	52	12	8
Croup	57	5	13	27	27	5	6	21	8	7
Thrush	—	—	—	—	4	2	—	—	—	—
Diarrhoea	200	11	15	71	43	31	16	23	14	13
Dysentery	21	1	—	8	17	5	4	2	1	—
Cholera	21	1	4	5	15	3	1	3	4	3
Influenza	5	1	—	—	3	3	—	2	—	—
Purpura	3	1	—	1	1	—	—	1	—	1
Ague	1	—	—	—	2	—	—	—	—	—
Worms	—	—	1	—	1	—	—	—	—	—
Typhus	633	68	22	88	109	63	44	100	20	26
Enteric Fever	78	1	9	31	11	8	5	9	11	6
Relapsing Fever	1	—	—	2	4	2	—	—	—	—
Simple Continued Fever	77	3	8	19	22	15	13	9	2	6
Infantile Remittent	13	1	—	7	3	—	5	—	2	1
Metria	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	7	—	—	4	2	3	2	1	3	—
Erysipelas	24	3	1	10	3	4	5	4	3	—
Pyæmia	4	1	—	3	—	—	—	—	1	—
Syphilis	23	1	2	12	4	4	3	4	—	1
Noma	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	8	—	1	4	2	1	—	—	1	—
Dropsy	49	3	2	13	14	6	10	3	5	—
Abscess	18	—	1	7	—	1	2	2	1	—
Ulcer	3	—	—	2	1	1	1	2	—	—
Fistula	—	—	1	1	—	1	—	—	—	—
Mortification	4	—	—	6	2	3	1	1	—	2
Cancer	29	6	2	43	8	21	5	5	2	4
Gout	—	—	—	1	—	—	—	—	—	—
III. Scrofula	52	6	2	30	7	12	7	10	1	2
Tabes Mesenterica	124	9	17	43	13	16	8	7	9	3
Phthisis	786	40	48	279	179	92	66	81	38	36
Hydræcephalus	249	14	25	85	42	26	18	21	17	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dun-fermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge etc.	Dumfries.
ALL CAUSES . . .	208	217	123	145	151	108	190	198	234	185	150	225	254
SPECIFIED CAUSES . . .	208	215	116	142	141	105	185	188	231	171	143	221	247
Zymotic Class . . .	57	51	33	28	37	23	48	50	56	47	20	63	47
Uncertain Seat . . .	8	8	4	5	5	—	5	2	3	2	5	3	12
Tubercular Class . . .	29	28	18	20	25	14	26	40	56	29	32	33	52
Brain, etc.	25	26	11	16	15	9	22	14	22	15	21	7	21
Heart, etc.	6	11	9	16	7	7	11	7	6	8	2	6	10
Respiratory Organs . . .	18	18	7	15	17	16	25	25	33	23	24	48	34
Digestive Organs . . .	27	21	8	15	10	5	20	11	10	13	14	21	19
Urinary Organs . . .	6	4	5	6	1	—	3	4	3	4	3	1	4
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	1	1	—	—	2	—	1	1	3	2	1	1	1
Skin	—	3	—	—	—	—	—	—	1	—	—	1	2
Malformation	—	1	2	—	—	—	—	—	1	1	—	—	—
Premature Debility . . .	10	23	9	4	4	8	9	8	17	10	7	13	9
Atrophy	1	—	1	—	1	—	1	2	2	1	1	2	1
Age	10	12	5	9	9	13	9	13	7	11	5	3	18
Sudden Deaths	—	1	—	—	1	1	—	—	—	—	2	—	—
Violent Deaths	10	7	4	8	7	9	5	11	11	5	6	19	17
Small Pox	18	—	—	—	—	—	8	6	2	7	—	—	1
Measles	—	11	2	1	—	5	2	5	1	5	1	18	1
Scarlatina	2	—	1	—	4	—	15	14	5	2	2	3	22
Diphtheria	1	9	4	1	1	2	—	1	4	2	3	1	3
Whooping Cough	16	1	3	1	4	1	3	—	13	3	1	2	—
Croup	8	5	4	7	6	3	—	5	3	6	3	5	3
Thrush	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa	4	3	7	5	2	4	7	2	8	3	3	8	3
Dysentery	—	1	1	—	—	—	—	2	2	—	1	4	—
Cholera	1	—	1	—	—	—	—	—	—	3	—	—	—
Influenza	—	—	—	—	1	—	—	—	—	—	—	—	—
Purpura	—	1	—	1	—	—	—	—	—	1	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	3	5	5	7	12	4	3	10	7	11	2	6	—
Enteric Fever	3	1	1	3	—	—	2	2	2	3	1	7	9
Relapsing Fever	—	—	—	—	1	—	1	—	—	—	—	1	—
Simple Cont. Fever	1	5	1	1	4	1	5	2	2	1	2	5	1
Infantile Remittent	—	—	—	—	1	3	2	—	4	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	1	—	—	—	—
Erysipelas	—	4	1	—	1	—	—	—	—	—	—	2	1
Pyæmia	—	—	—	—	—	—	—	—	1	—	—	—	—
Syphilis	—	4	1	1	—	—	—	1	1	—	1	—	2
Noma	—	1	—	—	—	—	—	—	—	—	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	1	—	—	2	—	1	—	—	—	—	—	1
Dropsy	3	—	1	—	2	—	1	—	1	1	2	2	2
Abscess	—	1	—	1	—	—	1	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	1	—	1	—	—	—	—	—	—	—	—	1
Cancer	2	5	3	3	—	—	2	2	2	1	3	1	8
Gout	1	—	—	—	1	—	—	—	—	—	—	—	—
Scrofula	—	1	—	1	—	1	—	6	3	1	3	3	2
Tabes Mesenterica	1	1	—	—	2	—	—	4	4	—	11	6	5
Phthisis	23	24	10	16	13	11	22	26	36	23	17	17	41
Hydrocephalus	5	2	8	3	10	2	4	4	13	5	1	7	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—MALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	37	3	3	15	4	12	6	5	4	—
Apoplexy	105	3	9	45	18	11	12	10	9	8
Paralysis	94	7	12	61	24	30	18	19	9	7
Delirium Tremens	15	—	1	12	2	2	2	2	—	3
Chorea	1	—	—	—	—	—	1	—	—	—
Epilepsy	12	1	1	15	6	2	3	5	1	—
Tetanus	7	—	—	1	—	—	1	1	—	—
Insanity	2	1	—	3	—	1	—	2	—	—
Convulsions	139	5	11	39	34	29	9	5	12	4
Brain Disease	106	6	9	48	11	20	5	24	3	4
V. Pericarditis	5	1	—	2	1	—	1	—	—	—
Aneurism	7	—	1	20	2	6	—	—	1	1
Heart Disease	231	15	13	121	61	44	21	32	29	19
VI. Laryngitis	14	1	1	8	5	3	1	—	1	3
Bronchitis	878	46	45	267	112	85	61	105	47	31
Pleurisy	15	1	—	17	2	2	—	3	1	1
Pneumonia	329	29	18	59	50	35	26	19	20	4
Asthma	44	5	5	16	18	3	7	1	1	2
Lung Disease	40	4	2	23	5	4	2	6	—	1
VII. Teething	129	10	10	17	30	28	24	35	6	8
Quinsey	9	—	—	2	1	1	—	1	—	—
Gastritis	13	1	3	5	1	3	1	2	2	—
Enteritis	102	3	8	23	8	6	17	7	4	—
Peritonitis	11	3	—	12	3	—	1	2	3	2
Ascites	3	1	—	2	2	—	—	1	—	—
Ulceration of Intestines	8	2	1	20	1	6	1	—	3	—
Hernia	7	—	—	3	1	4	1	—	—	—
Ileus	25	1	2	6	5	5	2	—	4	3
Intussusception	2	—	—	2	—	—	—	—	—	—
Stricture of Intestines	1	—	—	2	—	1	—	1	—	—
Stomach Disease	49	4	4	37	11	6	5	1	4	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	7	—	—	4	1	1	2	1	1	2
Jaundice	12	—	—	4	6	4	—	—	—	—
Liver Disease	47	8	2	46	9	8	6	6	6	5
Spleen Disease	—	1	—	1	—	—	—	—	—	1
VIII. Nephritis	5	—	1	3	—	1	—	1	—	2
Nephria	19	1	—	14	8	4	2	2	—	3
Addison's Disease	1	—	1	—	1	—	—	—	—	—
Ischuria	1	—	—	—	2	1	—	2	—	—
Diabetes	8	—	—	4	—	—	—	2	—	1
Stone	2	—	1	2	1	4	—	—	—	1
Cystitis	12	—	2	9	2	5	2	1	5	—
Stricture of Urethra	1	—	—	3	—	—	—	—	—	—
Kidney Disease	25	3	—	18	7	8	2	2	4	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—
X. Arthritis	12	1	—	8	2	2	—	2	—	1
Rheumatism	17	2	1	4	—	2	2	1	—	—
Joint and Bone Disease	12	—	1	12	2	4	2	1	—	1
XI. Carbuncle	—	—	—	1	2	—	—	2	—	—
Phlegmon	2	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	1	1	1	2	2	1	—
XVII. Intemperance	20	—	2	6	3	1	1	1	1	2
Privation	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk	27	—	2	17	1	6	—	—	2	2
Neglect	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	1	—	—	—	—	—	—
Poison	10	1	—	1	1	—	2	1	2	2
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	28	1	2	10	1	3	6	3	3	1
Hanging, etc.	8	—	—	1	2	1	—	—	2	—
Suffocation	14	—	1	2	14	—	—	2	1	—
Drowning	48	6	6	2	9	8	3	13	16	1
Fracture and Contusion	130	9	14	51	30	9	8	14	21	12
Gunshot Wounds	—	—	—	2	—	—	—	—	—	—
Cuts and Stabs	11	1	—	4	9	2	—	4	—	—
Other Violent Causes	15	—	1	15	9	4	—	2	3	—
Not Specified	92	25	8	15	61	4	16	22	1	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—MALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmar-nock.	Hamilton.	Airdrie.	Coatbridge etc.	Dumfries.
Cephalitis	1	1	1	1	1	—	3	—	1	1	2	—	2
Apoplexy	3	5	4	3	6	3	1	2	3	—	7	1	7
Paralysis	11	8	2	5	6	3	7	8	9	6	6	—	8
Delirium Tremens . .	2	1	—	—	—	1	1	1	1	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	2	—	—	—	—	1	2	—	—	2
Tetanus	—	—	—	1	—	—	1	1	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	4	2	—	1	1	—	2	1	3	4	4	4	2
Brain Disease	1	9	4	3	1	2	7	1	4	2	2	2	—
Pericarditis	—	1	—	—	—	—	—	—	—	—	—	1	—
Aneurism	—	—	—	1	—	—	1	—	—	—	—	—	—
Heart Disease	6	10	9	15	7	7	10	7	6	8	2	5	10
Laryngitis	1	—	—	—	—	—	—	1	—	—	—	2	—
Bronchitis	8	11	4	12	11	14	15	11	30	16	16	31	21
Pleurisy	2	1	—	—	1	—	—	—	—	—	—	2	1
Pneumonia	3	4	2	3	2	1	7	7	1	4	4	11	11
Asthma	3	—	1	—	2	1	—	5	2	2	2	2	—
Lung Disease	1	2	—	—	1	—	3	1	—	1	2	—	1
Teething	10	9	2	1	—	1	7	1	—	1	2	7	—
Quinsey	—	—	1	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	1	2	—	—	—	2	—	1	4	1	—
Enteritis	6	7	—	4	3	—	5	1	5	4	3	5	6
Peritonitis	1	—	—	—	—	1	—	1	—	1	—	2	—
Ascites	—	1	—	—	—	—	—	1	—	—	1	—	—
Ulceration of Intestines	—	—	—	5	—	—	1	—	—	—	2	2	1
Hernia	—	1	—	—	—	—	—	—	—	—	—	—	1
Ileus	—	1	—	1	2	—	1	1	1	—	—	1	1
Intussusception . . .	—	1	—	—	—	—	—	—	1	—	—	—	2
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . .	5	—	1	1	3	2	3	3	1	1	2	1	2
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	1	1	—	3	—	—	—
Jaundice	—	—	—	—	—	—	1	—	—	1	—	—	2
Liver Disease	3	1	3	1	2	1	1	—	1	1	—	2	4
Spleen Disease	—	—	—	—	—	—	—	—	1	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	4	—	—	2	1	—	—	—	—	2
Addison's Disease . .	—	—	1	—	—	—	—	—	—	—	—	—	—
Ischuria	2	1	—	—	—	—	—	—	1	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	1
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	2	1	—	—	—	1	1	2	4	1	—	—
Stricture of Urethra .	—	—	—	1	—	—	—	—	—	—	—	—	1
Kidney Disease	1	1	3	1	1	—	—	2	—	—	2	1	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation .	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	1	1	—	—	—
Rheumatism	1	—	—	—	—	—	1	—	—	—	—	1	—
Joint Disease	—	1	—	—	2	—	—	1	2	1	1	—	1
Carbuncle	—	—	—	—	—	—	—	—	1	—	—	1	1
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	3	—	—	—	—	—	—	—	—	—	—	1
Intemperance	2	2	1	—	—	—	—	2	—	1	—	1	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	—	—	—	—	—	2	—	—	—	—	—	—	3
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	1	—	—	1	—	—	—	—	—
Poisoned Wounds . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	—	—	—	2	1	1	1	1	—	1	2	1
Hanging, etc.	—	—	—	—	1	—	—	—	1	—	—	—	1
Suffocation	—	2	—	—	—	—	—	—	1	—	—	—	—
Drowning	2	2	1	2	—	3	1	3	1	1	1	5	3
Fracture and Contusion	4	1	2	5	3	3	3	4	7	2	2	11	9
Gunshot Wounds	—	—	—	1	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . .	—	—	—	—	—	—	—	—	—	1	2	—	—
Not Specified	—	2	7	3	10	3	5	10	3	14	7	4	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6897	470	441	2446	1508	1034	721	814	471	361
SPECIFIED CAUSES	6802	447	441	2432	1441	1026	701	799	465	356
I. Zymotic Class	2035	123	113	539	402	275	205	237	98	102
II. Diseases of Uncertain Seat	185	12	18	108	55	47	32	21	15	10
III. Tubercular Class	1316	96	93	381	232	140	134	159	74	56
IV. Brain and Nervous System	420	20	32	231	108	101	45	51	39	28
V. Organs of Circulation	231	15	11	151	86	61	14	31	38	30
VI. Respiratory Organs	1254	64	63	394	199	128	76	111	76	39
VII. Organs of Digestion	452	24	35	157	105	75	58	51	30	20
VIII. Urinary Organs	60	6	4	29	10	15	1	8	7	—
IX. Organs of Generation	92	11	13	40	26	22	11	12	8	6
X. Organs of Locomotion	33	5	4	22	1	3	6	3	1	2
XI. Skin, etc.	2	—	—	6	1	—	1	1	—	—
XII. Malformation	10	—	1	12	5	3	3	—	3	—
XIII. Premature Debility	268	13	19	107	87	32	21	36	29	19
XIV. Atrophy	55	7	4	19	11	11	6	8	8	2
XV. Age	270	48	22	170	80	93	79	53	28	37
XVI. Sudden Deaths	16	—	—	—	6	3	1	1	—	—
XVII. Violent Deaths	100	3	9	66	27	17	8	16	11	5
I. Small Pox	12	—	—	6	5	6	3	2	—	1
Measles	170	5	17	45	77	1	31	3	9	29
Scarlatina	239	10	18	53	32	93	36	28	15	11
Diphtheria	32	3	4	20	15	11	4	5	3	3
Hooping Cough	477	26	19	79	44	4	23	62	14	12
Croup	53	1	2	16	18	8	5	13	4	3
Thrush	2	—	—	—	—	—	—	—	—	—
Diarrhœa	189	20	19	81	35	39	18	26	13	9
Dysentery	17	1	1	13	16	6	3	2	2	1
Cholera	18	1	—	11	6	—	—	1	2	1
Influenza	7	—	—	2	4	4	—	—	—	—
Purpura	—	—	—	2	2	1	—	1	—	—
Ague	—	—	—	—	1	1	1	—	—	—
Worms	2	—	—	—	1	—	—	—	1	—
Typhus	544	50	15	78	101	62	49	69	14	21
Enteric Fever	88	—	5	48	13	9	7	4	8	2
Relapsing Fever	2	—	1	—	5	1	1	—	—	—
Simple Continued Fever	91	2	4	35	9	7	13	8	2	5
Infantile Remittent	13	—	—	4	2	2	3	2	3	—
Metria	26	2	3	14	6	7	3	7	5	—
Rheumatic Fever	7	—	2	7	1	3	1	1	1	1
Erysipelas	23	1	2	14	3	4	4	—	2	3
Pyæmia	2	—	1	1	—	—	—	—	—	—
Syphilis	17	1	—	10	6	1	—	3	—	—
Noma	4	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	1	1	4	1	2	—	1	—	—
Dropsy	51	2	3	7	18	14	16	5	2	2
Abscess	17	—	2	9	2	3	3	—	—	—
Ulcer	1	1	1	2	—	1	—	1	1	—
Fistula	—	—	—	1	—	—	—	1	—	—
Mortification	7	1	1	5	2	1	2	3	—	1
Cancer	105	7	10	79	32	26	11	10	12	7
Gout	—	—	—	1	—	—	—	—	—	—
III. Scrofala	37	18	2	24	7	6	5	5	2	5
Tabes Mesenterica	76	7	8	34	3	11	10	8	7	—
Phthisis	984	66	62	260	189	95	105	128	47	40
Hydrocephalus	219	5	21	63	33	28	14	18	18	11

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	215	250	148	193	162	135	202	235	274	174	175	197	270
SPECIFIED CAUSES . . .	215	246	142	188	155	131	201	232	274	164	166	193	262
Zymotic Class . . .	59	64	31	39	44	43	52	62	75	47	46	46	66
Uncertain Seat . . .	13	13	7	10	7	4	11	13	12	3	12	10	14
Tubercular Class . . .	28	42	24	38	16	22	29	31	59	29	30	32	42
Brain, etc.	14	28	7	23	17	11	17	17	28	6	12	8	21
Heart, etc.	7	13	13	14	8	6	7	6	14	11	2	4	11
Respiratory Organs . . .	13	28	20	19	20	25	26	29	36	21	23	34	40
Digestive Organs . . .	20	16	7	14	15	3	22	20	17	10	14	16	19
Urinary Organs . . .	3	1	1	2	—	—	3	2	—	1	1	—	4
Generative Organs . . .	3	2	3	2	1	1	2	6	5	6	2	4	4
Locomotive Organs . . .	1	1	1	2	—	2	2	2	2	—	1	3	1
Skin	—	—	—	—	—	—	1	—	—	—	—	—	1
Malformation	—	1	1	—	1	—	—	1	1	—	—	5	2
Premature Debility . . .	10	14	7	5	8	5	9	5	12	7	5	13	10
Atrophy	—	—	2	—	2	—	2	2	—	—	2	2	1
Age	38	21	16	19	11	9	14	32	9	21	11	12	24
Sudden Deaths	1	—	—	—	2	—	—	—	1	—	1	—	—
Violent Deaths	5	2	2	1	3	—	4	4	3	2	4	4	2
Small Pox	9	—	—	—	—	—	7	6	—	8	—	1	—
Measles	—	16	4	—	—	1	3	2	2	—	6	9	2
Scarlatina	3	—	—	—	12	2	6	11	2	3	7	7	32
Diphtheria	6	9	7	2	4	8	2	1	2	2	1	—	3
Hooping Cough	16	2	3	1	5	3	7	—	13	10	6	2	—
Croup	6	8	4	6	1	2	—	4	10	7	1	1	4
Thrush	1	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	4	8	2	11	2	9	10	5	13	3	8	11	9
Dysentery	—	1	4	1	—	—	—	1	5	—	—	—	2
Cholera	—	—	—	—	—	—	2	—	—	—	—	—	—
Influenza	—	2	—	—	—	1	1	—	1	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	5	10	2	1	14	9	3	17	7	12	10	1	4
Enteric Fever	3	1	2	8	1	4	1	4	10	—	1	3	9
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	1	—
Simple Cont. Fever . . .	2	3	2	2	2	1	6	2	4	1	4	5	1
Infantile Remittent . . .	—	—	—	—	2	—	2	—	1	—	—	4	—
Metria	—	1	—	5	1	2	2	6	—	1	1	1	—
Rheumatic Fever	—	1	—	1	—	—	—	1	1	—	—	—	—
Erysipelas	3	—	1	1	—	1	—	1	2	—	—	—	—
Pyæmia	—	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	1	—	—	—	—	—	1	1	—	1	—	—
Noma	—	—	—	—	—	—	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	1	—	—	—	1	—	—	—	—	—
Dropsy	5	3	1	3	1	—	5	2	1	—	4	4	5
Abscess	1	1	—	—	2	—	—	—	1	—	—	—	1
Ulcer	1	1	—	—	—	—	—	1	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	1	—	—	—	—	—
Mortification	—	1	—	—	1	—	1	—	—	—	—	—	—
Cancer	6	7	6	6	3	4	5	8	10	3	8	6	8
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	—	2	—	1	4	2	3	1	—	—	3	—
Tabes Mesenterica . . .	1	1	—	2	1	1	2	5	3	1	7	3	2
Phthisis	25	31	14	29	10	15	24	18	46	21	20	25	34
Hydrocephalus	2	10	8	7	4	2	1	5	9	7	3	1	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—FEMALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	28	3	—	16	7	3	2	4	3	—
Apoplexy	84	2	7	41	19	20	9	8	9	14
Paralysis	86	5	12	89	41	28	21	16	15	5
Delirium Tremens	3	—	—	2	—	2	—	1	—	1
Chorea	—	—	—	—	1	—	—	—	—	—
Epilepsy	28	—	4	11	6	1	4	—	—	3
Tetanus	3	—	—	2	—	—	—	—	1	—
Insanity	1	—	—	—	—	3	1	—	—	—
Convulsions	112	7	7	29	29	32	7	8	8	2
Brain Disease	75	3	1	41	5	12	1	14	3	3
V. Pericarditis	7	—	—	3	3	—	—	1	1	—
Aneurism	2	—	—	5	—	2	—	—	—	—
Heart Disease	222	15	11	143	83	59	14	30	37	30
VI. Laryngitis	14	1	1	6	2	2	1	1	1	—
Bronchitis	900	42	45	295	133	95	56	90	52	32
Pleurisy	3	—	1	8	1	4	—	2	—	—
Pneumonia	252	15	10	52	39	19	12	15	20	3
Asthma	43	4	5	18	19	6	4	2	3	3
Lung Disease	42	2	1	15	5	2	3	1	—	1
VII. Teething	138	10	7	21	35	25	14	24	4	5
Quinsey	1	—	1	1	4	2	2	1	—	—
Gastritis	21	—	1	1	—	1	—	2	—	1
Enteritis	91	6	13	20	10	3	17	8	5	—
Peritonitis	31	1	1	18	3	7	2	4	3	—
Ascites	12	1	—	3	6	2	2	—	—	1
Ulceration of Intestines	10	—	1	6	1	3	2	—	2	1
Hernia	6	—	—	6	1	3	—	1	2	1
Ileus	15	3	1	6	5	10	3	—	4	2
Intussusception	2	—	1	1	2	—	—	—	—	—
Stricture of Intestines	3	—	—	—	—	1	—	—	1	—
Stomach Disease	52	1	6	38	16	6	4	6	4	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	10	—	—	1	3	2	2	—	—	1
Jaundice	11	1	—	5	6	6	—	—	—	1
Liver Disease	49	1	3	29	12	4	10	5	4	4
Spleen Disease	—	—	—	1	1	—	—	—	1	1
VIII. Nephritis	11	—	—	3	—	—	—	1	—	—
Nephria	18	—	2	15	8	2	1	6	3	—
Addison's Disease	—	—	1	—	—	—	—	—	—	—
Ischuria	1	—	—	1	—	—	—	—	—	—
Diabetes	4	1	—	2	—	2	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	1	—	—	1	—	—	1	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—
Kidney Disease	24	5	—	8	2	10	—	1	3	—
IX. Paramenia	4	—	—	—	1	—	—	1	—	—
Ovarian Dropsy	7	1	1	10	—	5	2	—	—	—
Childbirth	71	8	11	25	25	15	9	11	7	5
Organs of Generation	10	2	1	5	—	2	—	—	1	1
X. Arthritis	5	—	1	9	—	—	—	—	—	—
Rheumatism	18	3	—	3	—	3	6	3	1	1
Joint and Bone Disease	13	2	3	10	1	—	—	—	—	1
XI. Carbuncle	—	—	—	3	1	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	3	—	—	1	1	—	—
XVII. Intemperance	7	—	—	4	1	2	2	1	—	1
Privation	—	—	—	1	—	—	—	—	—	—
Want of Breast Milk	15	—	2	6	3	5	—	6	—	—
Neglect	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	1	—	—	—
Poison	7	—	1	1	—	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	17	1	1	12	4	6	1	4	3	1
Hanging, etc.	2	—	—	3	1	—	1	1	—	—
Suffocation	7	—	1	7	9	2	—	—	—	—
Drowning	9	1	2	2	—	—	1	—	2	2
Fracture and Contusion	21	1	—	19	8	1	2	4	4	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	—	—	1	—	—	—	—	—	—
Other Violent Causes	10	—	2	10	1	1	—	—	1	1
Not Specified	95	23	3	14	67	8	20	15	6	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1865.—FEMALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkealdy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	—	—	1	1	2	—	—	1	—	1	2	1
Apoplexy	2	9	—	7	6	1	1	4	6	2	4	3	7
Paralysis	4	6	2	9	7	4	10	11	11	2	4	1	7
Delirium Tremens	—	2	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	1	—	—	—	—	—
Epilepsy	1	1	—	—	—	—	1	—	1	—	—	—	4
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	1
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	3	5	2	1	3	—	1	1	2	—	3	—	1
Brain Disease	2	5	3	5	—	4	4	—	7	—	—	2	—
Pericarditis	—	—	—	—	2	—	—	—	—	—	—	1	—
Aneurism	—	—	—	1	—	—	—	1	—	1	—	—	—
Heart Disease	7	13	13	13	6	6	7	5	14	10	2	3	11
Laryngitis	—	—	—	1	—	—	—	—	1	—	—	—	—
Bronchitis	7	24	17	15	17	21	17	19	31	17	18	27	28
Pleurisy	—	—	—	1	—	—	—	1	1	1	1	3	1
Pneumonia	2	1	2	1	2	3	7	3	1	2	3	3	10
Asthma	4	2	—	—	1	1	1	6	2	—	1	—	1
Lung Disease	—	1	1	1	—	—	1	—	—	1	—	1	—
Teething	5	6	1	1	4	—	7	3	1	—	1	4	3
Quinsey	—	1	1	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	1	—	—	1	—	—	4	—	1
Enteritis	3	3	—	3	1	—	5	2	7	1	2	4	1
Peritonitis	1	1	1	1	—	1	1	1	—	2	—	3	1
Ascites	—	—	—	—	—	—	—	1	—	—	—	—	1
Ulceration of Intestines	—	1	2	3	1	—	—	—	1	—	1	1	1
Hernia	—	1	—	1	1	—	—	1	—	—	—	—	1
Ileus	2	—	—	—	1	—	—	1	—	1	1	—	2
Intussusception	—	—	—	—	1	—	—	1	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	1	—	—	—	—
Stomach Disease	5	—	—	1	3	—	7	3	2	1	3	3	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	1
Hepatitis	—	1	—	1	—	—	1	2	1	2	—	—	—
Jaundice	1	—	—	1	—	—	—	—	1	1	—	1	—
Liver Disease	2	2	2	2	2	2	1	4	3	2	2	—	5
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	1
Nephritis	—	—	—	—	—	—	—	—	—	—	1	—	1
Nephria	1	—	—	2	—	—	1	2	—	1	—	—	2
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	1	1	—	—	—	2	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	—	—	—	—	1	—	1	1	—	—	—	—
Childbirth	1	1	3	2	1	—	1	4	3	6	2	3	3
Organs of Generation	—	1	—	—	—	—	1	1	1	—	—	1	1
Arthritis	—	—	—	1	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	1	—	—	2	2	2	—	—	1	1	—
Joint Disease	—	1	—	1	—	—	—	—	2	—	—	2	1
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	1
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	1	—	—	—	—	—	—
Intemperance	—	1	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	1	1	1
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	1	—	—	—	—	—	1	1	—	1	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	1	—	1	2	—	1	1	—	—
Hanging, etc.	—	—	1	—	1	—	—	—	—	—	—	—	—
Suffocation	—	—	—	1	—	—	—	—	2	—	—	—	—
Drowning	—	—	1	—	—	—	2	1	—	—	—	1	—
Fracture and Contusion	2	—	—	—	1	—	1	—	—	—	1	2	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	—	1	—	—	—
Not Specified	—	4	6	5	7	4	1	3	—	10	9	4	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	70891	6817	2512	4770	6145	2801	1914	1378	3345	1801	2366	2813	2578
SPECIFIED CAUSES	67727	5817	2253	4513	5876	2697	1823	1328	3226	1724	2282	2741	2503
I. Zymotic Class	16863	772	638	1510	2630	1475	1090	794	1730	599	568	590	515
II. Diseases of Uncertain Seat	2355	49	10	17	36	19	15	9	48	36	36	27	41
III. Tubercular Class	11417	157	282	751	977	406	269	228	671	577	1037	1342	1065
IV. Brain and Nervous System	5387	457	165	223	204	104	83	57	177	98	87	98	130
V. Organs of Circulation	3049	10	3	8	5	3	6	4	48	49	75	76	83
VI. Respiratory Organs	9362	682	577	1156	1103	429	228	143	239	85	122	153	155
VII. Organs of Digestion	5056	537	276	616	680	119	48	27	88	79	83	134	142
VIII. Urinary Organs	949	5	2	3	5	9	9	8	33	18	19	50	60
IX. Organs of Generation	588	—	—	1	—	1	—	—	—	—	28	58	114
X. Organs of Locomotion	430	1	2	4	3	1	2	4	34	42	43	25	20
XI. Skin, etc.	105	19	11	9	11	3	1	—	1	2	2	2	1
XII. Malformation	211	168	13	13	4	2	2	3	2	—	1	2	—
XIII. Premature Debility	3116	2753	197	166	—	—	—	—	—	—	—	—	—
XIV. Atrophy	465	—	—	—	130	53	22	11	31	13	7	11	14
XV. Age	5818	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	174	26	19	5	2	3	1	—	2	2	1	5	3
XVII. Violent Deaths	2382	181	58	31	86	70	47	40	122	124	173	168	160
I. Small Pox	383	46	37	19	30	32	17	18	37	29	16	25	18
Measles	1195	18	20	215	498	199	88	62	77	9	4	2	—
Scarlatina	2244	20	28	136	340	337	333	262	590	106	24	25	16
Diphtheria	995	26	23	65	155	137	103	86	222	74	30	23	4
Whooping Cough	2318	135	156	531	744	330	197	100	120	3	—	2	—
Croup	1015	40	36	115	294	189	144	90	104	2	—	—	—
Thrush	23	16	3	2	1	1	—	—	—	—	—	—	—
Diarrhoea	1707	258	218	264	328	51	23	14	26	16	11	11	16
Dysentery	316	9	14	20	24	7	5	7	3	3	4	4	5
Cholera	214	19	21	28	35	11	5	4	11	4	2	1	3
Influenza	160	11	5	6	7	5	1	1	4	1	2	—	—
Purpura	39	2	1	—	1	1	2	1	4	2	—	1	2
Ague	9	—	—	—	—	1	—	1	1	2	—	1	—
Worms	28	—	—	1	5	5	6	3	8	—	—	—	—
Typhus	3272	7	8	14	32	32	56	39	170	170	277	302	266
Enteric Fever	1048	6	9	23	48	56	45	51	161	92	92	79	52
Relapsing Fever	62	—	1	—	3	1	2	2	8	9	6	1	2
Simple Continued Fever	839	6	4	15	32	41	30	31	124	54	60	41	41
Infantile Remittent	164	11	2	18	31	28	26	16	31	1	—	—	—
Metria	213	—	—	—	—	—	—	—	—	—	9	54	66
Rheumatic Fever	119	—	—	—	—	—	1	2	15	16	20	6	10
Erysipelas	300	84	17	17	10	6	3	1	10	6	9	8	6
Pyæmia	27	3	2	1	1	—	1	1	2	—	1	—	3
Syphilis	158	55	33	18	10	3	1	—	—	—	1	4	4
Noma	15	—	—	2	1	2	1	2	2	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	82	16	2	1	—	—	—	—	4	1	6	6	3
Dropsy	688	6	1	2	21	13	10	5	27	18	13	9	12
Abscess	132	14	5	8	9	2	4	2	9	8	6	4	6
Ulcer	47	4	—	3	3	1	1	—	1	1	—	1	1
Fistula	13	—	—	—	—	—	—	—	—	—	—	1	1
Mortification	124	7	1	2	1	1	—	—	3	1	3	2	—
Cancer	1257	2	1	1	2	2	—	2	4	7	8	4	18
Gout	12	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	609	19	23	40	53	31	25	21	71	60	54	46	43
Tabes Mesenterica	885	47	71	136	243	81	49	42	102	36	21	14	12
Phthisis	8089	19	42	107	190	121	71	59	320	428	945	1279	1010
Hydrocephalus	1834	72	146	468	491	173	124	106	178	53	17	3	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES. (Contd.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	397	14	22	32	27	20	25	13	62	27	19	23	17
Apoplexy	1180	27	11	23	18	15	8	5	20	13	11	12	30
Paralysis	1683	—	—	—	2	—	1	1	7	3	7	7	12
Delirium Tremens	74	—	—	—	—	—	—	—	—	—	—	2	4
Chorea	12	—	—	—	—	1	—	—	1	3	4	—	—
Epilepsy	229	—	—	—	—	—	—	—	1	8	16	14	27
Tetanus	41	20	—	1	—	—	—	—	3	2	1	3	1
Insanity	34	—	—	—	—	—	—	—	—	1	1	2	5
Convulsions	883	381	115	127	131	49	31	20	34	—	—	—	—
Brain Disease	849	15	17	40	26	19	18	18	49	41	28	35	34
V. Pericarditis	64	—	1	—	—	—	—	—	8	4	6	4	5
Aneurism	80	—	—	—	—	—	—	—	1	—	—	—	2
Heart Disease	2905	10	2	8	5	3	6	4	39	45	69	72	76
VI. Laryngitis	141	1	7	19	24	11	7	6	7	4	2	7	4
Bronchitis	6194	517	457	908	819	304	141	96	137	36	43	50	56
Pleurisy	238	7	2	8	9	5	7	3	9	3	11	9	11
Pneumonia	1969	135	101	212	237	102	68	34	75	32	60	70	65
Asthma	515	—	—	1	—	—	1	—	—	2	—	3	5
Lung Disease	305	22	10	8	14	7	4	4	11	8	6	14	14
VII. Teething	1047	9	64	415	507	51	1	—	—	—	—	—	—
Quinsey	58	10	3	9	6	3	3	2	4	3	2	1	3
Gastritis	189	13	9	19	5	2	3	3	—	4	3	8	4
Enteritis	943	274	120	97	88	34	18	11	19	22	16	20	27
Peritonitis	314	26	9	9	6	4	4	1	18	15	27	34	27
Ascites	92	2	—	1	1	3	1	—	6	2	1	5	2
Ulceration of Intestines	206	10	2	4	9	3	1	1	1	6	7	7	9
Hernia	93	5	2	3	—	1	1	—	1	1	—	2	2
Ileus	275	28	13	6	1	5	2	1	4	6	9	11	14
Intussusception	36	1	4	6	—	1	1	—	1	1	—	—	1
Stricture of Intestines	22	2	—	1	1	—	—	—	1	—	—	—	1
Stomach Disease	761	72	40	33	40	9	4	2	17	11	8	13	18
Pancreas Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	146	7	1	5	1	—	—	1	—	—	2	6	8
Jaundice	174	62	6	2	6	1	4	1	3	1	1	5	1
Liver Disease	668	15	3	6	7	2	4	4	13	7	6	19	24
Spleen Disease	30	1	—	—	2	—	1	—	—	—	1	3	1
VIII. Nephritis	58	—	—	1	2	4	2	1	10	1	1	4	1
Nephria	229	1	1	—	1	2	3	6	6	5	10	17	19
Addison's Disease	8	—	—	—	—	—	1	—	—	—	—	—	1
Ischuria	42	3	1	—	—	—	—	—	1	—	1	1	2
Diabetes	80	—	—	—	—	—	—	—	3	6	3	13	12
Stone	55	—	—	—	—	—	—	—	1	1	—	3	—
Cystitis	170	—	—	1	1	—	—	—	1	3	—	3	5
Stricture of Urethra	10	—	—	—	—	—	—	—	—	—	—	1	—
Kidney Disease	297	1	—	1	1	3	3	1	11	2	4	8	20
IX. Paramenia	25	—	—	—	—	—	—	—	—	—	7	3	5
Ovarian Dropsy	74	—	—	—	—	—	—	—	—	—	4	3	4
Childbirth	422	—	—	—	—	—	—	—	—	—	15	50	100
Organs of Generation	67	—	—	1	—	1	—	—	—	—	2	2	5
X. Arthritis	94	—	1	3	2	1	1	3	6	10	18	6	5
Rheumatism	187	—	—	—	—	—	—	—	4	7	8	5	6
Joint and Bone Disease	149	1	1	1	1	—	1	1	24	25	17	14	9
XI. Carbuncle	35	4	1	1	—	—	—	—	—	—	—	—	—
Phlegmon	14	1	1	—	2	—	1	—	1	—	2	—	—
Skin Disease	56	14	9	8	9	3	—	—	—	2	—	2	1
XVII. Intemperance	88	—	—	—	—	—	—	—	—	—	1	—	4
Privation	8	—	—	1	1	2	1	1	—	—	—	—	—
Want of Breast Milk	144	102	31	11	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	38	—	1	—	—	—	—	—	1	—	2	1	2
Poison	52	5	1	4	1	1	2	—	1	1	1	1	1
Poisoned Wounds	2	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	274	3	1	9	42	42	28	19	37	7	9	6	7
Hanging, etc.	58	—	—	—	—	—	—	—	—	1	1	1	5
Suffocation	107	28	21	5	4	—	1	—	4	11	6	1	2
Drowning	519	1	1	—	20	14	4	5	27	34	62	58	42
Fracture and Contusion	877	4	2	1	14	10	10	13	41	61	73	87	78
Gunshot Wounds	10	—	—	—	—	—	—	—	1	3	1	—	2
Cuts and Stabs	73	—	—	—	—	1	1	—	2	2	9	3	6
Other Violent Causes	130	38	—	—	4	—	—	2	8	4	8	10	11
Not Specified	3164	1000	259	257	269	104	91	50	119	77	84	72	75

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES. (Contd.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	21	12	10	17	3	8	8	9	2	3	2	1	—	—	—	—	
Apoplexy	29	49	41	62	79	82	116	141	162	110	75	33	5	1	—	2	
Paralysis	37	39	48	66	101	124	207	228	288	254	166	69	12	4	—	—	
Delirium Tremens	13	12	16	11	5	4	3	3	—	—	1	—	—	—	—	—	
Chorea	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	
Epilepsy	25	28	21	10	9	16	14	16	10	12	1	1	—	—	—	—	
Tetanus	1	1	—	2	2	1	1	—	2	—	—	—	—	—	—	—	
Insanity	2	2	1	2	4	4	5	3	1	1	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	36	48	44	53	47	45	61	54	58	37	18	6	2	—	—	—	
Pericarditis	4	4	4	8	6	—	4	1	2	2	—	1	—	—	—	—	
Aneurism	7	13	6	11	8	13	10	2	4	2	1	—	—	—	—	—	
Heart Disease	124	143	196	233	230	260	324	325	316	246	128	33	7	—	1	—	
Laryngitis	9	6	6	3	3	3	6	4	2	—	—	—	—	—	—	—	
Bronchitis	87	101	127	184	255	252	364	346	343	271	188	82	23	5	—	2	
Pleurisy	8	11	11	12	16	12	21	19	13	15	10	4	1	1	—	—	
Pneumonia	64	77	65	83	75	92	88	74	74	44	33	8	—	—	—	1	
Asthma	9	16	29	32	53	77	72	81	74	37	15	7	1	—	—	—	
Lung Disease	18	21	31	19	19	11	24	20	11	4	3	2	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	1	2	1	2	—	—	—	1	1	1	—	—	—	—	—	—	
Gastritis	7	10	8	13	14	13	9	17	8	10	5	2	—	—	—	—	
Enteritis	20	16	18	20	17	18	17	22	23	17	8	1	—	—	—	—	
Peritonitis	3	19	13	21	14	10	21	16	5	5	6	1	—	—	—	—	
Ascites	2	4	6	15	8	9	10	5	3	3	2	1	—	—	—	—	
Ulceration of Intestines	15	11	10	14	23	18	14	16	13	7	3	2	—	—	—	—	
Hernia	2	5	5	7	7	10	7	8	9	5	7	3	—	—	—	—	
Ileus	14	11	16	9	10	13	21	27	20	19	11	4	—	—	—	—	
Intussusception	1	1	2	1	1	5	1	4	1	1	1	1	—	—	—	—	
Stricture of Intestines	—	1	2	3	3	2	2	—	2	1	—	—	—	—	—	—	
Stomach Disease	15	25	38	40	50	58	71	66	62	49	10	6	1	—	—	3	
Pancreas Disease	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
Hepatitis	8	11	17	6	18	12	13	13	9	3	3	1	—	1	—	—	
Jaundice	3	2	5	5	10	8	10	11	11	9	4	3	—	—	—	—	
Liver Disease	26	42	49	50	55	87	78	73	52	26	13	5	—	—	—	2	
Spleen Disease	2	3	2	2	2	3	4	1	1	1	—	—	—	—	—	—	
Nephritis	4	2	3	2	3	4	3	3	3	1	3	—	—	—	—	—	
Nephria	21	20	22	18	16	11	16	12	10	9	2	—	—	—	—	1	
Addison's Disease	1	1	1	—	1	1	—	—	1	—	—	—	—	—	—	—	
Ischuria	—	—	—	3 ^x	—	4	2	3	9	5	5	1	1	—	—	—	
Diabetes	7	7	2	6	1	6	4	6	3	1	—	—	—	—	—	—	
Stone	2	—	1	3	1	1	5	5	10	11	5	6	—	—	—	—	
Cystitis	3	4	3	4	9	11	16	21	20	31	20	13	1	—	—	—	
Stricture of Urethra	1	—	3	1	—	1	1	2	—	—	—	—	—	—	—	—	
Kidney Disease	14	21	10	21	28	26	32	21	28	23	10	8	—	—	—	—	
Paramenia	3	2	2	2	1	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	2	9	5	8	15	6	10	5	3	—	—	—	—	—	—	—	
Childbirth	95	108	47	7	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	5	6	2	7	12	9	5	4	5	1	—	—	—	—	—	—	
Arthritis	4	3	2	5	5	3	7	2	3	3	—	—	—	1	—	—	
Rheumatism	2	6	5	10	14	12	22	35	23	16	9	3	—	—	—	—	
Joint Disease	9	11	7	2	4	7	4	5	2	2	1	—	—	—	—	—	
Carbuncle	1	1	2	2	2	5	2	4	4	2	2	2	—	—	—	—	
Phlegmon	1	1	—	—	—	1	1	—	1	1	—	—	—	—	—	—	
Skin Disease	—	1	2	1	—	—	—	—	2	1	1	—	—	—	—	—	
Intemperance	14	14	12	9	8	12	10	3	1	—	—	—	—	—	—	—	
Privation	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	1	—	7	1	7	1	3	4	5	—	—	—	—	—	—	2	
Poison	7	3	3	2	7	3	2	1	4	1	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
Burns and Scalds	5	6	6	3	2	4	11	6	7	7	4	4	1	—	—	—	
Hanging, etc.	3	3	9	10	7	8	3	3	3	1	—	—	—	—	—	—	
Suffocation	2	3	1	7	3	—	4	1	2	—	—	—	—	—	—	1	
Drowning	49	38	34	26	22	18	12	10	9	6	2	—	—	—	—	25	
Fracture and Contusion	70	50	59	58	37	39	48	37	24	27	20	10	2	—	—	2	
Gunshot Wounds	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	2	7	7	4	7	5	7	4	1	3	2	—	—	—	—	—	
Other Violent Causes	5	4	7	8	3	3	4	2	2	4	1	2	—	—	—	—	
Not Specified	63	56	57	81	83	115	156	47	13	—	—	—	—	—	—	36	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35190	3854	1414	2540	3150	1432	960	699	1705	876	1220	1430	1240
SPECIFIED CAUSES	33514	3288	1273	2396	3027	1384	909	678	1637	830	1173	1392	1203
I. Zymotic Class	8318	428	359	761	1305	742	533	399	828	261	275	285	226
II. Diseases of Uncertain Seat	908	31	3	5	20	10	7	5	26	16	20	10	18
III. Tubercular Class	5551	87	178	416	527	220	129	117	359	253	473	667	493
IV. Brain and Nervous System	2821	272	85	119	112	49	46	32	97	52	47	52	76
V. Organs of Circulation	1517	3	1	3	3	1	3	2	27	20	41	37	37
VI. Respiratory Organs	4835	390	331	626	588	227	121	73	113	37	73	80	91
VII. Organs of Digestion	2554	304	163	345	344	52	25	12	43	42	40	58	62
VIII. Urinary Organs	636	3	2	2	2	4	5	3	21	10	10	28	35
IX. Organs of Generation	1	—	—	—	—	1	—	—	—	—	—	—	—
X. Organs of Locomotion	225	—	—	2	1	1	1	2	18	26	32	15	11
XI. Skin, etc.	66	13	4	7	7	—	1	—	1	2	2	—	—
XII. Malformation	103	81	6	7	2	—	—	2	2	—	1	1	—
XIII. Premature Debility	1740	1551	104	85	—	—	—	—	—	—	—	—	—
XIV. Atrophy	205	—	—	—	61	37	7	3	17	7	2	5	6
XV. Age	2130	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	105	16	10	3	2	3	—	—	2	2	—	3	3
XVII. Violent Deaths	1799	109	27	15	53	37	31	28	83	102	157	151	145
I. Small Pox	208	25	22	11	14	18	9	11	20	15	8	12	8
Measles	612	7	10	111	255	102	49	31	41	4	1	—	—
Scarlatina	1178	16	13	71	181	179	168	136	322	55	11	3	12
Diphtheria	470	17	14	35	79	61	48	46	84	29	19	10	2
Hooping Cough	1050	71	77	246	334	143	78	48	52	1	—	—	—
Croup	556	26	21	67	166	101	80	43	51	1	—	—	—
Thrush	14	11	1	2	—	—	—	—	—	—	—	—	—
Diarrhoea	842	146	126	134	155	24	12	7	11	5	5	8	7
Dysentery	143	7	8	14	13	4	3	4	—	1	3	1	3
Cholera	123	9	12	13	21	5	4	3	5	3	2	—	1
Influenza	69	7	4	2	5	3	—	1	1	—	1	—	—
Purpura	23	2	1	—	1	1	1	—	3	—	—	—	1
Ague	5	—	—	—	—	—	—	1	1	1	—	—	1
Worms	12	—	—	1	2	3	2	1	3	—	—	—	—
Typhus	1725	4	7	6	16	22	27	14	70	72	148	180	144
Enteric Fever	470	2	5	12	22	32	20	24	71	40	36	38	17
Relapsing Fever	37	—	1	—	2	—	—	1	7	5	2	1	2
Simple Continued Fever	389	2	2	7	14	25	12	19	56	20	25	20	17
Infantile Remittent	83	5	1	10	18	13	17	8	11	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	54	—	—	—	—	—	—	—	10	6	10	4	4
Erysipelas	146	39	10	8	2	3	2	—	7	3	3	5	2
Pyæmia	15	1	1	—	1	—	—	1	1	—	1	—	3
Syphilis	86	31	23	10	4	1	—	—	—	—	—	2	2
Noma	8	—	—	1	—	2	1	—	1	—	—	—	1
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	43	10	2	—	—	—	—	—	1	—	4	2	1
Dropsy	296	4	—	1	14	10	5	3	15	10	8	2	3
Abscess	59	9	1	2	5	—	1	—	5	1	2	2	3
Ulcer	21	3	—	1	—	—	1	—	1	1	—	1	—
Fistula	9	—	—	—	—	—	—	—	—	—	—	1	—
Mortification	61	5	—	1	—	—	—	—	2	—	2	1	—
Cancer	411	—	—	—	1	—	—	2	2	4	4	1	6
Gout	8	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	332	11	13	19	28	16	14	11	46	34	33	20	25
Tabes Mesenterica	499	27	46	85	137	53	20	25	54	21	9	5	5
Phthisis	3716	5	30	56	93	59	36	33	156	164	423	641	463
Hydrocephalus	1004	44	89	256	269	92	59	48	103	34	8	1	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	1122	1144	1199	1217	1279	1232	1483	1423	1466	1231	1031	558	173	44	10	58
SPECIFIED CAUSES . . .	1093	1115	1182	1178	1235	1164	1411	1402	1458	1231	1031	558	173	44	10	39
Zymotic Class . . .	210	228	246	225	224	189	181	137	115	84	42	27	5	1	—	2
Uncertain Seat . . .	19	24	47	59	62	86	96	113	104	66	40	14	5	1	—	1
Tubercular Class . . .	360	296	265	198	185	124	97	61	25	10	6	2	—	—	—	3
Brain, etc.	90	118	107	121	126	133	217	228	272	182	122	59	5	1	—	1
Heart, etc.	63	99	102	141	120	130	158	160	156	129	62	17	2	—	—	—
Respiratory Organs . . .	95	122	147	191	225	229	281	258	225	156	99	42	10	3	—	2
Digestive Organs . . .	64	70	102	100	112	119	141	144	98	69	33	12	—	—	—	—
Urinary Organs . . .	34	34	27	27	45	42	46	59	65	66	37	27	2	—	—	—
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	8	7	8	6	14	12	16	21	10	5	7	1	—	1	—	—
Skin	1	2	2	2	2	4	2	2	6	3	2	1	—	—	—	—
Malformation	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	5	4	8	2	27	14	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	1	85	162	339	432	566	352	144	37	10	2
Sudden Deaths	2	4	3	10	12	11	9	7	3	—	—	—	—	—	—	—
Violent Deaths	142	107	117	96	81	70	82	50	40	29	15	4	—	—	—	28
Small Pox	6	6	6	6	4	2	2	2	—	1	—	—	—	—	—	—
Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	5	1	2	—	1	1	1	—	—	—	—	—	—	—	—	—
Diphtheria	4	2	4	2	2	3	2	4	1	1	—	—	—	—	—	1
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	11	7	10	7	15	19	17	20	32	30	14	15	4	1	—	—
Dysentery	2	2	4	5	7	15	8	10	7	13	4	5	—	—	—	—
Cholera	1	3	3	7	3	8	5	5	5	1	3	—	1	—	—	—
Influenza	1	—	1	2	3	1	6	3	11	11	3	3	—	—	—	—
Purpura	3	2	—	—	2	1	2	1	—	1	1	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	134	153	166	146	134	98	84	54	33	10	2	—	—	—	—	1
Enteric Fever	18	13	18	21	14	15	21	17	6	4	4	—	—	—	—	—
Relapsing Fever	—	3	2	—	3	—	3	2	1	1	1	—	—	—	—	—
Simple Cont. Fever	14	25	19	20	21	12	22	12	13	5	7	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	6	5	1	1	2	1	1	2	—	—	—	—	—	—	—
Erysipelas	4	3	2	8	9	10	6	4	4	5	3	4	—	—	—	—
Pyæmia	—	1	1	—	1	—	1	2	—	—	—	—	—	—	—	—
Syphilis	5	1	3	—	3	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	2	4	2	1	4	2	3	2	2	—	—	—	—	—	—
Dropsy	5	9	14	15	13	16	28	29	39	24	19	4	1	—	—	—
Abscess	3	3	5	2	1	2	2	5	2	1	—	1	—	—	—	1
Ulcer	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	1	2	1	1	1	1	—	—	—	—	—	—	—
Mortification	1	—	3	3	2	3	3	5	5	8	9	6	2	—	—	—
Cancer	7	10	20	34	43	59	59	64	52	28	10	2	2	1	—	—
Gout	—	—	—	2	—	—	1	1	2	2	—	—	—	—	—	—
Scrofula	12	8	11	7	6	3	6	7	1	—	—	—	—	—	—	1
Tabes Mesenterica	1	1	1	1	—	2	2	—	2	2	—	—	—	—	—	—
Phthisis	347	286	253	190	179	119	89	54	22	8	6	2	—	—	—	2
Hydrocephalus	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	219	9	14	16	17	11	12	8	32	13	11	11	7
Apoplexy	621	20	3	14	7	10	6	4	10	7	7	7	17
Paralysis	785	—	—	—	—	—	1	—	3	1	5	4	10
Delirium Tremens	58	—	—	—	—	—	—	—	—	—	—	1	3
Chorea	5	—	—	—	—	1	—	—	1	1	—	—	—
Epilepsy	108	—	—	—	—	—	—	—	1	5	6	4	13
Tetanus	39	13	—	1	—	—	—	—	3	1	1	2	1
Insanity	17	—	—	—	—	—	—	—	—	1	—	2	1
Convulsions	485	220	56	68	74	23	17	10	17	—	—	—	—
Brain Disease	493	10	12	20	14	4	10	10	30	23	17	21	24
V. Pericarditis	27	—	—	—	—	—	—	—	4	3	2	1	2
Aneurism	57	—	—	—	—	—	—	—	1	—	—	—	2
Heart Disease	1433	3	1	3	3	1	3	2	22	17	39	36	33
VI. Laryngitis	89	1	7	14	17	3	4	2	5	3	2	4	3
Bronchitis	3016	297	253	487	434	164	75	49	55	14	23	18	31
Pleurisy	135	4	2	3	7	1	4	3	3	1	8	7	7
Pneumonia	1157	77	60	116	124	56	37	17	45	15	36	42	40
Asthma	260	—	—	—	—	—	—	—	—	1	—	2	2
Lung Disease	173	11	9	6	6	3	1	2	5	3	4	7	8
VII. Teething	552	5	43	237	251	16	—	—	—	—	—	—	—
Quinsey	29	3	1	4	3	2	2	2	2	2	1	1	1
Gastritis	103	12	4	12	3	1	1	1	—	2	1	4	—
Enteritis	495	152	72	50	50	18	9	4	6	13	8	12	11
Peritonitis	121	12	3	3	3	1	2	—	8	8	12	8	5
Ascites	36	2	—	1	—	1	—	—	3	2	1	2	2
Ulceration of Intestines	107	7	2	3	4	—	1	—	—	3	1	3	3
Hernia	38	2	2	3	—	1	1	—	1	1	—	1	1
Ileus	146	18	10	2	1	2	1	1	3	2	7	8	7
Intussusception	20	—	2	6	—	1	1	—	1	—	—	—	—
Stricture of Intestines	13	2	—	1	1	—	—	—	—	—	—	—	—
Stomach Disease	365	39	18	17	21	7	3	—	11	5	3	2	7
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	78	3	1	3	1	—	—	—	—	—	2	4	5
Jaundice	84	36	4	—	4	—	1	1	2	—	—	1	1
Liver Disease	350	10	1	3	1	2	3	3	6	4	3	11	18
Spleen Disease	16	1	—	—	1	—	—	—	—	—	1	1	1
VIII. Nephritis	30	—	—	1	1	2	1	—	5	1	—	2	1
Nephria	119	—	1	—	1	—	2	2	3	1	5	8	9
Addison's Disease	6	—	—	—	—	—	1	—	—	—	—	—	1
Ischuria	34	2	1	—	—	—	—	—	1	—	1	—	1
Diabetes	54	—	—	—	—	—	—	—	2	3	2	9	8
Stone	52	—	—	—	—	—	—	—	1	1	—	3	—
Cystitis	148	—	—	1	—	—	—	—	1	3	—	3	3
Stricture of Urethra	10	—	—	—	—	—	—	—	—	—	—	1	—
Kidney Disease	183	1	—	—	—	2	1	1	8	1	2	2	12
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	—	—	—	—	1	—	—	—	—	—	—	—
X. Arthritis	57	—	—	2	1	1	1	1	2	7	14	4	3
Rheumatism	82	—	—	—	—	—	—	—	2	4	4	3	2
Joint and Bone Disease	86	—	—	—	—	—	—	1	14	15	14	8	6
XI. Carbuncle	28	3	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	9	1	—	—	1	—	1	—	1	—	2	—	—
Skin Disease	29	9	4	7	6	—	—	—	—	2	—	—	—
XVII. Intemperance	56	—	—	—	—	—	—	—	—	—	1	—	3
Privation	3	—	—	—	1	—	1	—	—	—	—	—	—
Want of Breast Milk	79	64	10	5	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	24	—	—	—	—	—	—	—	1	—	2	—	1
Poison	31	5	—	2	1	—	2	—	1	1	—	—	—
Poisoned Wounds	2	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	147	2	1	4	23	23	18	12	17	6	4	6	5
Hanging, etc.	41	—	—	—	—	—	—	—	—	1	1	—	5
Suffocation	66	13	15	3	3	—	1	—	3	4	4	1	2
Drowning	449	—	—	—	12	8	3	3	23	29	59	54	39
Fracture and Contusion	742	—	1	1	11	6	6	11	29	52	69	80	76
Gunshot Wounds	9	—	—	—	—	—	—	—	1	3	1	—	1
Cuts and Stabs	58	—	—	—	—	—	—	—	2	2	9	3	4
Other Violent Causes	92	25	—	—	2	—	—	2	6	4	7	7	9
Not Specified	1676	566	141	144	123	48	51	21	68	46	47	38	37

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	12	7	6	11	1	5	4	7	1	1	2	1	—	—	—	—
Apoplexy	14	30	25	35	33	36	60	73	84	56	42	18	2	—	—	1
Paralysis	15	21	27	32	52	57	105	102	146	99	65	37	2	1	—	—
Delirium Tremens	11	11	12	9	3	2	2	3	—	—	1	—	—	—	—	—
Chorea	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	14	14	12	2	5	6	7	8	7	4	—	—	—	—	—	—
Tetanus	1	—	—	2	2	1	1	—	1	—	—	—	—	—	—	—
Insanity	—	1	1	—	2	3	4	2	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	23	33	23	30	28	23	34	33	33	22	12	3	1	—	—	—
Pericarditis	3	1	1	3	3	—	—	1	1	2	—	—	—	—	—	—
Aneurism	5	11	5	8	5	10	5	1	2	1	1	—	—	—	—	—
Heart Disease	55	87	96	130	112	120	153	158	153	126	61	17	2	—	—	—
Laryngitis	4	3	4	3	1	1	5	1	2	—	—	—	—	—	—	—
Bronchitis	31	40	61	94	121	112	159	146	136	102	69	34	8	2	—	1
Pleurisy	5	6	5	6	11	5	12	13	9	5	5	1	1	1	—	—
Pneumonia	43	52	39	54	53	64	56	44	40	27	16	3	—	—	—	1
Asthma	4	10	16	21	28	41	35	37	32	19	8	3	1	—	—	—
Lung Disease	8	11	22	13	11	6	14	17	6	3	1	1	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	2	—	—	—	1	1	1	—	—	—	—	—	—
Gastritis	4	2	6	5	9	8	5	12	3	6	2	—	—	—	—	—
Enteritis	9	7	9	10	7	8	12	7	10	10	1	—	—	—	—	—
Peritonitis	—	8	4	8	8	6	10	7	2	3	—	—	—	—	—	—
Ascites	1	2	2	4	1	3	2	3	1	2	1	—	—	—	—	—
Ulceration of Intestines	7	5	5	11	11	9	7	12	7	3	2	1	—	—	—	—
Hernia	2	1	1	1	1	3	2	3	3	2	5	1	—	—	—	—
Ileus	10	6	8	5	4	4	12	14	5	6	6	4	—	—	—	—
Intussusception	—	1	1	1	—	3	—	2	—	—	—	1	—	—	—	—
Stricture of Intestines	—	1	1	1	—	2	2	—	2	—	—	—	—	—	—	—
Stomach Disease	8	9	22	20	26	25	29	40	30	17	5	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Hepatitis	3	4	10	5	10	3	11	5	6	2	—	—	—	—	—	—
Jaundice	1	—	2	1	2	5	7	4	3	5	3	1	—	—	—	—
Liver Disease	18	24	29	25	33	38	40	32	24	11	8	3	—	—	—	—
Spleen Disease	1	—	2	1	—	2	2	1	1	1	—	—	—	—	—	—
Nephritis	2	1	1	1	1	4	1	2	1	—	2	—	—	—	—	—
Nephria	14	11	9	4	14	4	8	8	8	5	2	—	—	—	—	—
Addison's Disease	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	2	—	4	1	2	9	4	4	1	1	—	—	—
Diabetes	5	6	2	4	1	3	1	5	2	1	—	—	—	—	—	—
Stone	2	—	—	2	1	1	5	5	9	11	5	6	—	—	—	—
Cystitis	1	2	3	3	8	9	11	21	19	30	17	12	1	—	—	—
Stricture of Urethra	1	—	3	1	—	1	1	2	—	—	—	—	—	—	—	—
Kidney Disease	8	13	9	10	19	15	18	14	17	15	7	8	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	1	2	1	4	3	4	1	2	2	—	—	—	1	—	—
Rheumatism	2	2	2	4	8	4	11	16	8	3	6	1	—	—	—	—
Joint Disease	6	4	4	1	2	5	1	4	—	—	1	—	—	—	—	—
Carbuncle	1	1	2	2	2	4	2	2	4	2	2	1	—	—	—	—
Phlegmon	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Intemperance	11	8	6	5	4	7	8	3	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	6	1	4	1	1	1	4	—	—	—	—	—	—	2
Poisoned Wounds	3	—	3	1	3	1	2	1	4	1	—	—	—	—	—	—
Poison	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Burns and Scalds	3	5	4	1	1	—	5	2	2	2	1	—	—	—	—	—
Hanging, etc.	2	2	8	5	3	7	3	3	1	—	—	—	—	—	—	—
Suffocation	2	2	—	3	3	—	4	—	2	—	—	—	—	—	—	1
Drowning	46	34	29	20	19	15	8	9	7	6	2	—	—	—	—	24
Fracture and Contusion	68	46	52	53	32	31	43	26	18	16	11	3	—	—	—	1
Gunshot Wounds	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	6	2	4	7	4	5	4	1	3	—	—	—	—	—	—
Other Violent Causes	5	3	6	3	3	3	3	1	1	—	1	1	—	—	—	—
Not specified	29	29	17	39	44	68	72	21	8	—	—	—	—	—	—	19

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35701	2963	1098	2230	2995	1369	954	679	1640	925	1146	1383	1338
SPECIFIED CAUSES	34213	2529	980	2117	2849	1313	914	650	1589	894	1109	1349	1300
I. Zymotic Class	8545	344	279	749	1325	733	557	395	902	338	293	305	289
II. Diseases of Uncertain Seat	1447	18	7	12	16	9	8	4	22	20	16	17	23
III. Tubercular Class	5866	70	104	335	450	186	140	111	312	324	564	675	572
IV. Brain and Nervous System	2566	185	80	104	92	55	37	25	80	46	40	46	54
V. Organs of Circulation	1532	7	2	5	2	2	3	2	21	29	34	39	46
VI. Respiratory Organs	4527	292	246	530	515	202	107	70	126	48	49	73	64
VII. Organs of Digestion	2502	233	113	271	336	67	23	15	45	37	43	76	80
VIII. Urinary Organs	313	2	—	1	3	5	4	5	12	8	9	22	25
IX. Organs of Generation	587	—	—	1	—	—	—	—	—	—	28	58	114
X. Organs of Locomotion	205	1	2	2	2	—	1	2	16	16	11	10	9
XI. Skin, etc.	39	6	7	2	4	3	—	—	—	—	—	2	1
XII. Malformation	108	87	7	6	2	2	2	1	—	—	—	1	—
XIII. Premature Debility	1376	1202	93	81	—	—	—	—	—	—	—	—	—
XIV. Atrophy	260	—	—	—	69	16	15	8	14	6	5	6	8
XV. Age	3688	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	69	10	9	2	—	—	1	—	—	—	1	2	—
XVII. Violent Deaths	583	72	31	16	33	33	16	12	39	22	16	17	15
I. Small Pox	175	21	15	8	16	14	8	7	17	14	8	13	10
Measles	583	11	10	104	243	97	39	31	36	5	3	2	—
Scarlatina	1066	4	15	65	159	158	165	126	268	51	13	22	4
Diphtheria	525	9	9	30	76	76	55	40	138	45	11	13	2
Hooping Cough	1268	64	79	285	410	187	119	52	68	2	—	2	—
Croup	459	14	15	48	128	88	64	47	53	1	—	—	—
Thrush	9	5	2	—	1	1	—	—	—	—	—	—	—
Diarrhoea	865	112	92	130	173	27	11	7	15	11	6	3	9
Dysentery	173	2	6	6	11	3	2	3	3	2	1	3	2
Cholera	91	10	9	15	14	6	1	1	6	1	—	1	2
Influenza	91	4	1	4	2	2	1	—	3	1	1	—	—
Purpura	16	—	—	—	—	—	1	1	1	2	—	1	1
Ague	4	—	—	—	—	1	—	—	—	1	—	—	—
Worms	16	—	—	—	3	2	4	2	5	—	—	—	—
Typhus	1547	3	1	8	16	10	29	25	100	98	129	122	122
Enteric Fever	578	4	4	11	26	24	25	27	90	52	56	41	35
Relapsing Fever	25	—	—	—	1	1	2	1	1	4	4	—	—
Simple Continued Fever	450	4	2	8	18	16	18	12	68	34	35	21	24
Infantile Remittent	81	6	1	8	13	15	9	8	20	1	—	—	—
Metria	213	—	—	—	—	—	—	—	—	—	9	54	66
Rheumatic Fever	65	—	—	—	—	—	1	2	5	10	10	2	6
Erysipelas	154	45	7	9	8	3	1	1	3	3	6	3	4
Pyæmia	12	2	1	1	—	—	1	—	1	—	—	—	—
Syphilis	72	24	10	8	6	2	1	—	—	—	1	2	2
Noma	7	—	—	1	1	—	—	2	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	39	6	—	1	—	—	—	—	3	1	2	4	2
Dropsy	392	2	1	1	7	3	5	2	12	8	5	7	4
Abscess	73	5	4	6	4	2	3	2	4	7	4	2	3
Ulcer	26	1	—	2	3	1	—	—	—	—	—	—	1
Fistula	4	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	63	2	1	1	1	1	—	—	1	1	1	1	—
Cancer	846	2	1	1	1	2	—	—	2	3	4	3	12
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	277	8	10	21	25	15	11	10	25	26	21	26	18
Tabes Mesenterica	386	20	25	51	106	28	29	17	48	15	12	9	7
Phthisis	4373	14	12	51	97	62	35	26	164	264	522	638	547
Hydrocephalus	830	28	57	212	222	81	65	58	75	19	9	2	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (Continued.)

DISEASES.	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	178	5	8	16	10	9	13	5	30	14	8	12	10	
Apoplexy	559	7	8	9	11	5	2	1	10	6	4	5	13	
Paralysis	898	—	—	—	2	—	—	1	4	2	2	3	2	
Delirium Tremens	16	—	—	—	—	—	—	—	—	—	—	1	1	
Chorea	7	—	—	—	—	—	—	—	—	2	4	—	—	
Epilepsy	121	—	—	—	—	—	—	—	—	3	10	10	14	
Tetanus	11	7	—	—	—	—	—	—	—	1	—	1	—	
Insanity	17	—	—	—	—	—	—	—	—	—	1	—	4	
Convulsions	403	161	59	59	57	26	14	10	17	—	—	—	—	
Brain Disease	356	5	5	20	12	15	8	8	19	18	11	14	10	
V. Pericarditis	37	—	1	—	—	—	—	—	4	1	4	3	3	
Aneurism	23	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	1472	7	1	5	2	2	3	2	17	28	30	36	43	
VI. Laryngitis	52	—	—	5	7	8	3	4	2	1	—	3	1	
Bronchitis	3178	220	204	421	385	140	66	47	82	22	20	32	25	
Pleurisy	103	3	—	5	2	4	3	—	6	2	3	2	4	
Pneumonia	812	58	41	96	113	46	31	17	30	17	24	28	25	
Asthma	255	—	—	1	—	—	1	—	—	1	—	1	3	
Lung Disease	127	11	1	2	8	4	3	2	6	5	2	7	6	
VII. Teething	495	4	21	178	256	35	1	—	—	—	—	—	—	
Quinsey	29	7	2	5	3	1	1	—	2	1	1	—	2	
Gastritis	86	1	5	7	2	1	2	2	—	2	2	4	4	
Enteritis	448	122	48	47	38	16	9	7	13	9	8	8	16	
Peritonitis	193	14	6	6	3	3	2	1	10	7	15	26	22	
Ascites	56	—	—	—	1	2	1	—	3	—	—	3	—	
Ulceration of Intestines	99	3	—	1	5	3	—	1	1	3	6	4	6	
Hernia	55	3	—	—	—	—	—	—	—	—	—	1	1	
Ileus	129	10	3	4	—	3	1	—	1	4	2	3	7	
Intussusception	16	1	2	—	—	—	—	—	—	1	—	—	1	
Stricture of Intestines	9	—	—	—	—	—	—	—	1	—	—	—	1	
Stomach Disease	396	33	22	16	19	2	1	2	6	6	5	11	11	
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	68	4	—	2	—	—	—	1	—	—	—	2	3	
Jaundice	90	26	2	2	2	1	3	—	1	1	1	4	—	
Liver Disease	318	5	2	3	6	—	1	1	7	3	3	8	6	
Spleen Disease	14	—	—	—	1	—	1	—	—	—	—	2	—	
VIII. Nephritis	28	—	—	—	1	2	1	1	5	—	1	2	—	
Nephria	110	1	—	—	—	2	1	4	3	4	5	9	10	
Addison's Disease	2	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	8	1	—	—	—	—	—	—	—	—	—	1	1	
Diabetes	26	—	—	—	—	—	—	—	1	3	1	4	4	
Stone	3	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	22	—	—	—	1	—	—	—	—	—	—	—	2	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	114	—	—	1	1	1	2	—	3	1	2	6	8	
IX. Paramenia	25	—	—	—	—	—	—	—	—	—	7	3	5	
Ovarian Dropsy	74	—	—	—	—	—	—	—	—	—	4	3	4	
Childbirth	422	—	—	—	—	—	—	—	—	—	15	50	100	
Organs of Generation	66	—	—	1	—	—	—	—	—	—	2	2	5	
X. Arthritis	37	—	1	1	1	—	—	2	4	3	4	2	2	
Rheumatism	105	—	—	—	—	—	—	—	2	3	4	2	4	
Joint and Bone Disease	63	1	1	1	1	—	1	—	10	10	3	6	3	
XI. Carbuncle	7	1	1	1	—	—	—	—	—	—	—	—	—	
Phlegmon	5	—	1	—	1	—	—	—	—	—	—	—	—	
Skin Disease	27	5	5	1	3	3	—	—	—	—	—	2	1	
XVII. Intemperance	32	—	—	—	—	—	—	—	—	—	—	—	1	
Privation	5	—	—	1	—	2	—	1	—	—	—	—	—	
Want of Breast-Milk	65	38	21	6	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	14	—	1	—	—	—	—	—	—	—	—	1	1	
Poison	21	—	1	2	—	1	—	—	—	—	1	1	1	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	129	1	—	5	19	19	10	7	20	1	5	—	2	
Hanging, etc.	17	—	—	—	—	—	—	—	—	—	—	1	—	
Suffocation	41	15	6	2	1	—	—	—	1	7	2	—	—	
Drowning	70	1	1	—	8	6	1	2	4	5	3	4	3	
Fracture and Contusion	135	4	1	—	3	4	4	2	12	9	4	7	2	
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	1	
Cuts and Stabs	15	—	—	—	—	1	1	—	—	—	—	—	2	
Other Violent Causes	33	13	—	—	2	—	—	—	2	—	1	3	2	
Not Specified	1488	434	118	113	146	56	40	29	51	31	37	34	38	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	9	5	4	6	2	3	4	2	1	2	—	—	—	—	—	—
Apoplexy	15	19	16	27	46	46	56	68	78	54	33	15	3	1	—	1
Paralysis	22	18	21	34	49	67	102	126	142	155	101	32	10	3	—	—
Delirium Tremens	2	1	4	2	2	2	1	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Epilepsy	11	14	9	8	4	10	7	8	3	8	1	1	—	—	—	—
Tetanus	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Insanity	2	1	—	2	2	1	1	1	1	1	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	13	15	21	23	19	22	27	21	25	15	6	3	1	—	—	—
Pericarditis	1	3	3	5	3	—	4	—	1	—	—	1	—	—	—	—
Aneurism	2	2	1	3	3	3	5	1	2	1	—	—	—	—	—	—
Heart Disease	69	56	100	103	118	140	171	167	163	120	67	16	5	—	1	—
Laryngitis	5	3	2	—	2	2	1	3	—	—	—	—	—	—	—	—
Bronchitis	56	61	66	90	134	140	205	200	207	169	119	48	15	3	—	1
Pleurisy	3	5	6	6	5	7	9	6	4	10	5	3	—	—	—	—
Pneumonia	21	25	26	29	22	28	32	30	34	17	17	5	—	—	—	—
Asthma	5	6	13	11	25	36	37	44	42	18	7	4	—	—	—	—
Lung Disease	10	10	9	6	8	5	10	3	5	1	2	1	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	3	8	2	8	5	5	4	5	5	4	3	2	—	—	—	—
Enteritis	11	9	9	10	10	10	5	15	13	7	7	1	—	—	—	—
Peritonitis	3	11	9	13	6	4	11	9	3	2	6	1	—	—	—	—
Ascites	1	2	4	11	7	6	8	2	2	1	1	1	—	—	—	—
Ulceration of Intestines	8	6	5	3	12	9	7	4	6	4	1	1	—	—	—	—
Hernia	—	4	4	6	6	7	5	5	6	3	2	2	—	—	—	—
Ileus	4	5	8	4	6	9	9	13	15	13	5	—	—	—	—	—
Intussusception	1	—	1	—	1	2	1	2	1	1	1	—	—	—	—	—
Stricture of Intestines	—	—	1	2	3	—	—	—	—	1	—	—	—	—	—	—
Stomach Disease	7	16	16	20	24	33	42	26	32	32	5	5	1	—	—	3
Pancreas Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	5	7	7	1	8	9	2	8	3	1	3	1	—	1	—	—
Jaundice	2	2	3	4	8	3	3	7	8	4	1	2	—	—	—	—
Liver Disease	8	18	20	25	22	49	38	41	28	15	5	2	—	—	—	2
Spleen Disease	1	3	—	1	2	1	2	—	—	—	—	—	—	—	—	—
Nephritis	2	1	2	1	2	—	2	1	2	1	1	—	—	—	—	—
Nephria	7	9	13	11	2	7	8	4	2	4	—	—	—	—	—	1
Addison's Disease	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Ischuria	—	—	—	1	—	—	1	1	—	1	1	—	—	—	—	—
Diabetes	2	1	—	2	—	3	3	1	1	—	—	—	—	—	—	—
Stone	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—
Cystitis	2	2	—	1	1	2	5	—	1	1	3	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	6	8	1	11	9	11	14	7	11	8	3	—	—	—	—	—
Paramenia	3	2	2	2	1	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	9	5	8	15	6	10	5	3	—	—	—	—	—	—	—
Childbirth	95	108	47	7	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	5	6	2	7	12	9	5	4	5	1	—	—	—	—	—	—
Arthritis	4	2	—	4	1	—	3	1	1	1	—	—	—	—	—	—
Rheumatism	—	4	3	6	6	8	11	19	15	13	3	2	—	—	—	—
Joint Disease	3	7	3	1	2	2	3	1	2	2	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—
Phlegmon	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Skin Disease	—	1	2	1	—	—	—	—	1	1	1	—	—	—	—	—
Intemperance	3	6	6	4	4	5	2	—	1	—	—	—	—	—	—	—
Privation	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	1	—	3	—	2	3	1	—	—	—	—	—	—	—
Poison	4	3	—	1	4	2	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	1	2	2	1	4	6	4	5	5	3	4	1	—	—	—
Hanging, etc.	1	1	1	5	4	1	—	—	2	1	—	—	—	—	—	—
Suffocation	—	1	1	4	—	—	—	1	—	—	—	—	—	—	—	—
Drowning	3	4	5	6	3	3	4	1	2	—	—	—	—	—	—	1
Fracture and Contusion	2	4	7	5	5	8	5	11	6	11	9	7	2	—	—	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	1	5	—	—	1	2	—	—	—	2	—	—	—	—	—
Other Violent Causes	—	1	1	5	—	—	1	1	1	4	—	1	—	—	—	—
Not Specified	34	27	40	42	39	47	84	26	5	—	—	—	—	—	—	17

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2488	228	78	101	137	73	47	33	70	55	78	107	91
SPECIFIED CAUSES	2083	120	45	73	97	56	33	22	55	44	68	92	78
I. Zymotic Class	378	25	23	29	50	36	20	14	27	21	16	20	10
II. Diseases of Uncertain Seat	83	—	—	—	2	2	—	—	—	1	3	—	1
III. Tubercular Class	301	—	3	16	17	6	2	3	13	12	21	43	37
IV. Brain and Nervous System	149	11	2	4	4	4	3	1	5	2	4	4	6
V. Organs of Circulation	55	—	—	—	—	—	1	—	—	—	1	1	3
VI. Respiratory Organs	214	14	8	19	11	5	1	3	3	1	5	5	7
VII. Organs of Digestion	128	4	6	3	8	2	1	1	1	—	3	6	3
VIII. Urinary Organs	24	—	—	—	—	—	—	—	—	—	—	1	1
IX. Organs of Generation	25	—	—	—	—	—	—	—	—	—	—	2	5
X. Organs of Locomotion	15	—	—	—	1	—	—	—	1	—	1	—	—
XI. Skin, etc.	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	5	4	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	65	62	1	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	10	—	—	—	1	—	—	—	—	3	—	—	—
XV. Age	535	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	93	—	—	—	3	1	5	—	5	4	14	10	5
I. Small Pox	7	1	2	1	1	—	—	—	1	—	1	—	—
Measles	5	—	—	2	—	1	—	—	—	1	1	—	—
Scarlatina	30	1	—	—	5	7	5	—	2	3	—	—	1
Diphtheria	44	2	2	3	6	4	3	2	10	3	1	1	1
Hooping Cough	66	3	9	14	16	10	6	1	6	—	—	1	—
Croup	52	8	2	9	16	7	6	4	—	—	—	—	—
Thrush	4	4	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	22	2	5	—	1	—	—	—	—	1	1	—	2
Dysentery	6	—	—	—	—	—	—	—	—	—	—	1	—
Cholera	6	—	—	—	2	—	—	—	—	—	—	—	—
Influenza	15	—	1	—	2	2	—	—	—	1	1	—	—
Purpura	3	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	62	1	—	—	1	2	—	1	4	8	6	10	4
Enteric Fever	9	—	—	—	—	—	—	2	1	1	—	1	—
Relapsing Fever	3	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	19	1	—	—	—	1	—	—	2	2	2	4	—
Infantile Remittent	1	1	—	—	—	—	—	—	—	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	2	2
Rheumatic Fever	7	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	10	1	1	—	—	1	—	—	1	1	3	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	—	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	35	—	—	—	—	—	—	—	—	1	2	—	1
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	4	—	—	—	2	1	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	5	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	35	—	—	—	—	1	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	21	—	—	—	3	2	—	2	1	4	—	1	4
Tabes Mesenterica	11	—	1	3	3	1	1	—	1	1	—	—	—
Phthisis	240	—	—	2	2	1	—	1	8	6	21	42	33
Hydrocephalus	29	—	2	11	9	2	1	—	3	1	—	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.		BOTH SEXES.											
		ALL AGES.	AGE UNDER										
			MONTHS.			2	3	4	5	10	15	20	25
3	6	12											
IV. Cephalitis	17	1	1	1	1	2	—	—	1	1	3	2	1
Apoplexy	36	—	—	1	—	1	—	—	1	—	1	—	1
Paralysis	49	—	—	—	1	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	7	—	—	—	—	—	—	—	—	—	—	1	1
Tetanus	7	7	—	—	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	9	3	1	1	1	—	2	—	1	—	—	—	—
Brain Disease	20	—	—	1	1	1	1	1	2	1	—	1	2
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	55	—	—	—	—	—	1	—	—	—	1	1	3
VI. Laryngitis	2	—	—	1	—	—	—	—	—	—	—	1	—
Bronchitis	98	6	4	8	6	4	—	2	2	—	3	1	1
Pleurisy	22	6	1	2	4	—	—	1	—	1	—	—	2
Pneumonia	46	2	2	6	—	1	1	—	1	—	2	2	4
Asthma	35	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	11	—	1	2	1	—	—	—	—	—	—	—	—
VII. Teething	14	—	3	2	8	1	—	—	—	—	—	—	—
Quinsey	3	—	—	1	—	—	—	1	—	—	—	—	—
Gastritis	3	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	13	3	1	—	—	1	—	—	—	—	—	1	1
Peritonitis	4	—	—	—	—	—	—	—	—	—	1	1	—
Ascites	8	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	6	—	—	—	—	—	—	—	—	—	—	—	1
Hernia	3	1	—	—	—	—	1	—	—	—	—	—	—
Ileus	9	—	—	—	—	—	—	—	—	—	—	1	—
Intussusception	1	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	30	—	—	—	—	—	—	—	—	—	1	2	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	6	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	7	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	21	—	1	—	—	—	—	—	1	—	1	1	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	4	—	—	—	—	—	—	—	—	—	—	1	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	8	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	5	—	—	—	—	—	—	—	—	—	—	—	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	3	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	22	—	—	—	—	—	—	—	—	—	—	1	5
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	4	—	—	—	1	—	—	—	1	—	1	—	—
Rheumatism	10	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	—	—	—	—	—	—	—	1	—
Poison	2	—	—	—	1	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	13	—	—	—	2	—	4	—	2	—	—	—	—
Hanging, etc.	5	—	—	—	—	—	—	—	—	—	—	—	2
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	51	—	—	—	—	1	—	—	2	1	12	6	3
Fracture and Contusion	16	—	—	—	—	—	1	—	—	3	1	3	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs.	2	—	—	—	—	—	—	—	—	—	1	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	1	—	—	—	—
Not Specified	405	108	33	28	40	17	14	11	15	11	10	15	13

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	ALL AGES.	MALES.												
		ALL AGES.	MONTHS.			AGE UNDER								
			3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1236	125	50	51	78	37	23	16	39	33	46	58	49	
SPECIFIED CAUSES	1025	63	30	37	57	29	15	10	30	24	38	51	44	
I. Zymotic Class	201	20	14	15	27	16	11	5	15	9	8	13	6	
II. Diseases of Uncertain Seat	36	—	—	—	—	—	—	—	—	—	2	—	1	
III. Tubercular Class	146	—	3	9	10	5	—	1	6	8	8	24	20	
IV. Brain and Nervous System	87	6	1	1	3	2	—	1	2	2	1	2	4	
V. Organs of Circulation	29	—	—	—	—	—	1	—	—	—	1	1	1	
VI. Respiratory Organs	112	6	7	9	9	4	—	2	1	1	3	1	6	
VII. Organs of Digestion	71	2	4	2	5	1	1	1	1	—	1	2	1	
VIII. Urinary Organs	17	—	—	—	—	—	—	—	—	—	—	—	—	
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	
X. Organs of Locomotion	7	—	—	—	1	—	—	—	—	—	1	—	—	
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	
XII. Malformation	3	3	—	—	—	—	—	—	—	—	—	—	—	
XIII. Premature Debility	28	26	1	1	—	—	—	—	—	—	—	—	—	
XIV. Atrophy	5	—	—	—	—	—	—	—	—	2	—	—	—	
XV. Age	208	—	—	—	—	—	—	—	—	—	—	—	—	
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—	
XVII. Violent Deaths	74	—	—	—	2	1	2	—	5	2	13	8	5	
I. Small Pox	3	1	1	—	—	—	—	—	1	—	—	—	—	
Measles	5	—	—	2	—	1	—	—	—	1	1	—	—	
Scarlatina	15	1	—	—	2	4	3	1	1	2	—	—	1	
Diphtheria	23	2	1	—	4	1	1	2	4	2	1	1	—	
Hooping Cough	31	1	5	5	9	4	4	—	3	—	—	—	—	
Croup	31	6	1	8	10	2	3	1	—	—	—	—	—	
Thrush	4	4	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	13	2	3	—	1	—	—	—	—	1	—	—	2	
Dysentery	2	—	—	—	—	—	—	—	—	—	—	1	—	
Cholera	3	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	7	—	1	—	1	1	—	—	—	—	1	—	—	
Purpura	2	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	31	1	—	—	—	1	—	—	2	2	4	7	3	
Enteric Fever	4	—	—	—	—	—	—	1	1	—	—	1	—	
Relapsing Fever	3	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Continued Fever	12	1	—	—	—	1	—	—	2	1	—	3	—	
Infantile Remittent	1	1	—	—	—	—	—	—	—	—	—	—	—	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	4	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas	6	—	1	—	—	1	—	—	1	—	1	—	—	
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	1	—	1	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	12	—	—	—	—	—	—	—	—	—	1	—	1	
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	3	—	—	—	—	—	—	—	—	—	1	—	—	
Cancer	20	—	—	—	—	—	—	—	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	
III. Scrofula	14	—	—	—	3	2	—	1	—	4	—	—	1	
Tabes Mesenterica	8	—	1	3	2	1	—	—	—	1	—	—	—	
Phthisis	107	—	—	1	—	—	—	—	4	2	8	24	19	
Hydrocephalus	17	—	2	5	5	2	—	—	2	1	—	—	—	

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	8	—	—	—	1	1	—	—	1	1	1	—	1
Apoplexy	24	—	—	1	—	1	—	—	—	—	—	—	—
Paralysis	30	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	—	—	—	—	—	—	—	—	1	1
Tetanus	4	4	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	2	1	—	1	—	—	—	1	—	—	—	—
Brain Disease	12	—	—	—	1	—	—	1	—	1	—	1	2
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	29	—	—	—	—	—	1	—	—	—	1	1	1
VI. Laryngitis	1	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	47	3	4	5	5	3	—	1	1	—	1	—	1
Pleurisy	14	3	1	—	3	—	—	1	—	1	—	—	2
Pneumonia	31	—	1	2	—	1	—	—	—	—	2	—	3
Asthma	11	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	8	—	1	1	1	—	—	—	—	—	—	—	—
VII. Teething	10	—	2	2	5	1	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	1	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	5	2	—	—	—	—	—	—	—	—	—	1	—
Peritonitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	5	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	2	—	—	—	—	—	1	—	—	—	—	—	—
Ileus	5	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	14	—	—	—	—	—	—	—	—	—	1	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	4	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	16	—	1	—	—	—	—	—	1	—	—	1	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	2	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	8	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	2	—	—	—	1	—	—	—	—	—	1	—	—
Rheumatism	4	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	1	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	6	—	—	—	1	—	2	—	2	—	—	—	—
Hanging, etc.	5	—	—	—	—	—	—	—	—	—	—	—	2
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	48	—	—	—	—	1	—	—	2	1	11	5	3
Fracture and Contusion	10	—	—	—	—	—	—	—	—	1	1	3	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	1	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	1	—	—	—	—
Not Specified	211	62	20	14	21	8	8	6	9	9	8	7	5

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1252	103	28	50	59	36	24	17	31	22	32	49	42
SPECIFIED CAUSES	1058	57	15	36	40	27	18	12	25	20	30	41	34
I. Zymotic Class	177	5	9	14	23	20	9	9	12	12	8	7	4
II. Diseases of Uncertain Seat	47	—	—	—	2	2	—	—	—	1	1	—	—
III. Tubercular Class	155	—	—	7	7	1	2	2	7	4	13	19	17
IV. Brain and Nervous System	62	5	1	3	1	2	3	—	3	—	3	2	2
V. Organs of Circulation	26	—	—	—	—	—	—	—	—	—	—	—	2
VI. Respiratory Organs	102	8	1	10	2	1	1	1	2	—	2	4	1
VII. Organs of Digestion	57	2	2	1	3	1	—	—	—	—	2	4	2
VIII. Urinary Organs	7	—	—	—	—	—	—	—	—	—	—	1	1
IX. Organs of Generation	25	—	—	—	—	—	—	—	—	—	—	2	5
X. Organs of Locomotion	8	—	—	—	—	—	—	—	1	—	—	—	—
XI. Skin, etc.	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	2	1	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	37	36	—	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	5	—	—	—	1	—	—	—	—	1	—	—	—
XV. Age	327	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	19	—	—	—	1	—	3	—	—	2	1	2	—
I. Small Pox	4	—	1	1	1	—	—	—	—	—	1	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	15	—	—	—	3	3	2	3	1	1	—	—	—
Diphtheria	21	—	1	3	2	3	2	—	6	1	—	—	1
Hooping Cough	35	2	4	9	7	6	2	1	3	—	—	1	—
Croup	21	2	1	1	6	5	3	3	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	9	—	2	—	—	—	—	—	—	—	1	—	—
Dysentery	4	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	3	—	—	—	2	—	—	—	—	—	—	—	—
Influenza	8	—	—	—	1	1	—	—	—	1	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	31	—	—	—	1	1	—	1	2	6	2	3	1
Enteric Fever	5	—	—	—	—	—	—	1	—	1	—	—	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	7	—	—	—	—	—	—	—	—	1	2	1	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	2	2
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	4	1	—	—	—	—	—	—	—	1	2	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	23	—	—	—	—	—	—	—	—	1	1	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	4	—	—	—	2	1	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	15	—	—	—	—	1	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	—	—	—	—	1	1	—	—	1	3
Tabes Mesenterica	3	—	—	—	1	—	1	—	1	—	—	—	—
Phthisis	133	—	—	1	2	1	—	1	4	4	13	18	14
Hydrocephalus	12	—	—	6	4	—	1	—	1	—	—	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	56	45	38	26	34	27	66	67	92	97	91	62	33	13	6	6	
SPECIFIED CAUSES . .	50	42	32	20	28	20	49	67	92	97	91	62	33	13	6	1	
Zymotic Class	9	7	4	—	3	2	4	4	5	2	2	1	1	—	—	—	
Uncertain Seat	5	2	3	2	—	2	5	4	10	3	4	1	—	—	—	—	
Tubercular Class . . .	19	18	6	7	8	5	8	2	2	—	1	—	—	—	—	—	
Brain, etc.	4	1	—	4	2	1	3	3	5	7	4	2	1	—	—	—	
Heart, etc.	1	—	3	3	1	2	3	4	4	2	1	—	—	—	—	—	
Respiratory Organs . .	2	2	7	—	5	4	13	9	11	5	7	2	2	—	—	—	
Digestive Organs . . .	1	7	1	1	4	3	8	4	4	4	1	1	—	—	—	1	
Urinary Organs	1	—	—	1	1	—	—	—	1	—	1	—	—	—	—	—	
Generative Organs . .	7	4	3	2	1	—	1	—	—	—	—	—	—	—	—	—	
Locomotive Organs . .	1	—	1	—	1	—	—	2	1	1	—	—	—	—	—	—	
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	4	34	49	69	70	53	29	13	6	—	
Sudden Deaths	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Violent Deaths	—	1	3	—	1	—	—	—	—	4	—	1	—	—	—	—	
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Whooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	—	2	—	—	—	1	—	1	2	—	—	—	—	—	—	—	
Dysentery	—	—	—	—	1	—	—	1	1	—	—	1	—	—	—	—	
Cholera	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	—	—	—	1	—	1	—	1	1	1	—	—	—	—	
Purpura	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	2	2	2	—	2	—	2	1	1	1	—	—	1	—	—	—	
Enteric Fever	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . . .	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Infantile Remittent . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	3	2	1	1	—	1	3	1	5	2	1	1	—	—	—	—	
Abscess	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	
Cancer	1	—	2	1	—	—	2	2	4	1	1	—	—	—	—	—	
Gout	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Scrofula	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	19	18	6	7	8	4	8	2	2	—	1	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	9	1	1	1	—	1	—	—	—	—	2	2	—
Apoplexy	12	—	—	—	—	—	—	—	1	—	1	—	1
Paralysis	19	—	—	—	1	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	3	3	—	—	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	4	1	—	1	—	—	2	—	—	—	—	—	—
Brain Disease	8	—	—	1	—	1	1	—	2	—	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	26	—	—	—	—	—	—	—	—	—	—	—	2
VI. Laryngitis	1	—	—	—	—	—	—	—	—	—	—	1	—
Bronchitis	51	3	—	3	1	1	—	1	1	—	2	1	—
Pleurisy	8	3	—	2	1	—	—	—	—	—	—	—	—
Pneumonia	15	2	1	4	—	—	1	—	1	—	—	2	1
Asthma	24	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	3	—	—	1	—	—	—	—	—	—	—	—	—
VII. Teething	4	—	1	—	3	—	—	—	—	—	—	—	—
Quinsey	2	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	8	1	1	—	—	1	—	—	—	—	—	—	1
Peritonitis	2	—	—	—	—	—	—	—	—	—	1	1	—
Ascites	3	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	5	—	—	—	—	—	—	—	—	—	—	—	1
Hernia	1	1	—	—	—	—	—	—	—	—	—	—	—
Ileus	4	—	—	—	—	—	—	—	—	—	—	1	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	16	—	—	—	—	—	—	—	—	—	—	2	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	3	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	5	—	—	—	—	—	—	—	—	—	1	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	2	—	—	—	—	—	—	—	—	—	—	1	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	3	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	22	—	—	—	—	—	—	—	—	—	—	1	5
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	2	—	—	—	—	—	—	—	1	—	—	—	—
Rheumatism	6	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	1	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	7	—	—	—	1	—	2	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	1	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	3	—	—	—	—	—	—	—	—	—	1	1	—
Fracture and Contusion	6	—	—	—	—	—	1	—	—	2	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	194	46	13	11	19	9	6	5	6	2	2	8	8

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	32992	3183	1002	1902	2258	1102	766	582	1603	912	1156	1286	1126
SPECIFIED CAUSES	30874	2494	844	1722	2093	1035	704	549	1528	863	1097	1240	1079
I. Zymotic Class	6868	332	235	554	932	602	456	350	878	320	252	246	185
II. Diseases of Uncertain Seat	1266	25	5	6	14	6	6	2	27	22	19	12	15
III. Tubercular Class	5082	80	113	304	360	139	87	82	278	287	490	638	494
IV. Brain and Nervous System	2501	154	53	81	64	39	33	19	76	50	46	48	55
V. Organs of Circulation	1470	8	2	3	3	2	3	3	26	24	31	32	33
VI. Respiratory Organs	3573	245	200	386	333	130	61	45	102	37	61	52	58
VII. Organs of Digestion	2535	265	124	282	258	40	24	15	15	40	44	56	67
VIII. Urinary Organs	511	3	1	1	2	6	2	3	14	10	12	18	27
IX. Organs of Generation	281	—	—	1	—	1	—	—	—	—	17	26	46
X. Organs of Locomotion	208	—	—	3	1	1	1	—	14	12	21	16	12
XI. Skin, etc.	68	9	6	8	7	2	—	—	1	1	2	2	1
XII. Malformation	111	85	8	8	2	2	1	1	1	—	1	1	—
XIII. Premature Debility	1354	1216	68	70	—	—	—	—	—	—	—	—	—
XIV. Atrophy	206	—	—	—	59	21	8	6	15	3	3	7	7
XV. Age	3610	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	73	11	8	3	1	2	—	—	—	—	1	2	1
XVII. Violent Deaths	1157	61	21	12	57	42	22	23	45	37	37	84	78
I. Small Pox	228	25	12	10	14	21	7	7	27	23	11	13	13
Measles	301	7	4	55	107	52	20	24	27	2	1	—	—
Scarlatina	921	12	13	59	126	145	125	100	241	53	11	14	11
Diphtheria	679	16	14	34	91	82	79	64	163	58	25	16	3
Whooping Cough	722	67	57	166	223	84	52	29	43	—	—	1	—
Croup	552	11	22	49	153	105	81	52	76	2	—	—	—
Thrush	9	4	1	2	1	1	—	—	—	—	—	—	—
Diarrhœa	645	87	67	88	113	19	7	8	11	8	2	5	7
Dysentery	164	3	8	8	14	2	3	1	1	2	1	3	3
Cholera	101	6	13	12	15	6	3	1	5	2	—	1	2
Influenza	108	11	3	5	5	2	—	—	2	—	1	—	—
Purpura	18	1	—	—	1	—	1	1	1	1	—	1	—
Ague	3	—	—	—	—	—	—	—	—	1	—	—	1
Worms	21	—	—	1	3	4	6	1	6	—	—	—	—
Typhus	864	—	2	6	12	15	20	9	80	68	84	87	63
Enteric Fever	605	4	5	14	17	26	19	28	95	51	57	46	28
Relapsing Fever	36	—	1	—	2	—	1	2	4	6	5	—	—
Simple Continued Fever	404	4	1	13	16	19	16	15	59	29	36	14	18
Infantile Remittent	83	8	—	12	14	14	10	6	18	1	—	—	—
Metria	115	—	—	—	—	—	—	—	—	—	5	33	27
Rheumatic Fever	61	—	—	—	—	—	1	—	11	11	12	5	5
Erysipelas	159	49	4	12	3	3	3	1	6	2	1	5	2
Pyæmia	12	2	2	1	—	—	1	1	2	—	—	—	—
Syphilis	49	15	6	6	1	1	—	—	—	—	—	2	2
Noma	8	—	—	1	1	1	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hamorrhage	42	7	1	—	—	—	—	—	3	—	5	3	1
Dropsy	379	3	—	1	8	3	4	1	14	11	6	4	8
Abscess	54	10	3	2	4	2	2	1	5	4	3	—	—
Ulcer	22	1	—	1	1	—	—	—	—	1	—	1	1
Fistula	6	—	—	—	—	—	—	—	—	—	—	1	—
Mortification	70	3	—	1	—	1	—	—	1	—	—	2	—
Cancer	686	1	1	1	1	—	—	—	4	6	5	1	5
Gout	7	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	311	13	9	17	16	5	13	8	29	32	37	20	30
Tabes Mesenterica	398	28	27	72	104	34	15	17	32	16	15	5	7
Phthisis	3637	11	15	30	47	35	22	18	130	211	429	612	457
Hydrocephalus	736	23	62	185	193	65	37	9	87	28	9	1	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	201	8	3	17	9	11	13	5	32	12	12	13	10
Apoplexy	604	17	6	4	4	5	3	2	10	9	6	5	9
Paralysis	878	—	—	—	1	—	1	1	1	1	4	6	6
Delirium Tremens	16	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	6	—	—	—	—	1	—	—	—	1	2	—	—
Epilepsy	103	—	—	—	—	—	—	—	—	5	7	6	13
Tetanus	14	7	—	—	—	—	—	—	—	1	1	1	1
Insanity	15	—	—	—	—	—	—	—	—	1	1	—	2
Convulsions	301	119	41	51	42	20	11	6	11	—	—	—	—
Brain Disease	363	3	3	9	8	2	5	5	22	20	13	17	13
V. Pericarditis	34	—	1	—	—	—	—	—	1	2	3	2	3
Aneurism	28	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	1408	8	1	3	3	2	3	3	25	22	28	30	30
VI. Laryngitis	67	—	3	8	7	8	4	2	6	3	1	2	3
Bronchitis	2221	182	162	293	245	87	34	27	66	12	22	17	16
Pleurisy	139	1	1	4	3	4	4	1	6	2	6	5	5
Pneumonia	797	56	31	77	74	28	16	12	19	17	31	22	29
Asthma	232	—	—	1	—	—	1	—	—	—	—	2	1
Lung Disease	117	6	3	3	4	3	2	3	5	3	1	4	4
VII. Teething	376	3	24	163	176	9	1	—	—	—	—	—	—
Quinsey	26	4	3	3	2	1	1	1	3	2	1	—	—
Gastritis	109	7	5	11	1	1	1	—	—	3	1	3	2
Enteritis	498	132	54	57	43	15	10	6	11	11	10	16	14
Peritonitis	184	18	7	7	5	2	2	1	14	9	15	9	9
Ascites	43	2	—	—	1	3	1	—	2	2	—	3	1
Ulceration of Intestines	110	6	2	1	4	1	—	1	1	2	3	2	3
Hernia	47	3	—	1	—	—	—	—	—	1	—	—	1
Ileus	147	7	5	5	—	2	2	1	2	5	6	4	7
Intussusception	19	1	2	3	—	—	—	—	1	—	—	—	—
Stricture of Intestines	10	2	—	—	1	—	—	—	—	—	—	—	—
Stomach Disease	420	34	20	22	16	4	2	1	9	3	4	2	12
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	88	5	—	3	1	—	—	1	—	—	1	6	4
Jaundice	102	35	2	2	4	1	3	1	2	—	1	3	1
Liver Disease	334	5	—	4	3	1	1	2	6	2	2	6	12
Spleen Disease	21	1	—	—	1	—	—	—	—	—	—	2	1
VIII. Nephritis	26	—	—	—	—	3	1	—	3	—	1	1	1
Nephria	99	—	—	—	1	1	—	2	4	1	7	3	6
Addison's Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	29	2	1	—	—	—	—	—	—	—	—	—	2
Diabetes	52	—	—	—	—	—	—	—	3	4	2	8	9
Stone	34	—	—	—	—	—	—	—	1	1	—	1	—
Cystitis	111	—	—	—	1	—	—	—	—	3	—	1	2
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	154	1	—	1	—	2	1	1	3	1	2	4	7
IX. Paramenia	19	—	—	—	—	—	—	—	—	—	6	3	3
Ovarian Dropsy	40	—	—	—	—	—	—	—	—	—	3	1	2
Childbirth	183	—	—	—	—	—	—	—	—	—	7	20	39
Organs of Generation	39	—	—	1	—	1	—	—	—	—	1	2	2
X. Arthritis	44	—	—	2	1	1	—	—	2	3	9	2	3
Rheumatism	97	—	—	—	—	—	—	—	2	3	1	3	4
Joint and Bone Disease	67	—	—	1	—	—	1	—	10	6	11	11	5
XI. Carbuncle	22	2	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	11	1	—	—	1	—	—	—	1	—	2	—	—
Skin Disease	35	6	6	7	6	2	—	—	—	1	—	2	1
XVII. Intemperance	22	—	—	—	—	—	—	—	—	—	1	—	—
Privation	6	—	—	—	1	2	—	1	—	—	—	—	—
Want of Breast Milk	42	34	7	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	32	—	1	—	—	—	—	—	1	—	2	—	2
Poison	13	—	—	3	—	—	—	—	1	1	—	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	138	1	—	6	30	22	14	10	13	2	4	2	6
Hanging, etc.	26	—	—	—	—	—	—	—	—	1	—	—	2
Suffocation	41	11	12	2	2	—	1	—	—	—	2	—	2
Drowning	307	1	—	—	16	12	3	4	13	20	34	33	24
Fracture and Contusion	439	2	1	—	6	5	3	6	15	30	45	42	35
Gunshot Wounds	7	—	—	—	—	—	—	—	1	1	1	—	2
Cuts and Stabs	34	—	—	—	—	1	1	—	—	—	3	2	4
Other Violent Causes	49	12	—	—	2	—	—	2	1	2	5	5	1
Not Specified	2118	689	158	180	165	67	62	33	75	49	59	46	47

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	11	8	1	10	2	6	6	6	2	2	1	1	—	—	—	—
Apoplexy	10	20	26	26	31	37	50	78	93	68	53	25	5	—	—	2
Paralysis	11	16	17	25	36	58	90	121	169	156	102	46	8	2	—	—
Delirium Tremens	2	3	5	3	1	—	—	1	—	—	—	—	—	—	—	—
Chorea	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Epilepsy	12	9	8	4	3	7	10	9	4	6	—	—	—	—	—	—
Tetanus	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—
Insanity	—	1	1	—	2	1	3	1	1	1	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	22	13	18	15	23	18	28	29	36	21	15	3	2	—	—	—
Pericarditis	2	3	3	2	5	—	2	1	1	2	—	1	—	—	—	—
Aneurism	2	4	—	5	4	5	3	1	2	1	1	—	—	—	—	—
Heart Disease	38	54	60	83	105	126	153	163	189	150	97	28	3	—	1	—
Laryngitis	5	—	4	1	1	2	4	2	1	—	—	—	—	—	—	—
Bronchitis	23	29	29	50	68	83	131	140	161	150	115	57	17	4	—	1
Pleurisy	6	5	6	5	9	9	14	13	8	8	10	2	1	1	—	—
Pneumonia	23	32	18	33	31	45	52	43	46	30	26	6	—	—	—	—
Asthma	1	9	6	17	18	37	24	39	44	21	7	4	—	—	—	—
Lung Disease	5	9	7	7	7	5	13	13	4	4	1	1	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	1	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—
Gastritis	3	8	4	7	6	9	5	10	8	8	4	2	—	—	—	—
Enteritis	13	9	9	11	8	15	11	14	15	9	5	—	—	—	—	—
Peritonitis	1	9	8	9	8	8	16	11	5	5	6	—	—	—	—	—
Ascites	—	1	1	5	3	4	5	2	2	3	1	1	—	—	—	—
Ulceration of Intestines	7	5	4	8	14	9	8	9	10	6	2	2	—	—	—	—
Hernia	1	2	2	5	1	5	4	5	5	3	6	2	—	—	—	—
Ileus	8	4	8	5	8	10	14	13	10	10	7	4	—	—	—	—
Intussusception	—	—	1	1	—	4	—	4	1	—	1	—	—	—	—	—
Stricture of Intestines	—	—	—	1	2	—	2	—	2	—	—	—	—	—	—	—
Stomach Disease	8	11	19	25	22	33	47	45	39	29	8	3	1	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Hepatitis	4	4	10	2	9	9	8	10	4	3	3	—	—	1	—	—
Jaundice	—	1	4	1	6	5	3	8	8	6	3	2	—	—	—	—
Liver Disease	9	18	27	20	28	43	43	42	28	17	9	5	—	—	—	1
Spleen Disease	1	2	1	2	1	3	4	—	1	1	—	—	—	—	—	—
Nephritis	—	2	—	1	1	3	2	3	1	—	3	—	—	—	—	—
Nephria	11	10	6	7	12	5	3	10	4	5	1	—	—	—	—	—
Addison's Disease	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Ischuria	—	—	—	2	—	1	2	3	7	4	3	1	1	—	—	—
Diabetes	5	4	2	4	—	2	2	5	2	—	—	—	—	—	—	—
Stone	—	—	1	2	—	—	3	2	8	9	2	4	—	—	—	—
Cystitis	1	3	1	2	3	4	10	17	13	22	17	10	1	—	—	—
Stricture of Urethra	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—
Kidney Disease	4	9	4	10	12	10	18	14	19	20	7	4	—	—	—	—
Paramenia	2	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	5	2	3	7	5	5	5	2	—	—	—	—	—	—	—
Childbirth	42	52	20	3	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	4	4	—	3	4	6	2	3	5	1	—	—	—	—	—	—
Arthritis	3	1	—	2	2	3	5	—	1	3	—	—	—	1	—	—
Rheumatism	2	1	2	5	8	6	10	20	13	8	7	2	—	—	—	—
Joint Disease	3	4	4	—	—	3	3	3	1	1	—	—	—	—	—	—
Carbuncle	—	1	2	2	—	3	1	3	3	1	2	1	—	—	—	—
Phlegmon	1	1	—	—	—	1	1	—	1	1	—	—	—	—	—	—
Skin Disease	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—
Intemperance	4	2	3	1	2	4	2	2	1	—	—	—	—	—	—	—
Privation	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	6	1	5	1	3	3	4	—	—	—	—	—	—	2
Poison	—	2	—	—	1	1	1	—	3	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Burns and Scalds	2	6	2	2	—	2	1	4	2	3	2	1	1	—	—	—
Hanging, etc.	—	2	3	4	4	4	2	2	2	—	—	—	—	—	—	—
Suffocation	1	1	—	4	1	—	1	—	—	—	—	—	—	—	—	1
Drowning	31	20	18	14	11	10	7	5	7	4	1	—	—	—	—	19
Fracture and Contusion	32	23	20	33	18	21	26	21	17	13	14	7	2	—	—	2
Gunshot Wounds	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	1	1	2	2	3	6	3	—	3	2	—	—	—	—	—
Other Violent Causes	2	2	3	1	1	2	2	1	—	2	1	2	—	—	—	—
Not Specified	39	38	40	57	54	83	108	44	10	—	—	—	—	—	—	15

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16339	1780	558	1020	1167	568	381	287	801	452	602	670	560
SPECIFIED CAUSES	15198	1378	470	919	1090	536	347	275	757	424	572	646	538
I. Zymotic Class	3303	165	132	287	462	306	222	178	413	141	115	96	77
II. Diseases of Uncertain Seat	498	12	2	3	11	2	3	1	12	12	12	4	7
III. Tubercular Class	2474	42	66	169	204	74	36	40	150	130	224	337	239
IV. Brain and Nervous System	1281	95	23	49	36	19	19	8	40	28	26	27	33
V. Organs of Circulation	748	3	—	1	1	—	2	1	15	8	17	22	15
VI. Respiratory Organs	1886	142	120	199	180	72	35	19	44	16	37	29	33
VII. Organs of Digestion	1290	152	73	153	126	19	12	7	21	25	27	27	38
VIII. Urinary Organs	363	2	1	—	1	3	1	2	10	6	7	11	14
IX. Organs of Generation	1	—	—	—	—	1	—	—	—	—	—	—	—
X. Organs of Locomotion	112	—	—	1	—	1	—	—	11	7	15	9	6
XI. Skin, etc.	43	5	3	6	4	—	—	—	1	1	2	—	—
XII. Malformation	54	40	5	4	1	—	—	—	1	—	1	1	—
XIII. Premature Debility	756	682	33	41	—	—	—	—	—	—	—	—	—
XIV. Atrophy	95	—	—	—	31	17	2	3	7	1	—	3	3
XV. Age	1366	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	37	6	4	2	1	2	—	—	—	—	—	1	1
XVII. Violent Deaths	891	32	8	4	32	20	15	16	32	49	89	79	72
I. Small Pox	123	14	6	6	5	12	4	4	15	11	7	8	4
Measles	150	2	3	24	48	27	9	15	19	2	—	—	—
Scarlatina	495	11	8	31	73	78	63	52	129	29	6	2	8
Diphtheria	322	10	8	20	46	37	38	33	65	24	14	6	2
Hooping Cough	317	32	27	80	96	31	20	12	19	—	—	—	—
Croup	291	6	11	27	82	59	47	24	34	1	—	—	—
Thrush	3	1	—	2	—	—	—	—	—	—	—	—	—
Diarrhœa	333	46	41	49	62	9	2	3	7	2	1	3	2
Dysentery	71	2	4	6	8	1	3	1	—	1	—	—	2
Cholera	55	—	8	6	7	3	3	1	2	1	—	—	1
Influenza	47	7	2	1	4	2	—	—	—	—	—	—	—
Purpura	9	1	—	—	1	—	—	—	—	—	—	—	—
Ague	2	—	—	—	—	—	—	—	—	1	—	—	1
Worms	10	—	—	1	1	3	2	1	2	—	—	—	—
Typhus	446	—	2	2	6	11	9	5	29	32	46	46	37
Enteric Fever	263	1	4	8	8	14	8	15	42	19	21	21	8
Relapsing Fever	22	—	1	—	2	—	—	1	3	4	2	—	—
Simple Continued Fever	172	1	—	6	6	10	6	8	26	11	13	4	7
Infantile Remittent	40	2	—	8	7	8	5	2	8	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	27	—	—	—	—	—	—	—	8	3	5	3	3
Erysipelas	74	22	3	6	—	—	2	—	4	—	—	3	1
Pyæmia	5	1	1	—	—	—	—	1	1	—	—	—	—
Syphilis	20	6	3	3	—	—	—	—	—	—	—	—	1
Noma	6	—	—	1	—	1	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	20	3	1	—	—	—	—	—	1	—	3	—	—
Dropsy	164	1	—	1	8	2	3	1	6	6	5	1	5
Abscess	24	6	1	1	2	—	—	—	2	1	1	—	—
Ulcer	11	1	—	—	—	—	—	—	—	1	—	1	—
Fistula	5	—	—	—	—	—	—	—	—	—	—	1	—
Mortification	35	1	—	1	—	—	—	—	1	—	—	—	—
Cancer	234	—	—	—	1	—	—	—	2	4	3	—	2
Gout	5	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	168	6	5	7	8	3	6	4	18	19	25	11	18
Tabes Mesenterica	208	16	16	44	55	22	3	9	15	9	6	2	2
Phthisis	1685	3	12	16	29	15	10	9	62	84	187	324	219
Hydrocephalus	413	17	33	102	112	34	17	18	55	18	6	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	108	6	2	8	4	5	5	2	18	6	6	7	4
Apoplexy	322	12	1	4	3	4	2	1	5	5	4	4	6
Paralysis	395	—	—	—	—	—	1	—	—	—	3	4	5
Delirium Tremens	12	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	2	—	—	—	—	1	—	—	—	—	—	—	—
Epilepsy	50	—	—	—	—	—	—	—	—	3	4	3	8
Tetanus	13	6	—	—	—	—	—	—	—	1	1	1	1
Insanity	7	—	—	—	—	—	—	—	—	1	—	—	1
Convulsions	165	69	18	30	25	8	8	3	4	—	—	—	—
Brain Disease	207	2	2	7	4	1	3	2	13	12	8	8	7
V. Pericarditis	15	—	—	—	—	—	—	—	1	2	1	1	1
Aneurism	17	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	716	3	—	1	1	—	2	1	14	6	16	21	14
VI. Laryngitis	47	—	3	8	5	3	3	1	4	2	1	2	2
Bronchitis	1092	105	92	148	127	54	18	10	25	5	12	7	8
Pleurisy	72	1	1	2	3	1	3	1	2	—	4	4	3
Pneumonia	477	33	21	39	43	13	10	5	11	8	19	12	19
Asthma	127	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	71	3	3	2	2	1	1	2	2	1	1	3	1
VII. Teething	204	1	17	97	87	2	—	—	—	—	—	—	—
Quinsey	13	2	1	—	1	—	1	1	2	1	1	—	—
Gastritis	59	6	4	7	—	1	—	—	—	2	1	—	—
Enteritis	263	76	32	27	26	9	5	3	1	7	6	9	6
Peritonitis	76	6	3	2	2	1	1	—	6	5	9	4	1
Ascites	19	2	—	—	—	1	—	—	2	2	—	1	1
Ulceration of Intestines	53	5	2	—	1	—	—	—	—	—	1	—	2
Hernia	18	1	—	1	—	—	—	—	—	1	—	—	1
Ileus	79	4	3	1	—	1	1	1	1	2	6	3	5
Intussusception	11	—	1	3	—	—	—	—	1	—	—	—	—
Stricture of Intestines	8	2	—	—	1	—	—	—	—	—	—	—	—
Stomach Disease	204	19	9	10	5	3	2	—	6	3	1	—	6
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	49	2	—	2	1	—	—	—	—	—	1	4	3
Jaundice	50	23	1	—	2	—	1	1	1	—	—	1	1
Liver Disease	171	2	—	3	—	1	1	1	1	2	1	4	11
Spleen Disease	12	1	—	—	—	—	—	—	—	—	—	1	1
VIII. Nephritis	17	—	—	—	—	2	1	—	2	—	—	1	1
Nephria	55	—	—	—	1	—	—	1	3	1	4	1	2
Addison's Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	23	1	1	—	—	—	—	—	—	—	—	—	1
Diabetes	37	—	—	—	—	—	—	—	2	1	2	5	6
Stone	31	—	—	—	—	—	—	—	1	1	—	1	—
Cystitis	96	—	—	—	—	—	—	—	—	3	—	1	1
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	99	1	—	—	—	1	—	1	2	—	1	2	3
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	—	—	—	—	1	—	—	—	—	—	—	—
X. Arthritis	25	—	—	1	—	1	—	—	2	2	6	—	2
Rheumatism	46	—	—	—	—	—	—	—	2	1	—	2	1
Joint and Bone Disease	41	—	—	—	—	—	—	—	7	4	9	7	3
XI. Carbuncle	20	2	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	7	1	—	—	—	—	—	—	1	—	2	—	—
Skin Disease	16	2	3	6	4	—	—	—	—	1	—	—	—
XVII. Intemperance	10	—	—	—	—	—	—	—	—	—	1	—	—
Privation	2	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	17	17	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	21	—	—	—	—	—	—	—	1	—	2	—	1
Poison	7	—	—	1	—	—	—	—	1	1	—	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	73	—	—	2	16	11	9	7	7	2	1	2	5
Hanging, etc.	19	—	—	—	—	—	—	—	—	1	—	—	2
Suffocation	29	6	8	1	2	—	1	—	—	—	2	—	2
Drowning	264	—	—	—	8	6	2	2	10	16	32	32	22
Fracture and Contusion	378	—	—	—	4	3	3	5	11	26	43	39	35
Gunshot Wounds	6	—	—	—	—	—	—	—	1	1	1	—	1
Cuts and Stabs	25	—	—	—	—	—	—	—	—	—	3	2	3
Other Violent Causes	39	9	—	—	1	—	—	2	1	2	4	4	1
Not Specified	1141	402	88	101	77	32	34	12	44	28	30	24	22

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	7	5	—	7	—	5	3	5	1	—	1	1	—	—	—	—
Apoplexy	6	13	17	16	13	16	23	39	46	36	30	13	2	—	—	1
Paralysis	3	7	8	13	16	26	45	55	84	55	40	28	1	1	—	—
Delirium Tremens	2	3	2	3	—	—	—	1	—	—	—	—	—	—	—	—
Chorea	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	9	3	4	—	2	1	4	6	2	1	—	—	—	—	—	—
Tetanus	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—
Insanity	—	—	1	—	1	1	2	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	13	7	6	6	14	9	17	17	25	12	9	2	1	—	—	—
Pericarditis	1	1	—	1	2	—	—	1	1	2	—	—	—	—	—	—
Aneurism	—	3	—	3	3	4	—	1	1	1	1	—	—	—	—	—
Heart Disease	13	27	31	52	55	63	78	81	92	81	49	14	1	—	—	—
Laryngitis	2	—	3	1	—	1	4	1	1	—	—	—	—	—	—	—
Bronchitis	8	13	15	29	37	48	64	60	65	60	47	25	7	2	—	1
Pleurisy	3	1	2	2	7	2	6	9	5	3	5	—	1	1	—	—
Pneumonia	19	21	9	21	22	32	32	28	24	20	14	2	—	—	—	—
Asthma	—	5	4	11	15	21	14	19	20	10	5	2	—	—	—	—
Lung Disease	1	5	5	6	5	3	7	10	2	3	1	1	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—
Gastritis	2	2	4	3	3	6	3	6	3	4	2	—	—	—	—	—
Enteritis	6	5	3	4	3	7	8	6	7	6	1	—	—	—	—	—
Peritonitis	—	4	2	4	5	5	8	3	2	3	—	—	—	—	—	—
Ascites	—	—	—	3	—	1	1	1	1	2	1	—	—	—	—	—
Ulceration of Intestines	4	3	2	5	5	3	4	6	5	2	2	1	—	—	—	—
Hernia	1	—	—	1	—	2	1	2	1	—	5	1	—	—	—	—
Ileus	5	2	3	2	3	3	8	9	4	4	4	4	—	—	—	—
Intussusception	—	—	—	1	—	3	—	2	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	1	—	—	2	—	2	—	—	—	—	—	—	—
Stomach Disease	2	4	13	12	12	13	20	27	19	14	4	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Hepatitis	2	1	6	2	7	2	7	5	2	2	—	—	—	—	—	—
Jaundice	—	—	2	—	1	3	2	2	2	4	2	1	—	—	—	—
Liver Disease	8	6	16	9	18	20	20	20	14	5	5	3	—	—	—	—
Spleen Disease	1	—	1	1	—	2	2	—	1	1	—	—	—	—	—	—
Nephritis	—	1	—	—	1	3	1	2	—	—	2	—	—	—	—	—
Nephria	7	5	1	1	11	2	1	6	3	4	1	—	—	—	—	—
Addison's Disease	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	2	—	1	1	2	7	3	2	1	1	—	—	—
Diabetes	4	3	2	3	—	2	1	5	1	—	—	—	—	—	—	—
Stone	—	—	—	1	—	—	3	2	7	9	2	4	—	—	—	—
Cystitis	1	1	1	1	2	2	6	17	12	22	16	9	1	—	—	—
Stricture of Urethra	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—
Kidney Disease	2	6	3	5	7	8	12	10	12	14	5	4	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	1	3	3	—	1	2	—	—	—	1	—	—
Rheumatism	2	—	1	4	4	2	6	11	4	1	5	—	—	—	—	—
Joint Disease	2	1	3	—	—	3	—	2	—	—	—	—	—	—	—	—
Carbuncle	—	1	2	2	—	3	1	2	3	1	2	1	—	—	—	—
Phlegmon	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	2	1	1	—	1	—	2	2	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	5	1	3	1	1	1	3	—	—	—	—	—	—	2
Poison	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Burns and Scalds	2	5	2	—	—	—	—	1	—	1	—	—	—	—	—	—
Hanging, etc.	—	2	3	3	1	3	2	2	—	—	—	—	—	—	—	—
Suffocation	1	1	—	2	1	—	1	—	—	—	—	—	—	—	—	1
Drowning	29	19	17	11	10	9	5	5	5	4	1	—	—	—	—	19
Fracture and Contusion	32	21	17	32	15	18	24	16	14	8	9	2	—	—	—	1
Gunshot Wounds	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	1	—	2	2	2	4	3	—	3	—	—	—	—	—	—
Other Violent Causes	2	2	3	1	1	2	2	—	—	—	1	1	—	—	—	—
Not Specified	21	22	11	29	30	51	48	20	6	—	—	—	—	—	—	9

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16653	1403	444	882	1091	534	385	295	802	460	554	616	566
SPECIFIED CAUSES	15676	1116	374	803	1003	499	357	274	771	439	522	594	541
I. Zymotic Class	3565	167	103	267	470	296	234	172	465	179	137	150	108
II. Diseases of Uncertain Seat	768	13	3	3	3	4	3	1	15	10	7	8	8
III. Tubercular Class	2608	38	47	135	156	65	51	42	128	157	266	301	255
IV. Brain and Nervous System	1220	59	30	32	28	20	14	11	36	22	20	21	22
V. Organs of Circulation	722	5	2	2	2	2	1	2	11	16	14	10	18
VI. Respiratory Organs	1687	103	80	187	153	58	26	26	58	21	21	23	25
VII. Organs of Digestion	1245	113	51	129	132	21	12	8	30	15	17	29	29
VIII. Urinary Organs	148	1	—	1	1	3	1	1	4	4	5	7	13
IX. Organs of Generation	280	—	—	1	—	—	—	—	—	—	17	26	46
X. Organs of Locomotion	96	—	—	2	1	—	1	—	3	5	6	7	6
XI. Skin, etc.	25	4	3	2	3	2	—	—	—	—	—	2	1
XII. Malformation	57	45	3	4	1	2	1	1	—	—	—	—	—
XIII. Premature Debility	598	534	35	29	—	—	—	—	—	—	—	—	—
XIV. Atrophy	111	—	—	—	28	4	6	3	8	2	3	4	4
XV. Age	2244	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	36	5	4	1	—	—	—	—	—	—	1	1	—
XVII. Violent Deaths	266	29	13	8	25	22	7	7	13	8	8	5	6
I. Small Pox	105	11	6	4	9	9	3	3	12	12	4	5	9
Measles	151	5	1	31	59	25	11	9	8	—	1	—	—
Scarlatina	426	1	5	28	53	67	62	48	112	24	5	12	3
Diphtheria	357	6	6	14	45	45	41	31	98	34	11	10	1
Hooping Cough	405	35	30	86	127	53	32	17	24	—	—	1	—
Croup	261	5	11	22	71	46	34	28	42	1	—	—	—
Thrush	6	3	1	—	1	1	—	—	—	—	—	—	—
Diarrhœa	312	41	26	39	51	10	5	5	4	6	1	2	5
Dysentery	93	1	4	2	6	1	—	—	1	1	1	3	1
Cholera	46	6	5	6	8	3	—	—	3	1	—	1	1
Influenza	61	4	1	4	1	—	—	—	2	—	1	—	—
Purpura	9	—	—	—	—	—	1	1	1	1	—	1	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	11	—	—	—	2	1	4	—	4	—	—	—	—
Typhus	418	—	—	4	6	4	11	4	51	36	38	41	26
Enteric Fever	342	3	1	6	9	12	11	13	53	32	36	25	20
Relapsing Fever	14	—	—	—	—	—	1	1	1	2	3	—	—
Simple Continued Fever	232	3	1	7	10	9	10	7	33	18	23	10	11
Infantile Remittent	43	6	—	4	7	6	5	4	10	1	—	—	—
Metria	115	—	—	—	—	—	—	—	—	—	5	33	27
Rheumatic Fever	34	—	—	—	—	—	1	—	3	8	7	2	2
Erysipelas	85	27	1	6	3	3	1	1	2	2	1	2	1
Pyæmia	7	1	1	1	—	—	1	—	1	—	—	—	—
Syphilis	29	9	3	3	1	1	—	—	—	—	—	2	1
Noma	2	—	—	—	1	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	22	4	—	—	—	—	—	—	2	—	2	3	1
Dropsy	215	2	—	—	—	1	1	—	8	5	1	3	3
Abscess	30	4	2	1	2	2	2	1	3	3	2	—	—
Ulcer	11	—	—	1	1	—	—	—	—	—	—	—	1
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	35	2	—	—	—	1	—	—	—	—	—	1	—
Cancer	452	1	1	1	—	—	—	—	2	2	2	1	3
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	143	7	4	10	8	2	7	4	11	13	12	9	12
Tabes Mesenterica	190	12	11	28	49	12	12	8	17	7	9	3	5
Phthisis	1952	8	3	14	18	20	12	9	68	127	242	288	238
Hydrocephalus	323	11	29	83	81	31	20	21	32	10	3	1	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	93	2	1	9	5	6	8	3	14	6	6	6	6
Apoplexy	282	5	5	—	1	1	1	1	5	4	2	1	3
Paralysis	483	—	—	—	1	—	—	1	1	1	1	2	1
Delirium Tremens	4	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	4	—	—	—	—	—	—	—	—	1	2	—	—
Epilepsy	53	—	—	—	—	—	—	—	—	2	3	3	5
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	8	—	—	—	—	—	—	—	—	—	1	—	1
Convulsions	136	50	23	21	17	12	3	3	7	—	—	—	—
Brain Disease	156	1	1	2	4	1	2	3	9	8	5	9	6
V. Pericarditis	19	—	1	—	—	—	—	—	—	—	2	1	2
Aneurism	11	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	692	5	1	2	2	2	1	2	11	16	12	9	16
VI. Laryngitis	20	—	—	—	2	5	1	1	2	1	—	—	1
Bronchitis	1129	77	70	145	118	33	16	17	41	7	10	10	8
Pleurisy	67	—	—	2	—	3	1	—	4	2	2	1	2
Pneumonia	320	23	10	38	31	15	6	7	8	9	12	10	10
Asthma	105	—	—	1	—	—	1	—	—	—	—	1	1
Lung Disease	46	3	—	1	2	2	1	1	3	2	—	1	3
VII. Teething	172	2	7	66	89	7	1	—	—	—	—	—	—
Quinsey	13	2	2	3	1	1	—	—	1	1	—	—	—
Gastritis	50	1	1	4	1	—	1	—	—	1	—	3	2
Enteritis	235	56	22	30	17	6	5	3	10	4	4	7	8
Peritonitis	108	12	4	5	3	1	1	1	8	4	6	5	8
Ascites	24	—	—	—	1	2	1	—	—	—	—	2	—
Ulceration of Intestines	57	1	—	1	3	1	—	1	1	2	2	2	1
Hernia	29	2	—	—	—	—	—	—	—	—	—	—	—
Ileus	68	3	2	4	—	1	1	—	1	3	—	1	2
Intussusception	8	1	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	216	15	11	12	11	1	—	1	3	—	3	2	6
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	39	3	—	1	—	—	—	1	—	—	—	2	1
Jaundice	52	12	1	2	2	1	2	—	1	—	1	2	—
Liver Disease	163	3	—	1	3	—	—	1	5	—	1	2	1
Spleen Disease	9	—	—	—	1	—	—	—	—	—	—	1	—
VIII. Nephritis	9	—	—	—	—	1	—	—	1	—	1	—	—
Nephria	44	—	—	—	—	1	—	1	1	—	3	2	4
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	6	1	—	—	—	—	—	—	—	—	—	—	1
Diabetes	15	—	—	—	—	—	—	—	1	3	—	3	3
Stone	3	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	15	—	—	—	1	—	—	—	—	—	—	—	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	55	—	—	1	—	1	1	—	1	1	1	2	4
IX. Paramenia	19	—	—	—	—	—	—	—	—	—	6	3	3
Ovarian Dropsy	40	—	—	—	—	—	—	—	—	—	3	1	2
Childbirth	183	—	—	—	—	—	—	—	—	—	7	20	39
Organs of Generation	38	—	—	1	—	—	—	—	—	—	1	2	2
X. Arthritis	19	—	—	1	1	—	—	—	—	1	3	2	1
Rheumatism	51	—	—	—	—	—	—	—	—	2	1	1	3
Joint and Bone Disease	26	—	—	1	—	—	1	—	3	2	2	4	2
XI. Carbuncle	2	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	—	1	—	—	—	—	—	—	—	—
Skin Disease	19	4	3	1	2	2	—	—	—	—	—	2	1
XVII. Intemperance	12	—	—	—	—	—	—	—	—	—	—	—	—
Privation	4	—	—	—	—	2	—	1	—	—	—	—	—
Want of Breast Milk	25	17	7	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	11	—	1	—	—	—	—	—	—	—	—	—	1
Poison	6	—	—	2	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	65	1	—	4	14	11	5	3	6	—	3	—	1
Hanging, etc.	7	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	12	5	4	1	—	—	—	—	—	—	—	—	—
Drowning	43	1	—	—	8	6	1	2	3	4	2	1	2
Fracture and Contusion	61	2	1	—	2	2	—	1	4	4	2	3	—
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	1
Cuts and Stabs	9	—	—	—	—	1	1	—	—	—	—	—	1
Other Violent Causes	10	3	—	—	1	—	—	—	—	—	1	1	—
Not Specified	977	287	70	79	88	35	28	21	31	21	29	22	25

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	4	3	1	3	2	1	3	1	1	2	—	—	—	—	—	—	
Apoplexy	4	7	9	10	18	21	27	39	47	32	23	12	3	—	—	1	
Paralysis	8	9	9	12	20	32	45	66	85	101	62	18	7	1	—	—	
Delirium Tremens	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Epilepsy	3	6	4	4	1	6	6	3	2	5	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	1	—	—	1	—	1	1	1	1	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	9	6	12	9	9	9	11	12	11	9	6	1	1	—	—	—	
Pericarditis	1	2	3	1	3	—	2	—	—	—	—	1	—	—	—	—	
Aneurism	2	1	—	2	1	1	3	—	1	—	—	—	—	—	—	—	
Heart Disease	25	27	29	31	50	63	75	82	97	69	48	14	2	—	1	—	
Laryngitis	3	—	1	—	1	1	—	1	—	—	—	—	—	—	—	—	
Bronchitis	15	16	14	21	31	35	67	80	96	90	68	32	10	2	—	—	
Pleurisy	3	4	4	3	2	7	8	4	3	5	5	2	—	—	—	—	
Pneumonia	4	11	9	12	9	13	20	15	22	10	12	4	—	—	—	—	
Asthma	1	4	2	6	3	16	10	20	24	11	2	2	—	—	—	—	
Lung Disease	4	4	2	1	2	2	6	3	2	1	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	1	6	—	4	3	3	2	4	5	4	2	2	—	—	—	—	
Enteritis	7	4	6	7	5	8	3	8	8	3	4	—	—	—	—	—	
Peritonitis	1	5	6	5	3	3	8	8	3	2	6	—	—	—	—	—	
Ascites	—	1	1	2	3	3	4	1	1	1	—	1	—	—	—	—	
Ulceration of Intestines	3	2	2	3	9	6	4	3	5	4	—	1	—	—	—	—	
Hernia	—	2	2	4	1	3	3	3	4	3	1	1	—	—	—	—	
Ileus	3	2	5	3	5	7	6	4	6	6	3	—	—	—	—	—	
Intussusception	—	—	1	—	—	1	—	2	1	—	1	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	6	7	6	13	10	20	27	18	20	15	4	3	1	—	—	1	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	2	3	4	—	2	7	1	5	2	1	3	—	—	1	—	—	
Jaundice	—	1	2	1	5	2	1	6	6	2	1	1	—	—	—	—	
Liver Disease	1	12	11	11	10	23	23	22	14	12	4	2	—	—	—	1	
Spleen Disease	—	2	—	1	1	1	2	—	—	—	—	—	—	—	—	—	
Nephritis	—	1	—	1	—	—	1	1	1	—	1	—	—	—	—	—	
Nephria	4	5	5	6	1	3	2	4	1	1	—	—	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	
Diabetes	1	1	—	1	—	—	1	—	1	—	—	—	—	—	—	—	
Stone	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	
Cystitis	—	2	—	1	1	2	4	—	1	—	1	1	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	2	3	1	5	5	2	6	4	7	6	2	—	—	—	—	—	
Paramenia	2	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	5	2	3	7	5	5	5	2	—	—	—	—	—	—	—	
Childbirth	42	52	20	3	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	4	4	—	3	4	6	2	3	5	1	—	—	—	—	—	—	
Arthritis	3	1	—	2	1	—	2	—	—	1	—	—	—	—	—	—	
Rheumatism	—	1	1	1	4	4	4	9	9	7	2	2	—	—	—	—	
Joint Disease	1	3	1	—	—	—	3	1	1	1	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Phlegmon	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Skin Disease	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	
Intemperance	2	1	2	1	1	4	—	—	1	—	—	—	—	—	—	—	
Privation	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	1	—	1	—	2	—	2	2	1	—	—	—	—	—	—	—	
Poison	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	1	—	2	—	2	1	3	2	2	2	1	1	—	—	—	
Hanging, etc.	—	—	—	1	3	1	—	—	2	—	—	—	—	—	—	—	
Suffocation	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	2	1	1	3	1	1	2	—	2	—	—	—	—	—	—	—	
Fracture and Contusion	—	2	3	1	3	3	2	5	3	5	5	5	2	—	—	1	
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	—	1	—	—	1	2	—	—	—	2	—	—	—	—	—	
Other Violent Causes	—	—	—	—	—	—	—	1	—	2	—	1	—	—	—	—	
Not Specified	18	16	29	28	24	32	60	24	4	—	—	—	—	—	—	6	

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35411	3406	1432	2767	3750	1626	1101	763	1672	834	1132	1420	1361
SPECIFIED CAUSES	34770	3203	1364	2718	3686	1606	1086	757	1643	817	1117	1409	1346
I. Zymotic Class	9617	415	380	927	1648	837	614	430	825	258	300	324	320
II. Diseases of Uncertain Seat	1006	24	5	11	20	11	9	7	21	13	14	15	25
III. Tubercular Class	6034	77	166	431	600	261	180	143	380	278	526	661	534
IV. Brain and Nervous System	2737	292	110	138	136	61	47	37	96	46	37	46	69
V. Organs of Circulation	1524	2	1	5	2	1	2	1	22	25	43	43	47
VI. Respiratory Organs	5575	423	369	751	759	294	166	95	134	47	56	96	90
VII. Organs of Digestion	2393	268	146	331	414	77	23	11	36	39	36	72	72
VIII. Urinary Organs	414	2	1	2	3	3	7	5	19	8	7	31	32
IX. Organs of Generation	282	—	—	—	—	—	—	—	—	—	11	30	63
X. Organs of Locomotion	207	1	2	1	1	—	1	4	19	30	21	9	8
XI. Skin, etc.	36	10	4	1	4	1	1	—	—	1	—	—	—
XII. Malformation	95	79	4	5	2	—	1	2	1	—	—	1	—
XIII. Premature Debility	1697	1475	128	94	—	—	—	—	—	—	—	—	—
XIV. Atrophy	249	—	—	—	70	32	14	5	16	7	4	4	7
XV. Age	1673	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	99	15	11	2	1	1	1	—	2	2	—	3	2
XVII. Violent Deaths	1132	120	37	19	26	27	20	17	72	63	62	74	77
I. Small Pox	148	20	23	8	15	11	10	11	9	6	4	12	5
Measles	889	11	16	158	391	146	68	38	50	6	2	2	—
Scarlatina	1293	7	15	77	209	185	203	158	347	50	13	11	4
Diphtheria	272	8	7	28	58	51	21	20	49	13	4	6	—
Hooping Cough	1530	65	90	351	505	236	139	70	71	3	—	—	—
Croup	411	21	12	57	125	77	57	34	28	—	—	—	—
Thrush	10	8	2	—	—	—	—	—	—	—	—	—	—
Diarrhœa	1040	169	146	176	214	32	16	6	15	7	8	6	7
Dysentery	146	6	6	12	10	5	2	6	2	1	3	—	2
Cholera	107	13	8	16	18	5	2	3	6	2	2	—	1
Influenza	37	—	1	1	—	1	1	1	2	—	—	—	—
Purpura	18	1	1	—	—	1	1	—	3	1	—	—	2
Ague	6	—	—	—	—	1	—	1	1	1	—	1	—
Worms	6	—	—	—	2	—	—	2	2	—	—	—	—
Typhus	2346	6	6	8	19	15	36	29	86	94	187	205	199
Enteric Fever	434	2	4	9	31	30	26	21	65	40	35	32	24
Relapsing Fever	23	—	—	—	1	1	1	—	4	3	1	1	2
Simple Continued Fever	416	1	3	2	16	21	14	16	63	23	22	23	23
Infantile Remittent	80	2	2	6	17	14	16	10	13	—	—	—	—
Metria	93	—	—	—	—	—	—	—	—	—	4	19	37
Rheumatic Fever	51	—	—	—	—	—	—	2	4	5	8	1	5
Erysipelas	131	34	12	5	7	2	—	—	3	3	5	3	4
Pyæmia	15	1	—	—	1	—	—	—	—	—	1	—	3
Syphilis	108	40	26	12	9	2	1	—	—	—	1	2	2
Noma	7	—	—	1	—	1	—	2	2	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	39	9	1	1	—	—	—	—	1	1	1	3	2
Dropsy	274	3	1	1	13	10	6	4	13	6	5	5	3
Abscess	77	4	2	6	5	—	2	1	4	4	3	4	6
Ulcer	21	3	—	2	—	—	1	—	1	—	—	—	1
Fistula	6	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	49	4	1	1	1	—	—	—	2	1	2	—	—
Cancer	536	1	—	—	1	1	—	2	—	1	3	3	13
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	277	6	14	23	34	24	12	11	41	24	17	25	9
Tabes Mesenterica	476	19	43	61	136	46	33	25	69	19	6	9	5
Phthisis	4212	8	27	75	141	85	49	40	182	211	495	625	520
Hydrocephalus	1069	44	82	272	289	106	86	67	88	24	8	2	—

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	1317	1360	1425	1416	1400	1213	1462	1267	1213	941	658	321	96	31	4	23	
SPECIFIED CAUSES	1304	1347	1416	1403	1381	1193	1438	1264	1210	941	658	321	96	31	4	11	
Zymotic Class	301	292	340	333	270	214	205	152	110	69	31	18	3	—	—	1	
Uncertain Seat	43	61	100	84	104	87	112	88	64	44	20	15	6	1	—	2	
Tubercular Class	418	383	297	250	196	110	78	43	14	3	3	2	—	—	—	—	
Brain, etc.	89	117	104	133	142	150	220	199	206	147	81	29	2	3	—	—	
Heart, etc.	91	98	137	159	127	140	175	156	120	89	29	5	4	—	—	—	
Respiratory Organs	127	142	189	217	278	254	319	277	228	148	79	29	5	1	—	2	
Digestive Organs	57	80	91	101	106	101	92	94	71	48	17	8	—	—	—	2	
Urinary Organs	29	26	29	28	30	40	33	15	24	18	8	8	—	—	—	1	
Generative Organs	50	58	30	12	15	4	7	1	1	—	—	—	—	—	—	—	
Locomotive Organs	6	14	7	10	12	10	14	16	11	8	2	—	—	—	—	—	
Skin	1	—	2	—	2	2	1	1	2	1	1	1	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	8	5	10	6	30	31	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	1	118	189	334	345	379	201	76	26	4	—	
Sudden Deaths	3	6	2	9	10	10	8	6	4	1	—	—	—	—	—	—	
Violent Deaths	81	65	78	61	59	39	51	27	21	20	8	5	—	—	—	3	
Small Pox	1	6	—	2	3	1	—	—	—	—	1	—	—	—	—	—	
Measles	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	7	1	1	—	2	1	2	—	—	—	—	—	—	—	—	—	
Diphtheria	1	1	—	1	—	2	2	—	—	—	—	—	—	—	—	—	
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	11	6	11	18	19	25	26	36	28	31	16	8	3	—	—	—	
Dysentery	5	2	4	6	8	11	10	9	13	16	3	4	—	—	—	—	
Cholera	3	3	4	5	2	3	4	4	2	1	—	—	—	—	—	—	
Influenza	1	—	—	3	4	—	3	6	5	5	1	2	—	—	—	—	
Purpura	2	1	—	—	1	1	2	—	1	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	203	222	258	249	183	124	102	65	38	8	2	1	—	—	—	1	
Enteric Fever	10	12	12	10	11	17	17	10	7	5	3	1	—	—	—	—	
Relapsing Fever	1	1	1	—	3	—	1	2	—	—	—	—	—	—	—	—	
Simple Cont. Fever	23	23	28	30	17	16	24	12	9	2	4	1	—	—	—	—	
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	24	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	2	6	6	2	6	1	1	1	1	—	—	—	—	—	—	—	
Erysipelas	4	1	3	5	8	10	8	5	6	1	1	1	—	—	—	—	
Pyæmia	—	2	2	—	2	—	1	2	—	—	—	—	—	—	—	—	
Syphilis	3	1	4	1	1	2	1	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	3	3	3	1	1	2	1	2	3	1	—	—	—	—	—	—	
Dropsy	13	15	22	18	22	17	29	21	22	13	8	3	1	—	—	—	
Abscess	6	4	7	2	2	3	3	5	1	1	—	—	1	—	—	1	
Ulcer	—	1	3	1	—	1	2	3	1	—	1	1	—	—	—	—	
Fistula	1	1	1	—	1	—	—	1	—	—	—	—	—	—	—	—	
Mortification	2	—	4	1	2	2	1	2	3	7	5	6	1	1	—	—	
Cancer	18	37	60	61	76	62	75	53	32	22	6	5	3	—	—	1	
Gout	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	
Scrofula	7	4	6	4	5	4	4	2	1	—	—	—	—	—	—	—	
Tabes Mesenterica	1	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	
Phthisis	409	378	290	246	191	106	72	41	13	3	3	2	—	—	—	—	
Hydrocephalus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	179	5	18	14	17	7	12	8	29	14	4	8	6
Apoplexy	540	10	5	18	14	9	5	3	9	4	4	7	20
Paralysis	756	—	—	—	—	—	—	—	6	2	3	1	6
Delirium Tremens	57	—	—	—	—	—	—	—	—	—	—	2	3
Chorea	6	—	—	—	—	—	—	—	1	2	2	—	—
Epilepsy	119	—	—	—	—	—	—	—	1	3	9	7	13
Tetanus	20	6	—	1	—	—	—	—	3	1	—	2	—
Insanity	16	—	—	—	—	—	—	—	—	—	—	2	2
Convulsions	578	259	73	75	88	29	18	14	22	—	—	—	—
Brain Disease	466	12	14	30	17	16	12	12	25	20	15	17	19
V. Pericarditis	30	—	—	—	—	—	—	—	7	2	3	2	2
Aneurism	52	—	—	—	—	—	—	—	1	—	—	—	2
Heart Disease	1442	2	1	5	2	1	2	1	14	23	40	41	43
VI. Laryngitis	72	1	4	10	17	3	3	4	1	1	1	4	1
Bronchitis	3875	329	291	607	568	213	107	67	69	24	18	32	39
Pleurisy	77	—	—	2	2	1	3	1	3	—	5	4	4
Pneumonia	1126	77	68	129	163	73	51	22	55	15	27	46	32
Asthma	248	—	—	—	—	—	—	—	—	2	—	—	4
Lung Disease	177	16	6	3	9	4	2	1	6	5	5	10	10
VII. Teething	657	6	37	250	323	41	—	—	—	—	—	—	—
Quinsey	29	6	—	5	4	2	2	—	1	1	1	1	3
Gastritis	77	6	4	8	4	1	2	3	—	1	2	5	2
Enteritis	432	139	65	40	45	18	8	5	8	11	6	3	12
Peritonitis	126	8	2	2	1	2	2	—	4	6	11	24	18
Ascites	41	—	—	1	—	—	—	—	4	—	1	2	1
Ulceration of Intestines	90	4	—	3	5	2	1	—	—	4	4	5	5
Hernia	43	1	2	2	—	1	—	—	1	—	—	2	1
Ileus	119	21	8	1	1	3	—	—	2	1	3	6	7
Intussusception	16	—	1	3	—	1	1	—	—	1	—	—	1
Stricture of Intestines	12	—	—	1	—	—	—	—	1	—	—	—	1
Stomach Disease	311	38	20	11	24	5	2	1	8	8	3	9	6
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	52	2	1	2	—	—	—	—	—	—	1	—	4
Jaundice	65	27	4	—	2	—	1	—	1	1	—	2	—
Liver Disease	313	10	2	2	4	1	3	2	6	5	3	12	11
Spleen Disease	9	—	—	—	1	—	1	—	—	—	1	1	—
VIII. Nephritis	30	—	—	1	2	1	1	1	7	1	—	3	—
Nephria	126	1	1	—	—	1	3	4	2	4	3	13	13
Addison's Disease	5	—	—	—	—	—	1	—	—	—	—	—	1
Ischuria	12	1	—	—	—	—	—	—	1	—	1	1	—
Diabetes	27	—	—	—	—	—	—	—	—	2	1	5	3
Stone	13	—	—	—	—	—	—	—	—	—	—	2	—
Cystitis	57	—	—	1	—	—	—	—	1	—	—	2	3
Stricture of Urethra	6	—	—	—	—	—	—	—	—	—	—	1	—
Kidney Disease	138	—	—	—	1	1	2	—	8	1	2	4	12
IX. Paramenia	6	—	—	—	—	—	—	—	—	—	1	—	2
Ovarian Dropsy	31	—	—	—	—	—	—	—	—	—	1	1	2
Childbirth	217	—	—	—	—	—	—	—	—	—	8	29	56
Organs of Generation	28	—	—	—	—	—	—	—	—	—	1	—	3
X. Arthritis	46	—	1	1	—	—	1	3	3	7	8	4	2
Rheumatism	80	—	—	—	—	—	—	—	2	4	7	2	2
Joint and Bone Disease	81	1	1	—	1	—	—	1	14	19	6	3	4
XI. Carbuncle	13	2	1	—	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	1	—	1	—	1	—	—	—	—	—	—
Skin Disease	20	8	2	1	3	1	—	—	—	1	—	—	—
XVII. Intemperance	65	—	—	—	—	—	—	—	—	—	—	—	4
Privation	2	—	—	1	—	—	1	—	—	—	—	—	—
Want of Breast Milk	102	68	24	10	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	4	—	—	—	—	—	—	—	—	—	—	—	—
Poison	37	5	1	1	—	1	2	—	—	—	1	1	1
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	125	2	1	3	10	20	10	9	22	5	5	4	1
Hanging, etc.	27	—	—	—	—	—	—	—	—	—	1	1	1
Suffocation	66	17	9	3	2	—	—	—	4	11	4	1	—
Drowning	161	—	1	—	4	1	1	1	12	13	16	19	15
Fracture and Contusion	422	2	1	1	8	5	6	7	26	28	27	42	43
Gunshot Wounds	3	—	—	—	—	—	—	—	—	2	—	—	—
Cuts and Stabs	37	—	—	—	—	—	—	—	2	2	5	1	2
Other Violent Causes	80	26	—	—	2	—	—	—	6	2	3	5	10
Not Specified	641	203	68	49	64	20	15	6	29	17	15	11	15

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	9	4	8	7	—	2	2	3	—	1	1	—	—	—	—	—
Apoplexy	19	26	15	34	45	43	62	59	65	37	19	7	—	1	—	—
Paralysis	25	23	31	38	61	62	114	102	114	88	57	19	2	2	—	—
Delirium Tremens	10	9	11	8	4	4	3	2	—	—	1	—	—	—	—	—
Chorea	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	11	19	13	6	5	9	4	7	5	6	—	1	—	—	—	—
Tetanus	1	1	—	1	2	—	—	—	2	—	—	—	—	—	—	—
Insanity	2	1	—	1	1	3	2	2	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	12	34	25	38	24	27	33	24	20	15	3	2	—	—	—	—
Pericarditis	2	1	1	6	1	—	2	—	1	—	—	—	—	—	—	—
Aneurism	5	9	6	6	4	8	7	1	2	1	—	—	—	—	—	—
Heart Disease	84	88	130	147	122	132	166	155	117	88	29	5	4	—	—	—
Laryngitis	4	6	2	2	2	1	2	2	1	—	—	—	—	—	—	—
Bronchitis	61	69	92	132	184	166	224	200	173	115	65	24	4	1	—	1
Pleurisy	2	6	4	7	6	3	7	5	4	6	—	2	—	—	—	—
Pneumonia	40	43	47	49	43	42	33	30	20	14	5	1	—	—	—	1
Asthma	7	6	21	15	32	37	43	36	23	13	7	1	1	—	—	—
Lung Disease	13	12	23	12	11	5	10	4	7	—	2	1	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—
Gastritis	4	2	4	6	8	4	2	7	—	2	—	—	—	—	—	—
Enteritis	6	7	9	9	8	3	5	7	8	7	3	—	—	—	—	—
Peritonitis	2	10	5	12	6	2	4	4	—	—	1	—	—	—	—	—
Ascites	1	2	2	10	4	5	4	2	1	—	1	—	—	—	—	—
Ulceration of Intestines	8	5	6	6	7	9	5	7	2	1	1	—	—	—	—	—
Hernia	1	3	3	2	6	5	3	3	3	2	1	1	—	—	—	—
Ileus	6	7	8	4	2	3	6	10	9	7	4	—	—	—	—	—
Intussusception	1	1	1	—	1	1	1	—	—	1	—	1	—	—	—	—
Stricture of Intestines	—	1	2	2	1	2	—	—	—	1	—	—	—	—	—	—
Stomach Disease	6	11	19	14	25	20	20	19	18	18	2	3	—	—	—	1
Pancreas Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	6	7	4	8	3	4	3	3	—	—	1	—	—	—	—
Jaundice	3	—	1	2	3	3	7	2	3	1	1	1	—	—	—	—
Liver Disease	15	24	21	29	26	41	31	28	24	8	4	—	—	—	—	1
Spleen Disease	1	1	1	—	1	—	—	1	—	—	—	—	—	—	—	—
Nephritis	4	—	3	1	1	1	1	—	1	1	—	—	—	—	—	—
Nephria	10	10	16	10	4	6	13	1	5	4	1	—	—	—	—	1
Addison's Disease	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	1	—	3	—	—	2	1	1	—	—	—	—	—
Diabetes	2	3	—	1	1	4	2	1	1	1	—	—	—	—	—	—
Stone	1	—	—	1	1	1	2	2	—	1	1	1	—	—	—	—
Cystitis	1	1	2	2	6	7	6	4	7	8	3	3	—	—	—	—
Stricture of Urethra	1	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—
Kidney Disease	10	12	6	11	16	16	14	6	8	2	2	4	—	—	—	—
Paramenia	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	4	3	5	7	1	4	—	1	—	—	—	—	—	—	—
Childbirth	46	52	24	2	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	2	2	4	8	3	3	1	—	—	—	—	—	—	—	—
Arthritis	—	2	2	3	3	—	2	2	2	—	—	—	—	—	—	—
Rheumatism	—	5	2	5	5	6	11	13	8	7	1	—	—	—	—	—
Joint Disease	6	7	3	2	4	4	1	1	1	1	1	—	—	—	—	—
Carbuncle	1	—	—	—	2	2	1	1	1	1	—	1	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—
Intemperance	10	11	9	8	6	8	8	1	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	1	—	2	—	—	1	—	—	—	—	—	—	—	—
Poison	7	1	3	2	6	2	—	1	1	1	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	3	1	2	2	9	2	5	2	2	2	—	—	—	—
Hanging, etc.	3	1	4	6	3	3	1	1	1	1	—	—	—	—	—	—
Suffocation	1	2	1	3	2	—	3	1	2	—	—	—	—	—	—	—
Drowning	14	15	11	8	11	3	5	4	2	2	—	—	—	—	—	3
Fracture and Contusion	38	27	37	24	18	18	22	14	7	12	6	3	—	—	—	—
Gunshot Wounds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	6	5	2	5	2	1	1	1	—	—	—	—	—	—	—
Other Violent Causes	3	2	4	7	2	1	2	1	2	2	—	—	—	—	—	—
Not Specified	13	13	9	13	19	20	24	3	3	—	—	—	—	—	—	12

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	17615	1949	806	1469	1905	827	556	396	865	391	572	702	631
SPECIFIED CAUSES	17291	1847	773	1440	1880	819	547	393	850	382	563	695	621
I. Zymotic Class	4814	243	213	459	816	420	300	216	400	111	152	176	143
II. Diseases of Uncertain Seat	374	19	1	2	9	8	4	4	14	4	6	6	10
III. Tubercular Class	2931	45	109	238	313	141	93	76	203	115	241	306	234
IV. Brain and Nervous System	1453	171	61	69	73	28	27	23	55	22	20	23	39
V. Organs of Circulation	740	—	1	2	2	1	—	1	12	12	23	14	21
VI. Respiratory Organs	2837	242	204	418	399	151	86	52	68	20	33	50	52
VII. Organs of Digestion	1193	150	86	190	213	32	12	4	21	17	12	29	23
VIII. Urinary Organs	256	1	1	2	1	1	4	1	11	4	3	17	21
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	106	—	—	1	—	—	1	2	7	19	16	6	5
XI. Skin, etc.	23	8	1	1	3	—	1	—	—	1	—	—	—
XII. Malformation	46	38	1	3	1	—	—	2	1	—	—	—	—
XIII. Premature Debility	956	843	70	43	—	—	—	—	—	—	—	—	—
XIV. Atrophy	105	—	—	—	30	20	5	—	10	4	2	2	3
XV. Age	556	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	67	10	6	1	1	1	—	—	2	2	—	2	2
XVII. Violent Deaths	834	77	19	11	19	16	14	12	46	51	55	64	68
I. Small Pox	82	10	15	5	9	6	5	7	4	4	1	4	4
Measles	457	5	7	85	207	74	40	16	22	1	—	—	—
Scarlatina	668	4	5	40	106	97	102	83	192	24	5	1	3
Diphtheria	125	5	5	15	29	23	9	11	15	3	4	3	—
Whooping Cough	702	38	45	161	229	108	54	36	30	1	—	—	—
Croup	234	14	9	32	74	40	30	18	17	—	—	—	—
Thrush	7	6	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa	496	98	82	85	92	15	10	4	4	2	4	5	3
Dysentery	70	5	4	8	5	3	—	3	—	—	3	—	1
Cholera	65	9	4	7	14	2	1	2	3	2	2	—	—
Influenza	15	—	1	1	—	—	—	1	1	—	—	—	—
Purpura	12	1	1	—	—	1	1	—	3	—	—	—	1
Ague	3	—	—	—	—	—	—	1	1	—	—	1	—
Worms	2	—	—	—	1	—	—	—	1	—	—	—	—
Typhus	1248	3	5	4	10	10	18	9	39	38	98	127	104
Enteric Fever	203	1	1	4	14	18	12	8	28	21	15	16	9
Relapsing Fever	12	—	—	—	—	—	—	—	4	1	—	1	2
Simple Continued Fever	205	—	2	1	8	14	6	11	28	8	12	13	10
Infantile Remittent	42	2	1	2	11	5	12	6	3	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	23	—	—	—	—	—	—	—	2	3	5	1	1
Erysipelas	66	17	6	2	2	2	—	—	2	3	2	2	1
Pyæmia	10	—	—	—	1	—	—	—	—	—	1	—	3
Syphilis	65	25	19	7	4	1	—	—	—	—	—	2	1
Noma	2	—	—	—	—	1	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	23	7	1	—	—	—	—	—	—	—	1	2	1
Dropsy	120	3	—	—	6	8	2	2	9	4	2	1	2
Abscess	35	3	—	1	3	—	1	—	3	—	1	2	3
Ulcer	10	2	—	1	—	—	1	—	1	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	23	4	—	—	—	—	—	—	1	—	1	—	—
Cancer	157	—	—	—	—	—	—	2	—	—	1	1	4
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	150	5	8	12	17	11	8	6	28	11	8	9	6
Tabes Mesenterica	283	11	29	38	80	30	17	16	39	11	3	3	3
Phthisis	1924	2	18	39	64	44	26	24	90	78	228	293	225
Hydrocephalus	574	27	54	149	152	56	42	30	46	15	2	1	—

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	103	3	12	8	12	5	7	6	13	6	4	4	2
Apoplexy	275	8	2	9	4	5	4	3	5	2	3	3	11
Paralysis	360	—	—	—	—	—	—	—	3	1	2	—	5
Delirium Tremens	46	—	—	—	—	—	—	—	—	—	—	1	2
Chorea	3	—	—	—	—	—	—	—	1	1	—	—	—
Epilepsy	54	—	—	—	—	—	—	—	1	2	2	—	4
Tetanus	13	3	—	1	—	—	—	—	3	—	—	1	—
Insanity	10	—	—	—	—	—	—	—	—	—	—	2	—
Convulsions	315	149	37	38	48	15	9	7	12	—	—	—	—
Brain Disease	274	8	10	13	9	3	7	7	17	10	9	12	15
V. Pericarditis	12	—	—	—	—	—	—	—	3	1	1	—	1
Aneurism	40	—	—	—	—	—	—	—	1	—	—	—	2
Heart Disease	688	—	1	2	2	1	—	1	8	11	22	14	18
VI. Laryngitis	41	1	4	5	12	—	1	1	1	1	1	2	1
Bronchitis	1877	189	157	334	302	107	57	38	29	9	10	11	22
Pleurisy	49	—	—	1	1	—	—	1	1	—	4	3	2
Pneumonia	649	44	38	75	81	42	27	12	34	7	15	30	18
Asthma	122	—	—	—	—	—	—	—	—	1	—	—	2
Lung Disease	99	8	5	3	3	2	—	—	3	2	3	4	7
VII. Teething	338	4	24	138	159	13	—	—	—	—	—	—	—
Quinsey	15	1	—	4	2	2	1	—	—	1	—	1	1
Gastritis	43	6	—	5	3	—	1	1	—	—	—	4	—
Enteritis	227	74	40	23	24	9	4	1	5	6	2	2	5
Peritonitis	43	6	—	1	1	—	1	—	2	3	3	4	4
Ascites	12	—	—	1	—	—	—	—	1	—	1	1	1
Ulceration of Intestines	53	2	—	3	3	—	1	—	—	3	—	3	1
Hernia	18	1	2	2	—	1	—	—	1	—	—	1	—
Ileus	62	14	7	1	1	1	—	—	2	—	1	5	2
Intussusception	8	—	—	3	—	1	1	—	—	—	—	—	—
Stricture of Intestines	5	—	—	1	—	—	—	—	—	—	—	—	—
Stomach Disease	147	20	9	7	16	4	1	—	5	2	1	2	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	25	1	1	1	—	—	—	—	—	—	1	—	2
Jaundice	30	13	3	—	2	—	—	—	1	—	—	—	—
Liver Disease	163	8	—	—	1	1	2	2	4	2	2	6	6
Spleen Disease	4	—	—	—	1	—	—	—	—	—	1	—	—
VIII. Nephritis	13	—	—	1	1	—	—	—	3	1	—	1	—
Nephria	62	—	1	—	—	—	2	1	—	—	1	7	7
Addison's Disease	4	—	—	—	—	—	1	—	—	—	—	—	1
Ischuria	10	1	—	—	—	—	—	—	1	—	1	—	—
Diabetes	16	—	—	—	—	—	—	—	—	2	—	4	2
Stone	13	—	—	—	—	—	—	—	—	—	—	2	—
Cystitis	51	—	—	1	—	—	—	—	1	—	—	2	2
Stricture of Urethra	6	—	—	—	—	—	—	—	—	—	—	1	—
Kidney Disease	81	—	—	—	—	1	1	—	6	1	1	—	9
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	30	—	—	1	—	—	1	1	—	5	7	4	1
Rheumatism	32	—	—	—	—	—	—	—	—	3	4	1	1
Joint and Bone Disease	44	—	—	—	—	—	—	1	7	11	5	1	3
XI. Carbuncle	8	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	2	—	—	—	1	—	1	—	—	—	—	—	—
Skin Disease	13	7	1	1	2	—	—	—	—	1	—	—	—
XVII. Intemperance	46	—	—	—	—	—	—	—	—	—	—	—	3
Privation	1	—	—	—	—	—	1	—	—	—	—	—	—
Want of Breast Milk	62	47	10	5	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	—	—	—	—	—	—	—	—	—
Poison	22	5	—	1	—	—	2	—	—	—	—	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	68	2	1	2	6	12	7	5	8	4	3	4	—
Hanging, etc.	17	—	—	—	—	—	—	—	—	—	1	—	1
Suffocation	37	7	7	2	1	—	—	—	3	4	2	1	—
Drowning	137	—	—	—	4	1	1	1	11	12	16	17	14
Fracture and Contusion	354	—	1	1	7	3	3	6	18	25	25	38	41
Gunshot Wounds	3	—	—	—	—	—	—	—	—	2	—	—	—
Cuts and Stabs	32	—	—	—	—	—	—	—	2	2	5	1	1
Other Violent Causes	52	16	—	—	1	—	—	—	4	2	3	3	8
Not Specified	324	102	33	29	25	8	9	3	15	9	9	7	10

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	2	5	4	—	—	1	2	—	1	1	—	—	—	—	—
Apoplexy	8	14	8	17	18	18	35	31	35	17	10	5	—	—	—	—
Paralysis	11	14	19	19	32	28	58	44	59	39	20	6	—	—	—	—
Delirium Tremens	9	8	10	6	3	2	2	2	—	—	1	—	—	—	—	—
Chorea	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	5	11	8	2	2	5	3	2	4	3	—	—	—	—	—	—
Tetanus	1	—	—	1	2	—	—	—	1	—	—	—	—	—	—	—
Insanity	—	1	—	—	1	2	2	2	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	8	26	16	24	14	14	17	15	8	9	3	—	—	—	—	—
Pericarditis	2	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—
Aneurism	5	8	5	5	2	6	5	—	1	—	—	—	—	—	—	—
Heart Disease	41	59	62	78	55	57	73	74	55	39	11	3	1	—	—	—
Laryngitis	2	3	1	2	1	—	1	—	1	—	—	—	—	—	—	—
Bronchitis	21	25	44	63	82	63	94	84	69	38	19	9	1	—	—	—
Pleurisy	2	5	3	—	3	3	6	3	3	2	—	1	—	—	—	—
Pneumonia	23	30	30	32	30	28	21	15	8	7	1	—	—	—	—	1
Asthma	4	4	12	10	13	18	20	17	9	8	3	—	1	—	—	—
Lung Disease	7	6	16	7	6	2	7	4	4	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Gastritis	2	—	2	2	6	2	1	6	—	2	—	—	—	—	—	—
Enteritis	3	2	6	6	3	1	3	1	3	4	—	—	—	—	—	—
Peritonitis	—	4	2	4	3	1	1	3	—	—	—	—	—	—	—	—
Ascites	—	1	—	1	1	2	—	2	—	—	—	—	—	—	—	—
Ulceration of Intestines	3	2	3	6	5	6	3	6	2	1	—	—	—	—	—	—
Hernia	1	1	1	—	1	1	1	1	1	2	—	—	—	—	—	—
Ileus	5	4	5	3	1	1	3	1	1	2	2	—	—	—	—	—
Intussusception	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Stricture of Intestines	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Stomach Disease	5	5	9	7	12	9	9	12	8	1	1	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	3	4	3	3	1	3	—	2	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	2	5	1	1	—	1	—	—	—	—	—
Liver Disease	8	18	12	15	14	16	18	10	10	5	3	—	—	—	—	—
Spleen Disease	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Nephritis	2	—	1	1	—	1	—	—	1	—	—	—	—	—	—	—
Nephria	7	6	8	3	3	2	7	—	4	1	1	—	—	—	—	—
Addison's Disease	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	3	—	—	2	1	1	—	—	—	—	—
Diabetes	1	3	—	—	1	1	—	—	1	1	—	—	—	—	—	—
Stone	1	—	—	1	1	1	2	—	—	1	1	1	—	—	—	—
Cystitis	—	1	2	2	6	7	5	4	7	7	1	3	—	—	—	—
Stricture of Urethra	1	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—
Kidney Disease	6	7	6	5	12	7	6	3	4	—	2	4	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	1	2	1	3	—	1	1	1	—	—	—	—	—	—	—
Rheumatism	—	2	1	—	4	2	4	5	3	2	—	—	—	—	—	—
Joint Disease	4	3	1	1	2	2	1	1	—	—	1	—	—	—	—	—
Carbuncle	1	—	—	—	2	1	1	—	1	1	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Intemperance	9	7	5	5	3	7	6	1	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	3	1	3	1	—	1	1	1	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	2	1	1	—	4	1	2	1	1	—	—	—	—	—
Hanging, etc.	2	—	3	2	2	3	1	1	1	—	—	—	—	—	—	—
Suffocation	1	1	—	1	2	—	3	3	2	—	—	—	—	—	—	—
Drowning	13	12	8	5	9	1	3	8	2	2	—	—	—	—	—	2
Fracture and Contusion	36	25	33	20	17	13	19	—	4	8	2	1	—	—	—	—
Gunshot Wounds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	5	2	2	5	2	1	1	1	—	—	—	—	—	—	—
Other Violent Causes	3	1	3	2	2	1	1	1	1	—	—	—	—	—	—	—
Not Specified	3	5	4	5	10	12	17	1	2	—	—	—	—	—	—	6

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	17796	1457	626	1298	1845	799	545	367	807	443	560	718	730
SPECIFIED CAUSES	17479	1356	591	1278	1806	787	539	364	793	435	554	714	725
I. Zymotic Class	4803	172	167	468	832	417	314	214	425	147	148	148	177
II. Diseases of Uncertain Seat	632	5	4	9	11	3	5	3	7	9	8	9	15
III. Tubercular Class	3103	32	57	193	287	120	87	67	177	163	285	355	300
IV. Brain and Nervous System	1284	121	49	69	63	33	20	14	41	24	17	23	30
V. Organs of Circulation	784	2	—	3	—	—	2	—	10	13	20	29	26
VI. Respiratory Organs	2738	181	165	333	360	143	80	43	66	27	23	46	38
VII. Organs of Digestion	1200	118	60	141	201	45	11	7	15	22	24	43	49
VIII. Urinary Organs	158	1	—	—	2	2	3	4	8	4	4	14	11
IX. Organs of Generation	282	—	—	—	—	—	—	—	—	—	11	30	63
X. Organs of Locomotion	101	1	2	—	1	—	—	2	12	11	5	3	3
XI. Skin, etc.	13	2	3	—	1	1	—	—	—	—	—	—	—
XII. Malformation	49	41	3	2	1	—	1	—	—	—	—	1	—
XIII. Premature Debility	741	632	58	51	—	—	—	—	—	—	—	—	—
XIV. Atrophy	144	—	—	—	40	12	9	5	6	3	2	2	4
XV. Age	1117	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	32	5	5	1	—	—	1	—	—	—	—	1	—
XVII. Violent Deaths	298	43	18	8	7	11	6	5	26	12	7	10	9
I. Small Pox	66	10	8	3	6	5	5	4	5	2	3	8	1
Measles	432	6	9	73	184	72	28	22	28	5	2	2	—
Scarlatina	625	3	10	37	103	88	101	75	155	26	8	10	1
Diphtheria	147	3	2	13	29	28	12	9	34	10	—	3	—
Whooping Cough	828	27	45	190	276	128	85	34	41	2	—	—	—
Croup	177	7	3	25	51	37	27	16	11	—	—	—	—
Thrush	3	2	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	544	71	64	91	122	17	6	2	11	5	4	1	4
Dysentery	76	1	2	4	5	2	2	3	2	1	—	—	1
Cholera	42	4	4	9	4	3	1	1	3	—	—	—	1
Influenza	22	—	—	—	—	1	1	—	1	—	—	—	—
Purpura	6	—	—	—	—	—	—	—	—	1	—	—	1
Ague	3	—	—	—	—	1	—	—	—	1	—	—	—
Worms	4	—	—	—	1	—	—	2	1	—	—	—	—
Typhus	1098	3	1	4	9	5	18	20	47	56	89	78	95
Enteric Fever	231	1	3	5	17	12	14	13	37	19	20	16	15
Relapsing Fever	11	—	—	—	1	1	1	—	—	2	1	—	—
Simple Continued Fever	211	1	1	1	8	7	8	5	35	15	10	10	13
Infantile Remittent	38	—	1	4	6	9	4	4	10	—	—	—	—
Metria	93	—	—	—	—	—	—	—	—	—	4	19	37
Rheumatic Fever	28	—	—	—	—	—	—	2	2	2	3	—	4
Erysipelas	65	17	6	3	5	—	—	—	1	—	3	1	3
Pyæmia	5	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	43	15	7	5	5	1	1	—	—	—	1	—	1
Noma	5	—	—	1	—	—	—	2	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	16	2	—	1	—	—	—	—	1	1	—	1	1
Dropsy	154	—	1	1	7	2	4	2	4	2	3	4	1
Abscess	42	1	2	5	2	—	1	1	1	4	2	2	3
Ulcer	11	1	—	1	—	—	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	26	—	1	1	1	—	—	—	1	1	1	—	—
Cancer	379	1	—	—	1	1	—	—	—	1	2	2	9
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	127	1	6	11	17	13	4	5	13	13	9	16	3
Tabes Mesenterica	193	8	14	23	56	16	16	9	30	8	3	6	2
Phthisis	2288	6	9	36	77	41	23	16	92	133	267	332	295
Hydrocephalus	495	17	28	123	137	50	44	37	42	9	6	1	—

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life,
in 1865.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	76	2	6	6	5	2	5	2	16	8	—	4	4
Apoplexy	265	2	3	9	10	4	1	—	4	2	1	4	9
Paralysis	396	—	—	—	—	—	—	—	3	1	1	1	1
Delirium Tremens	11	—	—	—	—	—	—	—	—	—	—	1	1
Chorea	3	—	—	—	—	—	—	—	—	1	2	—	—
Epilepsy	65	—	—	—	—	—	—	—	—	1	7	7	9
Tetanus	7	3	—	—	—	—	—	—	—	1	—	1	—
Insanity	6	—	—	—	—	—	—	—	—	—	—	—	2
Convulsions	263	110	36	37	40	14	9	7	10	—	—	—	—
Brain Disease	192	4	4	17	8	13	5	5	8	10	6	5	4
V. Pericarditis	18	—	—	—	—	—	—	—	4	1	2	2	1
Aneurism	12	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	754	2	—	3	—	—	2	—	6	12	18	27	25
VI. Laryngitis	31	—	—	5	5	3	2	3	—	—	—	2	—
Bronchitis	1998	140	134	273	266	106	50	29	40	15	8	21	17
Pleurisy	28	—	—	1	1	1	2	—	2	—	1	1	2
Pneumonia	477	33	30	54	82	31	24	10	21	8	12	16	14
Asthma	126	—	—	—	—	—	—	—	—	1	—	—	2
Lung Disease	78	8	1	—	6	2	2	1	3	3	2	6	3
VII. Teething	319	2	13	112	164	28	—	—	—	—	—	—	—
Quinsey	14	5	—	1	2	—	1	—	1	—	1	—	2
Gastritis	34	—	4	3	1	1	1	2	—	1	2	1	2
Enteritis	205	65	25	17	21	9	4	4	3	5	4	1	7
Peritonitis	83	2	2	1	—	2	1	—	2	3	8	20	14
Ascites	29	—	—	—	—	—	—	—	3	—	—	1	—
Ulceration of Intestines	37	2	—	—	2	2	—	—	—	1	4	2	4
Hernia	25	—	—	—	—	—	—	—	—	—	—	1	1
Ileus	57	7	1	—	—	2	—	—	—	1	2	1	5
Intussusception	8	—	1	—	—	—	—	—	—	1	—	—	1
Stricture of Intestines	7	—	—	—	—	—	—	—	1	—	—	—	1
Stomach Disease	164	18	11	4	8	1	1	1	3	6	2	7	5
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	27	1	—	1	—	—	—	—	—	—	—	—	2
Jaundice	35	14	1	—	—	—	1	—	—	1	—	2	—
Liver Disease	150	2	2	2	3	—	1	—	2	3	1	6	5
Spleen Disease	5	—	—	—	—	—	1	—	—	—	—	1	—
VIII. Nephritis	17	—	—	—	1	1	1	1	4	—	—	2	—
Nephria	64	1	—	—	—	1	1	3	2	4	2	6	6
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	11	—	—	—	—	—	—	—	—	—	1	1	1
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	6	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	57	—	—	—	1	—	1	—	2	—	1	4	3
IX. Paramenia	6	—	—	—	—	—	—	—	—	—	1	—	2
Ovarian Dropsy	31	—	—	—	—	—	—	—	—	—	1	1	2
Childbirth	217	—	—	—	—	—	—	—	—	—	8	29	56
Organs of Generation	28	—	—	—	—	—	—	—	—	—	1	—	3
X. Arthritis	16	—	1	—	—	—	—	2	3	2	1	—	1
Rheumatism	48	—	—	—	—	—	—	—	2	1	3	1	1
Joint and Bone Disease	37	1	1	—	1	—	—	—	7	8	1	2	1
XI. Carbuncle	5	1	1	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	1	—	—	—	—	—	—	—	—	—	—
Skin Disease	7	1	1	—	1	1	—	—	—	—	—	—	—
XVII. Intemperance	19	—	—	—	—	—	—	—	—	—	—	—	1
Privation	1	—	—	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk	40	21	14	5	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	—	—	—	—	—	—	—	—	—
Poison	15	—	1	—	—	1	—	—	—	—	1	1	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	57	—	—	1	4	8	3	4	14	1	2	—	1
Hanging, etc.	10	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	29	10	2	1	1	—	—	—	1	7	2	—	—
Drowning	24	—	1	—	—	—	—	—	1	1	—	2	1
Fracture and Contusion	68	2	—	—	1	2	3	1	8	3	2	4	2
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	5	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	28	10	—	—	1	—	—	—	2	—	—	2	2
Not Specified	317	101	35	20	39	12	6	3	14	8	6	4	5

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life,
in 1865.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	2	3	3	—	2	1	1	—	—	—	—	—	—	—	—
Apoplexy	11	12	7	17	27	25	27	28	30	20	9	2	—	1	—	—
Paralysis	14	9	12	19	29	34	56	58	55	49	37	13	2	2	—	—
Delirium Tremens	1	1	1	2	1	2	1	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	6	8	5	4	3	4	1	5	1	3	—	1	—	—	—	—
Tetanus	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Insanity	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	4	8	9	14	10	13	16	9	12	6	—	2	—	—	—	—
Pericarditis	—	1	—	4	—	—	2	—	1	—	—	—	—	—	—	—
Aneurism	—	1	1	1	2	2	2	1	1	1	—	—	—	—	—	—
Heart Disease	43	29	68	69	67	75	93	81	62	49	18	2	3	—	—	—
Laryngitis	2	3	1	—	1	1	1	2	—	—	—	—	—	—	—	—
Bronchitis	40	44	48	69	102	103	130	116	104	77	46	15	3	1	—	1
Pleurisy	—	1	1	3	3	—	1	2	1	4	—	1	—	—	—	—
Pneumonia	17	13	17	17	13	14	12	15	12	7	4	1	—	—	—	—
Asthma	3	2	9	5	19	19	23	19	14	5	4	1	—	—	—	—
Lung Disease	6	6	7	5	5	3	3	—	3	—	2	1	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	2	2	2	4	2	2	1	1	—	—	—	—	—	—	—	—
Enteritis	3	5	3	3	5	2	2	6	5	3	3	—	—	—	—	—
Peritonitis	2	6	3	8	3	1	3	1	—	—	1	—	—	—	—	—
Ascites	1	1	2	9	3	3	4	—	1	—	1	—	—	—	—	—
Ulceration of Intestines	5	3	3	—	2	3	2	1	—	—	1	—	—	—	—	—
Hernia	—	2	2	2	5	4	2	2	2	—	1	1	—	—	—	—
Ileus	1	3	3	1	1	2	3	9	8	5	2	—	—	—	—	—
Intussusception	1	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—
Stricture of Intestines	—	—	1	2	1	—	—	—	—	1	—	—	—	—	—	—
Stomach Disease	1	6	10	7	13	11	11	7	10	17	1	2	—	—	—	1
Pancreas Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	3	3	1	5	2	1	3	1	—	—	1	—	—	—	—
Jaundice	2	—	1	2	3	1	2	1	2	1	—	1	—	—	—	—
Liver Disease	7	6	9	14	12	25	13	18	14	3	1	—	—	—	—	1
Spleen Disease	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Nephritis	2	—	2	—	1	—	1	—	—	1	—	—	—	—	—	—
Nephria	3	4	8	7	1	4	6	—	1	3	—	—	—	—	—	1
Addison's Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	1	—	3	2	1	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	1	—	—	1	2	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	5	—	6	4	9	8	3	4	2	—	—	—	—	—	—
Paramenia	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	4	3	5	7	1	4	—	1	—	—	—	—	—	—	—
Childbirth	46	52	24	2	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	2	2	4	8	3	3	1	—	—	—	—	—	—	—	—
Arthritis	—	1	—	2	—	—	1	1	1	—	—	—	—	—	—	—
Rheumatism	—	3	1	5	1	4	7	8	5	5	1	—	—	—	—	—
Joint Disease	2	4	2	1	2	2	—	—	1	1	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—
Intemperance	1	4	4	3	3	1	2	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Poison	4	1	—	1	3	1	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	1	—	1	2	5	1	3	1	1	2	—	—	—	—
Hanging, etc.	1	1	1	4	1	—	—	—	—	1	—	—	—	—	—	—
Suffocation	—	1	1	2	—	—	—	1	—	—	—	—	—	—	—	—
Drowning	1	3	3	3	2	2	2	1	—	—	—	—	—	—	—	1
Fracture and Contusion	2	2	4	4	1	5	3	6	3	4	4	2	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	1	1	5	—	—	1	—	1	2	—	—	—	—	—	—
Not Specified	10	8	5	8	9	8	7	2	1	—	—	—	—	—	—	6

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	13914	1279	574	1244	1756	740	490	345	705	332	473	608	562
SPECIFIED CAUSES	13727	1228	552	1229	1742	732	484	342	698	324	465	603	559
I. Zymotic Class	4090	156	142	401	732	351	261	178	328	99	137	159	143
II. Diseases of Uncertain Seat	296	8	—	3	4	5	4	4	11	5	4	8	8
III. Tubercular Class	2527	37	59	201	286	130	83	68	181	121	214	285	205
IV. Brain and Nervous System	938	120	54	58	69	24	19	17	29	22	15	15	32
V. Organs of Circulation	474	—	—	—	—	1	1	—	9	13	14	13	20
VI. Respiratory Organs	2574	159	165	385	417	168	89	55	76	17	28	45	41
VII. Organs of Digestion	877	110	49	131	191	28	8	4	17	14	12	27	33
VIII. Urinary Organs	134	—	—	—	2	—	3	2	9	5	2	10	10
IX. Organs of Generation	92	—	—	—	—	—	—	—	—	—	2	10	28
X. Organs of Locomotion	77	1	1	—	—	—	—	1	4	11	8	6	3
XI. Skin, etc.	5	1	2	—	1	—	1	—	—	—	—	—	—
XII. Malformation	27	25	—	1	—	—	—	1	—	—	—	—	—
XIII. Premature Debility	649	554	59	36	—	—	—	—	—	—	—	—	—
XIV. Atrophy	97	—	—	—	33	16	6	3	7	5	2	1	1
XV. Age	402	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	55	8	4	1	1	—	1	—	1	1	—	1	1
XVII. Violent Deaths	413	49	17	12	6	9	8	9	26	11	27	23	34
I. Small Pox	26	2	8	3	2	3	—	4	1	—	2	—	—
Measles	330	1	8	70	138	49	29	16	14	3	2	—	—
Scarlatina	513	3	2	27	85	68	75	63	155	24	7	2	1
Diphtheria	69	3	2	8	20	11	5	1	11	3	2	2	—
Whooping Cough	879	37	39	181	315	145	83	37	40	2	—	—	—
Croup	110	4	2	21	35	15	15	12	6	—	—	—	—
Thrush	2	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa	389	67	52	64	83	17	9	4	8	4	3	2	4
Dysentery	38	—	3	1	3	1	—	1	—	—	1	—	1
Cholera	39	3	2	4	5	3	1	1	4	1	—	—	1
Influenza	12	—	—	1	—	1	1	—	2	—	—	—	—
Purpura	3	—	1	—	—	—	1	—	—	—	—	—	1
Ague	1	—	—	—	—	—	—	—	—	—	—	1	—
Worms	2	—	—	—	—	—	—	1	1	—	—	—	—
Typhus	1177	4	4	6	10	6	16	14	31	41	95	115	102
Enteric Fever	166	1	2	6	22	18	14	10	23	10	12	11	7
Relapsing Fever	3	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	168	—	1	1	5	9	7	7	24	7	8	13	10
Infantile Remittent	26	2	—	2	5	3	5	4	5	—	—	—	—
Metria	26	—	—	—	—	—	—	—	—	—	1	6	11
Rheumatic Fever	14	—	—	—	—	—	—	1	1	1	3	1	1
Erysipelas	47	13	5	3	2	1	—	—	1	2	1	2	2
Pyæmia	6	—	—	—	—	—	—	—	—	—	1	—	2
Syphilis	40	15	10	2	2	1	—	—	—	—	1	2	1
Noma	4	—	—	1	—	—	—	2	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	12	4	—	—	—	—	—	—	—	—	—	3	—
Dropsy	100	1	—	—	2	4	1	3	9	3	1	1	2
Abscess	35	2	—	2	2	—	2	1	2	2	2	2	4
Ulcer	4	1	—	1	—	—	1	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	11	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	134	—	—	—	—	1	—	—	—	—	—	2	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	89	4	3	9	11	8	5	3	19	6	5	4	2
Tabes Mesenterica	200	10	17	25	51	19	13	14	37	4	2	5	—
Phthisis	1770	6	10	47	82	55	24	24	91	103	205	276	203
Hydrocephalus	463	17	29	120	142	48	41	27	34	8	2	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	65	1	10	3	11	3	3	4	7	8	1	2	1
Apoplexy	189	8	4	9	8	5	2	2	2	3	1	1	12
Paralysis	180	—	—	—	—	—	—	—	1	—	—	—	1
Delirium Tremens	18	—	—	—	—	—	—	—	—	—	—	1	—
Chorea	1	—	—	—	—	—	—	—	1	—	—	—	—
Epilepsy	40	—	—	—	—	—	—	—	—	1	5	2	5
Tetanus	10	3	—	1	—	—	—	—	1	1	—	1	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	251	104	33	34	43	14	8	7	8	—	—	—	—
Brain Disease	181	4	7	11	7	2	6	4	9	10	6	8	12
V. Pericarditis	12	—	—	—	—	—	—	—	2	1	1	—	1
Aneurism	9	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	453	—	—	—	—	1	1	—	7	12	13	13	18
VI. Laryngitis	28	—	—	3	13	2	1	1	—	—	1	1	1
Bronchitis	1778	113	126	301	298	111	54	40	40	7	10	14	18
Pleurisy	18	—	—	—	—	—	—	1	—	—	4	2	2
Pneumonia	581	41	36	79	98	52	33	12	32	7	13	22	14
Asthma	87	—	—	—	—	—	—	—	—	1	—	—	1
Lung Disease	82	5	3	2	8	3	1	1	4	2	—	6	5
VII. Teething	267	—	12	96	147	12	—	—	—	—	—	—	—
Quinsey	10	1	—	3	2	1	—	—	—	1	—	1	1
Gastritis	34	1	2	5	1	1	2	2	—	1	—	3	1
Enteritis	193	68	24	20	28	8	4	1	2	6	3	1	6
Peritonitis	42	1	1	—	—	—	—	—	3	3	6	7	8
Ascites	15	—	—	1	—	—	—	—	4	—	—	—	—
Ulceration of Intestines	18	1	—	—	1	1	—	—	—	—	2	2	2
Hernia	13	—	1	1	—	—	—	—	—	—	—	—	—
Ileus	40	12	2	1	—	2	—	—	2	—	—	3	3
Intussusception	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	4	—	—	1	—	—	—	—	1	—	—	—	1
Stomach Disease	101	14	3	3	10	3	—	—	2	2	—	4	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	17	1	1	—	—	—	—	—	—	—	—	—	4
Jaundice	23	7	2	—	1	—	—	—	1	—	—	1	—
Liver Disease	96	4	1	—	1	—	2	1	2	1	1	5	4
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	16	—	—	—	1	—	1	1	4	1	—	—	—
Nephria	37	—	—	—	—	—	—	1	2	2	1	4	4
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	12	—	—	—	—	—	—	—	—	1	—	3	2
Stone	2	—	—	—	—	—	—	—	—	—	—	2	—
Cystitis	14	—	—	—	—	—	—	—	—	—	—	—	2
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	49	—	—	—	1	—	2	—	3	1	1	1	2
IX. Paramenia	4	—	—	—	—	—	—	—	—	—	—	—	2
Ovarian Dropsy	7	—	—	—	—	—	—	—	—	—	—	—	2
Childbirth	71	—	—	—	—	—	—	—	—	—	2	10	21
Organs of Generation	10	—	—	—	—	—	—	—	—	—	—	—	3
X. Arthritis	17	—	1	—	—	—	—	—	1	3	2	4	—
Rheumatism	35	—	—	—	—	—	—	—	—	1	4	2	1
Joint and Bone Disease	25	1	—	—	—	—	—	1	3	7	2	—	2
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	1	—	1	—	1	—	—	—	—	—	—
Skin Disease	2	1	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	27	—	—	—	—	—	—	—	—	—	—	—	2
Privation	1	—	—	—	—	—	1	—	—	—	—	—	—
Want of Breast Milk	42	24	11	7	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	—	—	—	—	—	—	—	—	—
Poison	17	4	—	1	—	1	1	—	—	—	1	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	45	—	—	—	1	7	4	5	10	3	1	2	—
Hanging, etc.	10	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	21	9	5	3	—	—	—	—	1	—	—	—	—
Drowning	57	—	—	—	1	—	—	—	4	3	8	3	6
Fracture and Contusion	151	—	1	1	4	1	2	4	8	5	12	17	19
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	15	—	—	—	—	—	—	—	1	—	5	—	2
Other Violent Causes	25	12	—	—	—	—	—	—	2	—	—	1	3
Not Specified	187	51	22	15	14	8	6	3	7	8	8	5	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	1	1	3	—	1	—	1	—	—	—	—	—	—	—	—
Apoplexy	12	12	6	12	14	14	19	13	16	8	4	1	—	—	—	—
Paralysis	10	6	12	9	18	18	33	27	23	14	4	4	—	—	—	—
Delirium Tremens	2	2	4	2	1	3	—	2	—	—	1	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	7	7	5	2	2	2	—	—	1	—	—	1	—	—	—	—
Tetanus	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	6	14	6	12	9	9	14	9	11	5	—	—	—	—	—	—
Pericarditis	1	1	1	4	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	4	—	1	1	1	—	—	—	—	—	—	—	—	—	—
Heart Disease	31	25	43	55	39	37	47	54	30	19	4	1	3	—	—	—
Laryngitis	—	1	1	—	1	—	1	1	—	—	—	—	—	—	—	—
Bronchitis	37	35	57	71	98	78	92	75	54	35	9	4	1	—	—	—
Pleurisy	—	3	1	—	—	2	—	1	1	—	—	1	—	—	—	—
Pneumonia	17	19	17	24	18	16	9	8	8	4	1	1	—	—	—	—
Asthma	3	2	8	5	14	17	16	8	6	4	1	1	—	—	—	—
Lung Disease	8	4	12	7	3	1	3	—	4	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	3	1	2	3	3	—	—	2	—	1	—	—	—	—	—	—
Enteritis	2	3	3	5	4	1	3	—	1	—	—	—	—	—	—	—
Peritonitis	—	4	2	4	1	1	—	1	—	—	—	—	—	—	—	—
Ascites	—	1	1	4	1	—	3	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	—	1	2	1	1	2	—	—	—	—	—	—	—	—	—
Hernia	—	1	1	—	5	1	1	2	—	—	—	—	—	—	—	—
Ileus	2	2	1	1	—	—	3	2	2	1	1	—	—	—	—	—
Intussusception	—	1	—	—	1	1	—	—	—	—	—	1	—	—	—	—
Stricture of Intestines	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	2	6	7	12	10	7	5	2	2	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	2	1	1	2	1	2	1	—	—	—	—	—	—	—	—
Jaundice	1	—	—	1	1	—	4	2	1	—	1	—	—	—	—	—
Liver Disease	5	8	7	11	11	12	6	8	4	1	1	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	3	—	2	1	1	—	1	—	—	—	—	—	—	—	—	—
Nephria	4	6	5	2	—	2	4	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Diabetes	1	1	—	—	—	—	2	—	1	1	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	1	1	—	1	3	1	1	1	1	1	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Kidney Disease	5	7	1	4	6	6	4	1	3	—	—	1	—	—	—	—
Paramenia	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—
Childbirth	12	18	7	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	1	1	1	2	1	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	2	2	1	—	—	—	1	—	—	—	—	—	—	—
Rheumatism	—	2	1	3	2	4	5	4	3	2	1	—	—	—	—	—
Joint Disease	2	1	—	—	1	4	—	—	—	1	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	4	5	4	2	4	3	2	1	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Poison	4	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	1	1	1	6	—	—	—	1	—	—	—	—	—
Hanging, etc.	1	—	2	3	1	—	1	1	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Drowning	6	11	5	1	6	—	2	—	1	—	—	—	—	—	—	—
Fracture and Contusion	11	8	12	11	7	7	6	5	2	4	3	1	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	1	4	1	—	—	1	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	2	—	3	—	1	—	—	—	1	—	—	—	—	—	—
Not Specified	6	4	2	7	6	4	7	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	7017	759	330	671	877	364	240	174	358	144	265	307	261
SPECIFIED CAUSES	6925	732	321	660	874	361	238	172	355	141	262	304	259
I. Zymotic Class	2055	93	81	201	339	169	127	85	162	42	82	98	59
II. Diseases of Uncertain Seat	111	7	—	2	4	3	3	1	7	1	1	4	3
III. Tubercular Class	1211	18	38	119	148	67	42	37	98	49	110	121	92
IV. Brain and Nervous System	518	73	27	133	41	14	10	8	15	11	7	7	18
V. Organs of Circulation	243	—	—	—	—	1	—	—	4	5	9	7	11
VI. Respiratory Organs	1320	86	97	211	230	87	43	31	36	6	17	24	27
VII. Organs of Digestion	425	64	31	74	91	5	3	1	10	4	3	8	10
VIII. Urinary Organs	74	—	—	—	—	—	1	1	3	3	—	9	5
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	41	—	—	—	—	—	—	1	1	6	6	5	2
XI. Skin, etc.	3	1	—	—	1	—	1	—	—	—	—	—	—
XII. Malformation	17	15	—	1	—	—	—	1	—	—	—	—	—
XIII. Premature Debility	381	335	33	13	—	—	—	—	—	—	—	—	—
XIV. Atrophy	42	—	—	—	14	10	3	—	3	3	1	—	1
XV. Age	132	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	39	5	3	—	1	—	—	—	1	1	—	1	1
XVII. Violent Deaths	313	35	11	6	5	5	5	6	15	10	26	20	29
I. Small Pox	14	—	5	2	1	2	—	2	—	1	—	1	—
Measles	160	1	4	38	67	23	15	5	7	—	—	—	—
Scarlatina	274	2	2	14	43	34	42	32	88	11	4	1	1
Diphtheria	37	2	1	5	13	5	3	1	3	1	2	1	—
Hooping Cough	402	25	21	81	141	67	32	18	16	1	—	—	—
Croup	57	3	2	12	16	7	7	7	3	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	200	39	32	35	36	9	7	3	3	2	2	1	1
Dysentery	21	—	2	1	1	1	—	—	—	—	1	—	—
Cholera	21	1	—	2	4	1	—	1	2	1	—	—	—
Influenza	5	—	—	1	—	—	—	—	1	—	—	—	—
Purpura	3	—	1	—	—	—	1	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	1	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	633	2	3	3	4	4	6	5	16	16	57	75	48
Enteric Fever	78	1	—	3	9	10	9	4	12	5	7	7	2
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	77	—	—	—	1	4	2	4	9	2	5	7	4
Infantile Remittent	13	2	—	1	3	—	3	3	1	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	7	—	—	—	—	—	—	—	—	—	2	1	—
Erysipelas	24	5	2	2	—	1	—	—	1	2	1	1	1
Pyæmia	4	—	—	—	—	—	—	—	—	—	1	—	2
Syphilis	23	10	6	1	—	1	—	—	—	—	—	2	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	8	4	—	—	—	—	—	—	—	—	—	2	—
Dropsy	49	1	—	—	2	3	1	1	6	1	—	1	1
Abscess	18	1	—	1	2	—	1	—	1	—	1	1	2
Ulcer	3	1	—	1	—	—	1	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	29	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	52	4	2	6	8	3	3	1	14	2	2	1	2
Tabes Mesenterica	124	4	11	17	32	11	8	8	24	2	2	3	—
Phthisis	786	2	7	28	35	30	13	14	40	39	105	117	90
Hydrocephalus	249	8	18	68	73	23	18	14	20	6	1	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	247	276	276	277	267	213	227	195	135	82	41	22	6	—	1	2
SPECIFIED CAUSES . .	245	274	274	274	264	209	222	195	135	82	41	22	6	—	1	2
Zymotic Class . . .	70	79	76	80	62	50	41	30	20	6	1	1	—	—	—	1
Uncertain Seat . . .	7	4	13	6	6	13	9	10	3	3	—	—	—	—	—	1
Tubercular Class . .	60	62	47	34	29	16	14	8	1	1	—	—	—	—	—	—
Brain, etc.	20	23	20	22	23	25	40	29	30	14	6	2	—	—	—	—
Heart, etc.	19	21	25	31	20	23	17	27	12	6	3	1	1	—	—	—
Respiratory Organs .	25	35	50	56	66	47	49	42	33	15	3	4	—	—	—	—
Digestive Organs . .	11	16	13	17	20	9	15	12	2	2	3	1	—	—	—	—
Urinary Organs . . .	6	10	5	3	6	8	5	2	3	2	—	2	—	—	—	—
Generative Organs . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . .	1	1	3	1	3	3	1	2	3	1	—	—	—	—	—	—
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	1	—	—	5	1	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	15	25	24	30	22	10	5	—	1	—
Sudden Deaths . . .	2	1	1	8	4	5	2	2	1	—	—	—	—	—	—	—
Violent Deaths . . .	24	21	21	16	20	9	14	6	3	2	3	1	—	—	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	4	1	2	3	4	3	4	4	2	3	—	—	—	—	—	—
Dysentery	1	—	1	1	2	5	—	1	2	1	—	1	—	—	—	—
Cholera	—	2	2	2	—	1	1	1	—	1	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	55	66	61	64	50	37	29	19	11	1	—	—	—	—	—	1
Enteric Fever	1	—	1	1	—	—	2	1	2	—	1	—	—	—	—	—
Relapsing Fever . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	5	9	5	8	4	1	4	1	2	—	—	—	—	—	—	—
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	1	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Erysipelas	1	—	1	1	2	2	1	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Dropsy	3	2	6	2	2	5	5	4	2	1	—	—	—	—	—	—
Abscess	1	—	1	—	1	1	1	2	—	—	—	—	—	—	—	1
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—
Cancer	2	2	4	4	3	7	3	3	1	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Tabes Mesenterica . .	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Phthisis	59	60	47	34	29	16	12	7	1	1	—	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	37	1	6	3	7	2	1	3	3	4	1	—	—
Apoplexy	105	6	1	6	3	3	2	2	1	2	3	1	6
Paralysis	94	—	—	—	—	—	—	—	1	—	—	—	1
Delirium Tremens	15	—	—	—	—	—	—	—	—	—	—	1	—
Chorea	1	—	—	—	—	—	—	—	1	—	—	—	—
Epilepsy	12	—	—	—	—	—	—	—	—	—	1	—	2
Tetanus	7	2	—	1	—	—	—	—	1	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	139	60	16	19	26	9	4	2	3	—	—	—	—
Brain Disease	106	4	4	4	5	—	3	1	5	5	2	5	9
V. Pericarditis	5	—	—	—	—	—	—	—	—	—	1	—	1
Aneurism	7	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	231	—	—	—	—	1	—	—	4	5	8	7	9
VI. Laryngitis	14	—	—	1	9	—	—	—	—	—	1	—	1
Bronchitis	878	61	72	164	170	58	26	25	14	2	5	6	12
Pleurisy	15	—	—	—	—	—	—	1	—	—	3	2	1
Pneumonia	329	23	22	44	48	28	17	5	19	3	8	14	9
Asthma	44	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	40	2	3	2	3	1	—	—	3	1	—	2	3
VII. Teething	129	—	9	53	67	—	—	—	—	—	—	—	—
Quinsey	9	1	—	3	1	1	—	—	—	1	—	1	1
Gastritis	13	1	—	2	—	—	1	—	—	—	—	2	—
Enteritis	102	38	16	10	17	2	1	—	2	3	1	—	2
Peritonitis	11	1	—	—	—	—	—	—	2	—	2	—	1
Ascites	3	—	—	1	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	8	1	—	—	—	—	—	—	—	—	—	—	—
Hernia	7	—	1	1	—	—	—	—	—	—	—	—	—
Ileus	25	6	2	1	—	—	—	—	2	—	—	2	2
Intussusception	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	1	—	—	—	—	—	—	—	—	—
Stomach Disease	49	7	1	2	5	2	—	—	1	—	—	2	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	7	1	1	—	—	—	—	—	—	—	—	—	2
Jaundice	12	4	1	—	1	—	—	—	1	—	—	—	—
Liver Disease	47	4	—	—	—	—	1	1	1	—	—	1	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	5	—	—	—	—	—	—	—	1	1	—	—	—
Nephria	19	—	—	—	—	—	—	1	—	—	—	4	2
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	8	—	—	—	—	—	—	—	—	1	—	3	1
Stone	2	—	—	—	—	—	—	—	—	—	—	2	—
Cystitis	12	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	25	—	—	—	—	—	1	—	2	1	—	—	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	12	—	—	—	—	—	—	—	—	2	1	4	—
Rheumatism	17	—	—	—	—	—	—	—	—	1	3	1	1
Joint and Bone Disease	12	—	—	—	—	—	—	1	1	3	2	—	2
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	2	—	—	—	1	—	1	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	20	—	—	—	—	—	—	—	—	—	—	—	1
Privation	1	—	—	—	—	—	1	—	—	—	—	—	—
Want of Breast Milk	27	19	6	2	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	10	4	—	1	—	—	1	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	28	—	—	—	1	5	2	3	3	3	1	2	—
Hanging, etc.	8	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	14	4	4	2	—	—	—	—	1	—	—	—	—
Drowning	48	—	—	—	1	—	—	—	4	2	8	2	6
Fracture and Contusion	130	—	1	1	3	—	1	3	5	5	12	16	18
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	11	—	—	—	—	—	—	—	1	—	5	—	1
Other Violent Causes	15	8	—	—	—	—	—	—	1	—	—	—	2
Not Specified	92	27	9	11	3	3	2	2	3	3	3	3	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	6897	520	244	573	879	376	250	171	347	188	208	301	301
SPECIFIED CAUSES	6802	496	231	569	868	371	246	170	343	183	203	299	300
I. Zymotic Class	2035	63	61	200	393	182	134	93	166	57	55	61	84
II. Diseases of Uncertain Seat	185	1	—	1	—	2	1	3	4	4	3	4	5
III. Tubercular Class	1316	19	21	82	138	63	41	31	83	72	104	164	113
IV. Brain and Nervous System	420	47	27	25	28	10	9	9	14	11	8	8	14
V. Organs of Circulation	231	—	—	—	—	—	1	—	5	8	5	6	9
VI. Respiratory Organs	1254	73	68	174	187	81	46	24	40	11	11	21	14
VII. Organs of Digestion	452	46	18	57	100	23	5	3	7	10	9	19	23
VIII. Urinary Organs	60	—	—	—	2	—	2	1	6	2	2	1	5
IX. Organs of Generation	92	—	—	—	—	—	—	—	—	—	2	10	28
X. Organs of Locomotion	36	1	1	—	—	—	—	—	3	5	2	1	—
XI. Skin, etc.	2	—	2	—	—	—	—	—	—	—	—	—	—
XII. Malformation	10	10	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	268	219	26	23	—	—	—	—	—	—	—	—	—
XIV. Atrophy	55	—	—	—	19	6	3	3	4	2	1	1	—
XV. Age	270	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	16	3	1	1	—	—	1	—	—	—	—	—	—
XVII. Violent Deaths	100	14	6	6	1	4	3	3	11	1	1	3	5
I. Small Pox	12	2	3	1	1	1	—	2	1	—	—	1	—
Measles	170	—	4	32	71	26	14	11	7	3	2	—	—
Scarlatina	239	1	—	13	42	34	33	31	67	13	3	1	—
Diphtheria	32	1	1	3	7	6	2	—	8	2	—	1	—
Hooping Cough	477	12	18	100	174	78	51	19	24	1	—	—	—
Croup	53	1	—	9	19	8	8	5	3	—	—	—	—
Thrush	2	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	189	28	20	29	47	8	2	1	5	2	1	1	3
Dysentery	17	—	1	—	2	—	—	1	—	—	—	—	1
Cholera	18	2	2	2	1	2	1	—	2	—	—	—	1
Influenza	7	—	—	—	—	1	1	—	1	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	—	—	1	1	—	—	—	—
Typhus	544	2	1	3	6	2	10	9	15	25	38	40	54
Enteric Fever	88	—	2	3	13	8	5	6	11	5	5	4	5
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	91	—	1	1	4	5	5	3	15	5	3	6	6
Infantile Remittent	13	—	—	1	2	3	2	1	4	—	—	—	—
Metria	26	—	—	—	—	—	—	—	—	—	1	6	11
Rheumatic Fever	7	—	—	—	—	—	—	1	1	1	1	—	1
Erysipelas	23	8	3	1	2	—	—	—	—	—	—	1	1
Pyæmia	2	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	17	5	4	1	2	—	—	—	—	—	—	—	1
Noma	4	—	—	1	—	—	—	2	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	14	—	—	—	—	—	—	—	—	—	—	1	—
Dropsy	51	—	—	—	—	1	—	2	3	2	1	—	1
Abscess	17	1	—	1	—	—	1	1	1	2	1	1	2
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	105	—	—	—	—	1	—	—	—	—	—	2	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	37	—	1	3	3	5	2	2	5	4	3	3	—
Tabes Mesenterica	76	6	6	8	19	8	5	6	13	2	—	2	—
Phthisis	984	4	3	19	47	25	11	10	51	64	100	159	113
Hydrocephalus	219	9	11	52	69	25	23	13	14	2	1	—	—

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	303	267	275	297	264	230	261	202	184	127	75	39	10	4	1	—
SPECIFIED CAUSES	299	265	275	293	261	230	259	201	184	127	75	39	10	4	1	—
Zymotic Class	64	55	80	81	54	52	35	26	25	9	3	2	—	—	—	—
Uncertain Seat	18	16	21	18	23	10	23	10	9	4	1	3	1	—	—	—
Tubercular Class	103	92	60	52	38	20	8	10	—	1	1	—	—	—	—	—
Brain, etc.	22	19	14	19	22	23	26	24	21	13	3	4	—	—	—	—
Heart, etc.	14	9	19	29	20	15	30	27	18	13	1	—	2	—	—	—
Respiratory Organs	40	29	46	51	68	67	72	51	40	28	8	3	1	—	—	—
Digestive Organs	9	9	12	23	22	19	16	11	8	3	—	—	—	—	—	—
Urinary Organs	7	5	4	5	3	4	7	1	2	—	1	—	—	—	—	—
Generative Organs	14	20	11	3	3	1	—	—	—	—	—	—	—	—	—	—
Locomotive Organs	1	2	—	4	1	5	4	2	1	2	1	—	—	—	—	—
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	1	2	1	1	2	9	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	30	37	59	51	55	27	6	4	1	—
Sudden Deaths	1	1	—	—	2	2	3	1	—	—	—	—	—	—	—	—
Violent Deaths	5	6	7	7	3	3	5	1	1	3	1	—	—	—	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	1	1	2	5	4	5	5	7	5	5	2	—	—	—	—	—
Dysentery	1	—	—	2	2	—	1	2	3	1	—	—	—	—	—	—
Cholera	—	—	—	—	2	—	—	2	—	1	—	—	—	—	—	—
Influenza	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	49	46	66	63	40	37	19	9	9	1	—	—				

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	28	—	4	—	4	1	2	1	4	4	—	2	1
Apoplexy	84	2	3	3	5	2	—	—	1	—	—	—	6
Paralysis	86	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	3	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	28	—	—	—	—	—	—	—	—	1	4	2	3
Tetanus	3	1	—	—	—	—	—	—	—	1	—	1	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	112	44	17	15	17	5	4	5	5	—	—	—	—
Brain Disease	75	—	3	7	2	2	3	3	4	5	4	3	3
V. Pericarditis	7	—	—	—	—	—	—	—	2	1	—	—	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	222	—	—	—	—	—	1	—	3	7	5	6	9
VI. Laryngitis	14	—	—	2	4	2	1	1	—	—	—	1	—
Bronchitis	900	52	54	137	128	53	28	15	26	5	5	8	6
Pleurisy	3	—	—	—	—	—	—	—	—	—	—	—	1
Pneumonia	252	18	14	35	50	24	16	7	13	4	5	8	5
Asthma	43	—	—	—	—	—	—	—	—	1	—	—	—
Lung Disease	42	3	—	—	5	2	1	1	1	1	—	4	2
VII. Teething	138	—	3	43	80	12	—	—	—	—	—	—	—
Quinsey	1	—	—	—	1	—	—	—	—	—	—	—	—
Gastritis	21	—	2	3	1	1	1	2	—	1	—	1	1
Enteritis	91	30	8	10	11	6	3	1	—	3	2	1	4
Peritonitis	31	—	1	—	—	—	—	—	1	3	4	7	7
Ascites	12	—	—	—	—	—	—	—	3	—	—	—	—
Ulceration of Intestines	10	—	—	—	1	1	—	—	—	—	2	2	2
Hernia	6	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	15	6	—	—	—	2	—	—	—	—	—	1	1
Intussusception	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	3	—	—	—	—	—	—	—	1	—	—	—	1
Stomach Disease	52	7	2	1	5	1	—	—	1	2	—	2	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	10	—	—	—	—	—	—	—	—	—	—	—	2
Jaundice	11	3	1	—	—	—	—	—	—	—	—	1	—
Liver Disease	49	—	1	—	1	—	1	—	1	1	1	4	3
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	11	—	—	—	1	—	1	1	3	—	—	—	—
Nephria	18	—	—	—	—	—	—	—	2	2	1	—	2
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	4	—	—	—	—	—	—	—	—	—	—	—	1
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	—	—	—	—	—	—	—	1	—	—	—	—	—
Kidney Disease	24	—	—	—	1	—	1	—	1	—	1	1	1
IX. Paramenia	4	—	—	—	—	—	—	—	—	—	—	—	2
Ovarian Dropsy	7	—	—	—	—	—	—	—	—	—	—	—	2
Childbirth	71	—	—	—	—	—	—	—	—	—	2	10	21
Organs of Generation	10	—	—	—	—	—	—	—	—	—	—	—	3
X. Arthritis	5	—	1	—	—	—	—	—	1	1	1	—	—
Rheumatism	18	—	—	—	—	—	—	—	—	—	1	1	—
Joint and Bone Disease	13	1	—	—	—	—	—	—	2	4	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	1	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	7	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	15	5	5	5	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	7	—	—	—	—	1	—	—	—	—	1	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	17	—	—	—	—	2	2	2	7	—	—	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	7	5	1	1	—	—	—	—	—	—	—	—	—
Drowning	9	—	—	—	—	—	—	—	—	1	—	1	—
Fracture and Contusion	21	—	—	—	1	1	1	1	3	—	—	1	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	10	4	—	—	—	—	—	—	1	—	—	1	1
Not Specified	95	24	13	4	11	5	4	1	4	5	5	2	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1865.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—
Apoplexy	8	7	4	7	7	6	6	5	7	3	2	—	—	—	—	—
Paralysis	6	5	4	4	12	7	14	15	8	7	1	3	—	—	—	—
Delirium Tremens	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	5	3	2	2	2	2	—	—	1	—	—	1	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	2	3	3	4	1	5	6	4	5	3	—	—	—	—	—	—
Pericarditis	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	14	7	19	26	19	15	30	27	18	13	1	—	2	—	—	—
Laryngitis	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	26	22	30	35	51	53	60	42	31	24	7	1	1	—	—	—
Pleurisy	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	9	2	7	10	5	5	3	4	3	3	1	1	—	—	—	—
Asthma	2	—	3	1	9	9	9	4	3	1	—	1	—	—	—	—
Lung Disease	3	3	6	5	2	—	—	—	3	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	2	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	1	2	1	3	3	—	1	—	1	—	—	—	—	—	—	—
Peritonitis	—	2	1	3	1	1	—	—	—	—	—	—	—	—	—	—
Ascites	—	1	1	3	1	—	3	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	4	—	1	1	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—
Intussusception	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	1	1	3	4	4	7	4	2	1	2	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	1	—	1	2	1	1	1	—	—	—	—	—	—	—	—
Jaundice	1	—	—	1	1	—	1	1	1	—	—	—	—	—	—	—
Liver Disease	2	1	4	4	5	9	3	4	4	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	2	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
Nephria	2	2	3	1	—	1	2	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	3	—	3	2	3	2	1	2	—	—	—	—	—	—	—
Paramenia	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—
Childbirth	12	18	7	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	1	1	1	2	1	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	1	—	3	—	3	4	2	1	1	1	—	—	—	—	—
Joint Disease	1	1	—	—	1	2	—	—	—	1	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	2	1	1	1	—	1	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	1	2	2	—	1	—	1	—	—	—	—	—	—	—	—	—
Fracture and Contusion	—	1	1	2	—	2	1	1	1	2	1	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Not Specified	4	2	—	4	3	—	2	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.										
		AGE UNDER										30
		MONTHS.			2	3	4	5	10	15	20	
		3	6	12								
ALL CAUSES	1878	185	89	143	215	96	56	32	87	60	64	81
SPECIFIED CAUSES	1819	170	83	135	201	95	53	32	86	59	63	80
I. Zymotic Class	510	24	22	32	95	47	29	16	47	15	18	22
II. Diseases of Uncertain Seat	46	1	—	—	2	—	—	1	2	1	1	—
III. Tubercular Class	350	5	16	30	38	22	9	6	19	19	31	31
IV. Brain and Nervous System	124	17	4	5	4	3	2	1	3	4	3	3
V. Organs of Circulation	56	—	—	—	—	—	—	—	2	3	1	1
VI. Respiratory Organs	284	22	23	45	37	14	9	6	7	3	2	4
VII. Organs of Digestion	123	19	10	18	20	7	3	—	2	3	2	4
VIII. Urinary Organs	19	1	—	—	—	—	1	—	1	—	—	1
IX. Organs of Generation	24	—	—	—	—	—	—	—	—	—	1	6
X. Organs of Locomotion	14	—	—	—	—	—	—	1	1	3	1	1
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	4	4	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	83	72	6	5	—	—	—	—	—	—	—	—
XIV. Atrophy	15	—	—	—	3	1	—	—	—	—	1	2
XV. Age	107	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths	58	5	2	—	2	1	—	1	2	8	3	4
I. Small Pox	5	1	—	—	1	1	—	1	1	—	—	—
Measles	42	1	—	5	16	11	3	1	5	—	—	—
Scarlatina	64	1	—	6	12	7	14	6	17	1	—	—
Diphtheria	15	—	—	1	6	4	—	2	—	2	—	—
Hooping Cough	77	3	10	11	26	10	8	3	6	—	—	—
Croup	21	—	—	1	11	6	—	1	2	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	65	13	9	7	16	2	—	1	2	—	1	1
Dysentery	3	—	—	1	—	—	—	—	—	—	1	—
Cholera	6	1	1	—	1	—	1	—	—	—	1	—
Influenza	1	—	1	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	1	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	1	—	—	—	—	—	—	—
Typhus	155	—	—	—	1	—	—	—	4	8	11	16
Enteric Fever	15	—	—	—	2	2	2	1	5	2	1	—
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	17	—	—	—	1	—	1	—	5	2	1	1
Infantile Remittent	1	—	—	—	—	1	—	—	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	2
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	1	—
Erysipelas	7	1	1	—	1	1	—	—	—	—	1	2
Pyæmia	2	—	—	—	—	—	—	—	—	—	—	—
Syphilis	4	3	—	—	—	1	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	1	—	—	—
Dropsy	10	—	—	—	1	—	—	—	—	—	1	—
Abscess	3	—	—	—	1	—	—	—	—	1	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	1	—	—	—
Cancer	25	1	—	—	—	—	—	1	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	28	1	3	3	3	6	1	3	1	3	—	1
Tabes Mesenterica	41	1	3	7	14	4	2	—	5	3	2	—
Phthisis	216	—	—	5	4	4	2	—	8	13	29	30
Hydrocephalus	65	3	10	15	17	8	4	3	5	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	9	—	—	2	—	1	—	—	1	2	—	1	—
Apoplexy	21	—	—	—	—	—	1	—	—	—	—	—	1
Paralysis	36	—	—	—	—	—	—	—	1	1	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	6	—	—	—	—	—	—	—	—	—	2	—	2
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	30	17	3	2	4	2	1	—	1	—	—	—	—
Brain Disease	19	—	1	1	—	—	—	1	—	1	—	1	—
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	54	—	—	—	—	—	—	—	2	3	1	4	1
VI. Laryngitis	4	—	—	2	—	—	1	—	—	—	—	—	—
Bronchitis	178	17	18	34	25	7	8	5	5	1	—	1	1
Pleurisy	2	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	72	5	5	9	12	7	—	1	2	2	2	6	3
Asthma	19	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	9	—	—	—	—	—	—	—	—	—	—	1	—
VII. Teething	37	2	3	15	14	3	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	—	—	—	—	—	1
Gastritis	5	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis	30	8	4	2	3	3	2	—	1	1	—	—	1
Peritonitis	5	2	—	1	—	1	—	—	—	—	—	1	—
Ascites	2	—	—	—	—	—	—	—	—	—	1	1	—
Ulceration of Intestines	4	—	—	—	—	—	—	—	—	—	—	—	1
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	7	1	1	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	15	4	2	—	2	—	—	—	—	2	1	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	1	—	—	—	—	—	—
Liver Disease	14	1	—	—	—	—	—	—	1	—	—	—	1
Spleen Disease	1	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	1	—	—	—	—
Nephria	3	1	—	—	—	—	—	—	—	—	—	—	1
Addison's Disease	2	—	—	—	—	—	1	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	8	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	19	—	—	—	—	—	—	—	—	—	—	1	6
Organs of Generation	3	—	—	—	—	—	—	—	—	—	1	—	—
X. Arthritis	2	—	—	—	—	—	—	1	—	—	—	—	—
Rheumatism	6	—	—	—	—	—	—	—	—	1	1	—	1
Joint and Bone Disease	6	—	—	—	—	—	—	—	1	2	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	4	2	2	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	—	—	—	—	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	1	1	—	1	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	2	—	—	—	—	—	—	—	—	—	—	—
Drowning	15	—	—	—	—	—	—	—	1	4	2	1	2
Fracture and Contusion	24	—	—	—	1	—	—	—	1	4	1	2	2
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	3	1	—	—	—	—	—	—	—	—	—	1	—
Not Specified	59	15	6	8	14	1	3	—	1	1	1	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	964	117	43	69	121	53	36	15	49	31	28	28	25
SPECIFIED CAUSES	931	107	39	65	114	53	34	15	49	31	27	27	24
I. Zymotic Class	274	13	8	12	54	27	19	8	28	6	9	6	5
II. Diseases of Uncertain Seat	16	—	—	—	1	—	—	1	—	—	1	—	—
III. Tubercular Class	161	4	9	14	23	11	5	2	10	8	11	12	10
IV. Brain and Nervous System	72	9	2 ²	3	1	2	2	1	1	3	—	2	—
V. Organs of Circulation	30	—	—	—	—	—	—	—	1	1	1	1	—
VI. Respiratory Organs	157	14	15	25	20	8	6	2	5	1	1	3	3
VII. Organs of Digestion	64	12	3	10	12	3	1	—	1	3	1	—	1
VIII. Urinary Organs	9	—	—	—	—	—	1	—	1	—	—	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	5	—	—	—	—	—	—	1	—	1	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	51	48	2	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	4	—	—	—	1	1	—	—	—	—	—	—	—
XV. Age	37	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths	46	4	—	—	2	1	—	—	2	8	3	3	4
I. Small Pox	5	1	—	—	1	1	—	1	1	—	—	—	—
Measles	20	—	—	2	7	6	3	—	2	—	—	—	—
Scarlatina	36	—	—	3	8	3	9	3	10	—	—	—	—
Diphtheria	8	—	—	—	4	3	—	1	—	—	—	—	—
Hooping Cough	32	2	4	3	12	3	3	1	4	—	—	—	—
Croup	18	—	—	1	9	5	—	1	2	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	26	5	2	3	6	2	—	—	—	—	1	1	—
Dysentery	1	—	—	—	—	—	—	—	—	—	1	—	—
Cholera	5	1	—	—	1	—	1	—	—	—	1	—	—
Influenza	1	—	1	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	1	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	1	—	—	—	—	—	—	—	—
Typhus	90	—	—	—	1	—	—	—	2	3	6	5	5
Enteric Fever	10	—	—	—	2	1	2	1	3	1	—	—	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	11	—	—	—	1	—	1	—	4	2	—	—	—
Infantile Remittent	1	—	—	—	—	1	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	4	1	1	—	1	1	—	—	—	—	—	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	3	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	5	—	—	—	1	—	—	—	—	—	1	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	8	—	—	—	—	—	—	1	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	8	—	1	—	1	2	1	—	1	1	—	—	—
Tabes Mesenterica	26	1	1	4	10	2	1	—	5	1	1	—	—
Phthisis	88	—	—	1	2	2	2	—	2	6	10	12	10
Hydrocephalus	39	3	7	9	10	5	1	2	2	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2.	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	—	—	—	—	1	—	—	1	2	—	1	—
Apoplexy	12	—	—	—	—	—	1	—	—	—	—	—	—
Paralysis	19	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	16	9	2	2	1	1	1	—	—	—	—	—	—
Brain Disease	15	—	—	1	—	—	—	1	—	1	—	1	—
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	28	—	—	—	—	—	—	—	1	1	1	1	—
VI. Laryngitis	2	—	—	2	—	—	—	—	—	—	—	—	—
Bronchitis	91	11	12	17	13	3	6	1	3	1	—	—	—
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	47	3	3	6	7	5	—	1	2	—	1	3	3
Asthma	10	—	—	—	—	—	—	1	—	—	—	—	—
Lung Disease	6	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	20	1	1	8	8	2	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	4	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis	11	3	1	1	1	1	1	—	—	1	—	—	—
Peritonitis	3	2	—	1	—	—	—	—	—	—	—	—	—
Ascites	1	—	—	—	—	—	—	—	—	—	1	—	—
Ulceration of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	1	1	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	8	3	—	—	2	—	—	—	—	2	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	10	1	—	—	—	—	—	—	1	—	—	—	1
Spleen Disease	1	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	1	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	1	—	—	—	—	—	1	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	1	—	—	—	—	—	—	1	—	—	—	—	—
Rheumatism	3	—	—	—	—	—	—	—	—	1	—	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	2	2	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	—	1	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	12	—	—	—	—	—	—	—	1	4	2	1	2
Fracture and Contusion	23	—	—	—	1	—	—	—	1	4	1	2	2
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	33	10	4	4	7	—	2	—	—	—	1	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	914	68	46	74	94	43	20	17	38	29	36	36	56
SPECIFIED CAUSES	888	63	44	70	87	42	19	17	37	28	36	36	56
I. Zymotic Class	236	11	14	20	41	20	10	8	19	9	9	5	17
II. Diseases of Uncertain Seat	30	1	—	—	1	—	—	—	2	1	—	—	—
III. Tubercular Class	189	1	7	16	15	11	4	4	9	11	20	17	21
IV. Brain and Nervous System	52	8	2	2	3	1	—	—	2	1	3	—	3
V. Organs of Circulation	26	—	—	—	—	—	—	—	1	2	—	3	1
VI. Respiratory Organs	127	8	8	20	17	6	3	4	2	2	1	5	1
VII. Organs of Digestion	59	7	7	8	8	4	2	—	1	—	1	2	3
VIII. Urinary Organs	10	1	—	—	—	—	—	—	—	—	—	—	1
IX. Organs of Generation	24	—	—	—	—	—	—	—	—	—	1	1	6
X. Organs of Locomotion	9	—	—	—	—	—	—	—	1	2	1	—	1
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	32	24	4	4	—	—	—	—	—	—	—	—	—
XIV. Atrophy	11	—	—	—	2	—	—	—	—	—	—	1	2
XV. Age	70	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	12	1	2	—	—	—	—	1	—	—	—	2	—
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	22	1	—	3	9	5	—	1	3	—	—	—	—
Scarlatina	28	1	—	3	4	4	5	3	7	1	—	—	—
Diphtheria	7	—	—	1	2	1	—	1	—	2	—	—	—
Hooping Cough	45	1	6	8	14	7	5	2	2	—	—	—	—
Croup	3	—	—	—	2	1	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	39	8	7	4	10	—	—	1	2	—	—	—	1
Dysentery	2	—	—	1	—	—	—	—	—	—	—	—	—
Cholera	1	—	1	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	65	—	—	—	—	—	—	—	2	5	5	4	11
Enteric Fever	5	—	—	—	—	1	—	—	2	1	1	—	—
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	6	—	—	—	—	—	—	—	1	—	1	1	1
Infantile Remittent	1	—	—	—	—	—	—	—	—	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	—	2
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	1	—	—
Erysipelas	3	—	—	—	—	—	—	—	—	—	1	—	2
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	—	—	—	—	1	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	1	—	—	—	—
Dropsy	5	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	2	—	—	—	1	—	—	—	—	1	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	17	1	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	20	1	2	3	2	4	—	3	—	2	—	1	1
Tabes Mesenterica	15	—	2	3	4	2	1	—	—	2	1	—	—
Phthisis	128	—	—	4	2	2	—	—	6	7	19	16	20
Hydrocephalus	26	—	3	6	7	3	3	1	3	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	35	29	45	24	38	25	38	34	34	32	13	8	1	1	—	—	
SPECIFIED CAUSES .	33	28	45	24	38	24	38	34	34	32	13	8	1	1	—	—	
Zymotic Class . . .	7	7	10	7	9	1	5	3	2	2	—	—	—	—	—	—	
Uncertain Seat . . .	1	5	5	2	3	2	2	2	—	3	—	—	—	—	—	—	
Tubercular Class . . .	14	8	12	4	6	4	4	—	1	—	—	—	—	—	—	—	
Brain, etc.	1	—	2	2	3	3	6	4	1	2	2	1	—	—	—	—	
Heart, etc.	2	—	3	—	3	4	3	1	1	2	—	—	—	—	—	—	
Respiratory Organs . . .	2	3	5	2	7	6	3	8	8	5	1	—	—	—	—	—	
Digestive Organs . . .	1	2	—	2	2	1	3	1	2	2	—	—	—	—	—	—	
Urinary Organs	—	—	1	1	—	—	3	2	—	—	1	—	—	—	—	—	
Generative Organs . . .	5	3	4	—	2	—	1	1	—	—	—	—	—	—	—	—	
Locomotive Organs . . .	—	—	1	1	—	—	—	1	1	—	—	—	—	—	—	—	
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	—	1	1	2	2	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	8	11	18	16	9	6	1	1	—	—	
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths	—	—	1	2	1	1	—	—	—	—	—	1	—	—	—	—	
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	—	—	—	1	1	—	2	—	—	2	—	—	—	—	—	—	
Dysentery	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	5	4	9	4	7	1	3	3	2	—	—	—	—	—	—	—	
Enteric Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Relapsing Fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . . .	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Remittent . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pyæmia	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	—	1	1	1	—	1	—	—	—	1	—	—	—	—	—	—	
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Cancer	1	4	3	1	2	1	2	1	—	1	—	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Tabes Mesenterica . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	14	8	12	4	6	4	4	—	—	—	—	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1865.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	—	—	2	—	—	—	—	—	—	—	—	—
Apoplexy	9	—	—	—	—	—	—	—	—	—	—	—	1
Paralysis	17	—	—	—	—	—	—	—	1	1	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	4	—	—	—	—	—	—	—	—	—	2	—	2
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	14	8	1	—	3	1	—	—	1	—	—	—	—
Brain Disease	4	—	1	—	—	—	—	—	—	—	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	26	—	—	—	—	—	—	—	1	2	—	3	1
VI. Laryngitis	2	—	—	—	—	—	1	—	—	—	—	—	—
Bronchitis	87	6	6	17	12	4	2	4	2	—	—	1	1
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	25	2	2	3	5	2	—	—	—	2	1	3	—
Asthma	9	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	3	—	—	—	—	—	—	—	—	—	—	1	—
VII. Teething	17	1	2	7	6	1	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	—	—	—	—	—	1
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	19	5	3	1	2	2	1	—	1	—	—	—	1
Peritonitis	2	—	—	—	—	1	—	—	—	—	—	1	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	1	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	1
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	4	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	7	1	2	—	—	—	—	—	—	—	1	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	1	—	—	—	—	—	—
Liver Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	2	1	—	—	—	—	—	—	—	—	—	—	1
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	5	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	19	—	—	—	—	—	—	—	—	—	—	1	6
Organs of Generation	3	—	—	—	—	—	—	—	—	—	1	—	—
X. Arthritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	3	—	—	—	—	—	—	—	—	—	1	—	1
Joint and Bone Disease	5	—	—	—	—	—	—	—	1	2	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	2	—	2	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	—	—	—	—	1	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	3	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	1	—	—	—	—	—	—	—	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	—	—	—	—	—	—	—	—	—	—	1	—
Not Specified	26	5	2	4	7	1	1	—	1	1	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4858	457	175	296	430	171	109	81	165	92	130	167	177
SPECIFIED CAUSES	4829	448	174	293	428	170	108	81	165	91	130	166	175
I. Zymotic Class	1047	47	49	108	183	91	58	43	72	25	32	23	34
II. Diseases of Uncertain Seat	185	5	—	—	1	1	—	—	1	1	3	1	6
III. Tubercular Class	818	11	25	50	82	29	23	18	45	29	54	86	77
IV. Brain and Nervous System	470	42	6	15	22	9	6	2	13	4	5	6	8
V. Organs of Circulation	294	—	1	1	—	—	—	1	4	3	7	4	8
VI. Respiratory Organs	784	59	45	78	90	25	13	9	12	6	6	14	15
VII. Organs of Digestion	343	37	18	26	36	7	1	1	4	7	9	13	6
VIII. Urinary Organs	82	—	—	1	1	—	1	3	1	2	2	5	3
IX. Organs of Generation	40	—	—	—	—	—	—	—	—	—	1	4	6
X. Organs of Locomotion	46	—	1	—	—	—	—	2	6	6	6	1	2
XI. Skin, etc.	8	3	—	—	—	1	—	—	—	—	—	—	—
XII. Malformation	23	20	1	1	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	224	195	17	12	—	—	—	—	—	—	—	—	—
XIV. Atrophy	34	—	—	—	8	5	3	—	1	—	—	—	—
XV. Age	249	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	2	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	178	27	10	1	5	2	3	2	5	8	5	9	10
I. Small Pox	13	2	2	—	2	—	1	—	—	—	1	2	—
Measles	110	—	4	18	46	20	8	8	5	—	—	—	—
Scarlatina	115	—	3	7	18	14	15	14	33	6	—	—	1
Diphtheria	30	1	1	5	7	4	—	4	7	—	—	—	—
Hooping Cough	155	1	12	41	43	25	21	6	5	1	—	—	—
Croup	43	3	2	2	15	15	4	1	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	152	26	18	25	35	3	1	—	—	1	2	1	1
Dysentery	21	—	—	1	—	—	—	1	—	—	1	—	—
Cholera	16	2	2	3	2	1	—	—	—	1	—	—	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	3	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	166	—	—	—	—	—	—	2	5	6	9	13	12
Enteric Fever	79	—	1	2	2	3	4	5	9	6	7	3	8
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	—	—	1
Simple Continued Fever	54	—	—	—	3	3	1	2	6	2	5	3	2
Infantile Remittent	11	—	1	—	4	3	3	—	—	—	—	—	—
Metria	14	—	—	—	—	—	—	—	—	—	3	1	6
Rheumatic Fever	11	—	—	—	—	—	—	—	1	1	2	—	1
Erysipelas	24	6	—	1	1	—	—	—	—	1	2	—	—
Pyæmia	4	—	—	—	—	—	—	—	—	—	—	—	1
Syphilis	22	6	3	3	5	—	—	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	8	3	—	—	—	—	—	—	—	1	—	—	—
Dropsy	20	2	—	—	1	1	—	—	—	—	—	—	—
Abscess	16	—	—	—	—	—	—	—	—	—	1	1	2
Ulcer	4	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	11	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	122	—	—	—	—	—	—	—	—	—	2	—	3
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	54	—	2	3	8	5	3	1	8	5	5	4	1
Tabes Mesenterica	77	2	6	8	30	7	7	4	7	4	—	—	1
Phthisis	539	2	2	3	7	2	2	5	18	15	49	81	75
Hydrocephalus	148	7	15	36	37	15	11	8	12	5	—	1	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	31	2	2	3	2	—	1	—	5	2	1	1	3
Apoplexy	86	—	—	1	1	1	1	—	1	—	—	2	1
Paralysis	150	—	—	—	—	—	—	—	—	—	—	1	1
Delirium Tremens	14	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	26	—	—	—	—	—	—	—	—	1	1	1	—
Tetanus	3	2	—	—	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	68	34	3	9	15	2	2	1	2	—	—	—	—
Brain Disease	89	4	1	2	4	6	2	1	5	1	3	—	2
V. Pericarditis	5	—	—	—	—	—	—	—	3	—	—	—	1
Aneurism	25	—	—	—	—	—	—	—	1	—	—	—	1
Heart Disease	264	—	1	1	—	—	—	1	—	3	7	4	6
VI. Laryngitis	14	1	2	3	3	—	1	—	—	—	—	1	—
Bronchitis	562	46	36	64	77	22	7	8	6	5	3	1	7
Pleurisy	25	—	—	—	—	1	1	—	—	—	1	2	1
Pneumonia	111	7	6	10	9	2	4	1	5	—	1	7	4
Asthma	34	—	—	—	—	—	—	—	—	1	—	—	1
Lung Disease	38	5	1	1	1	—	—	—	1	—	1	3	2
VII. Teething	38	—	2	12	21	3	—	—	—	—	—	—	—
Quinsey	3	—	—	—	1	—	—	—	—	—	1	—	—
Gastritis	6	—	—	1	1	—	—	—	—	—	—	—	—
Enteritis	43	13	6	5	5	1	—	—	1	1	1	1	—
Peritonitis	30	5	—	—	—	—	1	—	—	1	3	7	2
Ascites	5	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	26	1	—	1	—	1	—	—	—	3	—	1	1
Hernia	9	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	12	2	—	—	—	1	—	—	—	1	1	—	—
Intussusception	3	—	—	—	—	1	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	75	8	10	6	6	—	—	—	1	—	—	2	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	5	—	—	—	—	—	—	—	—	—	1	—	—
Jaundice	9	4	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	75	4	—	1	1	—	—	1	2	1	1	1	3
Spleen Disease	2	—	—	—	—	—	—	—	—	—	1	—	—
VIII. Nephritis	6	—	—	1	1	—	—	—	—	—	—	1	—
Nephria	29	—	—	—	—	—	1	3	—	1	1	2	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	6	—	—	—	—	—	—	—	—	1	1	1	—
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	9	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	26	—	—	—	—	—	—	—	1	—	—	—	2
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	10	—	—	—	—	—	—	—	—	—	1	1	—
Childbirth	25	—	—	—	—	—	—	—	—	—	—	3	6
Organs of Generation	5	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	17	—	—	—	—	—	—	2	2	2	3	—	2
Rheumatism	7	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	22	—	1	—	—	—	—	—	4	4	2	1	—
XI. Carbuncle	4	2	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	4	1	—	—	—	1	—	—	—	—	—	—	—
XVII. Intemperance	10	—	—	—	—	—	—	—	—	—	—	—	—
Privation	1	—	—	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk	23	18	5	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	1	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	22	1	1	—	4	2	2	1	3	2	2	—	—
Hanging, etc.	4	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	9	2	2	—	—	—	—	—	1	—	—	—	—
Drowning	4	—	1	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	70	—	—	—	—	—	1	1	1	2	2	8	7
Gunshot Wounds	2	—	—	—	—	—	—	—	—	2	—	—	—
Cuts and Stabs	5	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	25	6	—	—	1	—	—	—	—	2	1	1	3
Not Specified	29	9	1	3	2	1	1	—	—	1	—	1	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	2	—	2	3	—	—	1	1	—	—	—	—	—	—	—	—	
Apoplexy	4	6	2	3	8	8	8	8	16	7	6	2	—	—	—	—	
Paralysis	1	4	8	9	11	15	15	22	24	21	15	2	1	—	—	—	
Delirium Tremens	2	4	2	2	1	—	2	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	1	5	4	—	1	3	1	3	2	3	—	—	—	—	—	—	
Tetanus	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	2	10	5	9	1	5	9	5	4	5	2	1	—	—	—	—	
Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	2	3	4	4	2	3	5	—	—	—	—	—	—	—	—	—	
Heart Disease	11	16	19	24	30	28	30	30	22	20	10	1	—	—	—	—	
Laryngitis	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Bronchitis	10	9	13	20	22	24	53	44	38	24	18	5	—	—	—	—	
Pleurisy	1	1	2	2	4	—	4	2	1	2	—	—	—	—	—	—	
Pneumonia	6	4	7	7	7	5	5	5	3	4	2	—	—	—	—	—	
Asthma	3	1	1	1	4	2	8	4	7	1	—	—	—	—	—	—	
Lung Disease	1	5	4	2	3	—	3	2	1	—	1	1	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	
Enteritis	2	1	1	2	—	—	—	—	2	1	—	—	—	—	—	—	
Peritonitis	1	4	1	4	—	—	1	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	2	2	—	—	—	—	1	—	—	—	—	—	
Ulceration of Intestines	1	4	—	2	1	4	—	6	—	—	—	—	—	—	—	—	
Hernia	—	1	—	—	—	2	1	—	3	—	—	1	—	—	—	—	
Ileus	—	—	—	1	1	—	—	2	1	1	1	—	—	—	—	—	
Intussusception	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	2	4	4	5	4	2	4	4	6	5	1	—	—	—	—	1	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	
Jaundice	1	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	
Liver Disease	4	5	5	5	6	9	10	6	7	2	1	—	—	—	—	—	
Spleen Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
Nephria	2	3	2	3	1	1	4	1	1	1	—	—	—	—	—	1	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	
Stone	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	2	—	2	1	1	2	—	1	—	—	—	—	
Stricture of Urethra	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	1	2	3	3	3	4	—	1	2	2	1	1	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	2	1	1	1	2	—	1	—	—	—	—	—	—	—	—	—	
Childbirth	4	7	4	1	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	1	1	—	1	2	—	—	—	—	—	—	—	—	—	
Arthritis	—	2	—	1	1	—	2	—	—	—	—	—	—	—	—	—	
Rheumatism	—	1	—	1	2	—	—	—	—	2	—	—	—	—	—	—	
Joint Disease	2	3	1	—	1	—	1	1	1	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
Intemperance	1	3	1	2	—	1	2	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	1	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	
Hanging, etc.	1	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
Suffocation	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
Fracture and Contusion	13	4	6	2	1	4	3	4	2	5	2	2	—	—	—	—	
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	1	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	1	—	1	3	1	—	1	1	2	1	—	—	—	—	—	—	
Not Specified	—	—	—	—	5	1	2	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2412	249	100	151	226	102	64	37	81	46	69	84	90
SPECIFIED CAUSES	2397	246	99	151	225	102	63	37	81	45	69	84	89
I. Zymotic Class	508	26	27	53	100	54	34	15	27	13	16	10	18
II. Diseases of Uncertain Seat	77	4	—	—	—	1	—	—	1	—	1	1	2
III. Tubercular Class	437	7	18	26	45	17	13	12	26	9	26	44	38
IV. Brain and Nervous System	239	26	2	11	12	3	1	1	7	2	3	1	5
V. Organs of Circulation	143	—	1	1	—	—	—	1	2	1	3	1	2
VI. Respiratory Organs	390	33	25	38	41	18	10	5	8	3	6	10	9
VII. Organs of Digestion	186	20	9	13	20	4	1	1	3	6	4	6	4
VIII. Urinary Organs	53	—	—	1	1	—	1	—	1	1	—	3	2
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	24	—	—	—	—	—	—	—	3	3	6	—	1
XI. Skin, etc.	2	2	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	11	9	—	1	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	117	98	12	7	—	—	—	—	—	—	—	—	—
XIV. Atrophy	15	—	—	—	5	4	—	—	—	—	—	—	—
XV. Age	79	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	2	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	112	19	4	—	1	1	3	2	2	7	4	8	8
I. Small Pox	7	1	1	—	1	—	1	—	—	—	—	1	—
Measles	65	—	1	11	21	10	5	3	4	—	—	—	—
Scarlatina	62	—	1	3	10	8	11	6	18	4	—	—	—
Diphtheria	10	1	1	2	1	2	—	1	1	—	—	—	—
Hooping Cough	76	—	5	24	19	13	11	3	1	—	—	—	—
Croup	27	3	1	1	8	11	3	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	71	16	13	9	21	1	—	—	—	—	1	1	1
Dysentery	8	—	—	1	—	—	—	—	—	—	1	—	—
Cholera	5	1	1	—	1	1	—	—	—	1	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	88	—	—	—	—	—	—	1	1	4	7	7	9
Enteric Fever	31	—	1	—	1	3	—	—	1	2	3	—	4
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	—	—	1
Simple Continued Fever	19	—	—	—	2	3	—	1	1	1	2	1	—
Infantile Remittent	7	—	—	—	2	2	3	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	4	—	—	—	—	—	—	—	—	—	1	—	1
Erysipelas	10	2	—	—	—	—	—	—	—	1	1	—	—
Pyæmia	3	—	—	—	—	—	—	—	—	—	—	—	1
Syphilis	12	2	2	2	3	—	—	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	2	—	—	—	—	—	—	—	—	—	—	—
Dropsy	13	2	—	—	—	1	—	—	—	—	—	—	—
Abscess	7	—	—	—	—	—	—	—	—	—	—	1	1
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	43	—	—	—	—	—	—	—	—	—	1	—	1
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	30	—	2	1	5	3	1	1	5	2	2	1	1
Tabes Mesenterica	43	2	4	6	15	5	4	2	2	1	—	—	1
Phthisis	279	—	1	2	4	—	1	4	11	4	24	43	36
Hydrocephalus	85	5	11	17	21	9	7	5	8	2	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	15	1	—	3	2	—	—	—	1	—	1	—	1
Apoplexy	45	—	—	1	1	—	1	—	1	—	—	—	1
Paralysis	61	—	—	—	—	—	—	—	—	—	—	—	1
Delirium Tremens	12	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	15	—	—	—	—	—	—	—	—	1	1	—	—
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	39	22	1	5	8	1	—	—	2	—	—	—	—
Brain Disease	48	2	1	2	1	2	—	1	3	1	1	—	1
V. Pericarditis	2	—	—	—	—	—	—	—	1	—	—	—	—
Aneurism	20	—	—	—	—	—	—	—	1	—	—	—	1
Heart Disease	121	—	1	1	—	—	—	1	—	1	3	1	1
VI. Laryngitis	8	1	2	1	3	—	1	—	—	—	—	—	—
Bronchitis	267	28	21	31	37	16	6	5	4	2	3	—	3
Pleurisy	17	—	—	—	—	—	—	—	—	—	1	1	1
Pneumonia	59	2	1	5	1	2	3	—	4	—	1	7	2
Asthma	16	—	—	—	—	—	—	—	—	1	—	—	1
Lung Disease	23	2	1	1	—	—	—	—	—	—	1	2	2
VII. Teething	17	—	1	4	10	2	—	—	—	—	—	—	—
Quinsey	2	—	—	—	1	—	—	—	—	—	—	—	—
Gastritis	5	—	—	1	1	—	—	—	—	—	—	—	—
Enteritis	23	6	2	4	1	—	—	—	1	1	—	1	—
Peritonitis	12	3	—	—	—	—	1	—	—	1	—	2	1
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	20	1	—	1	—	—	—	—	—	3	—	1	1
Hernia	3	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	6	2	—	—	—	1	—	—	—	—	1	—	—
Intussusception	2	—	—	—	—	1	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	37	3	6	3	5	—	—	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	—	—	—	1	—	—
Jaundice	4	2	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	46	3	—	—	1	—	—	1	1	1	1	1	2
Spleen Disease	1	—	—	—	—	—	—	—	—	—	1	—	—
VIII. Nephritis	3	—	—	1	1	—	—	—	—	—	—	—	—
Nephria	14	—	—	—	—	—	1	—	—	—	—	2	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	4	—	—	—	—	—	—	—	—	1	—	1	—
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	9	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	18	—	—	—	—	—	—	—	1	—	—	—	2
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	8	—	—	—	—	—	—	—	—	1	3	—	1
Rheumatism	4	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	12	—	—	—	—	—	—	—	3	2	2	—	—
XI. Carbuncle	1	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	6	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	17	15	2	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	10	1	1	—	1	1	2	1	—	1	1	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	—	1	—	—	—	—	—	1	—	—	—	—
Drowning	2	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	51	—	—	—	—	—	1	1	1	2	2	7	6
Gunshot Wounds	2	—	—	—	—	—	—	—	—	2	—	—	—
Cuts and Stabs	4	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	15	3	—	—	—	—	—	—	—	2	1	1	2
Not Specified	15	3	1	—	1	—	1	—	—	1	—	—	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2446	208	75	145	204	69	45	44	84	46	61	83	87
SPECIFIED CAUSES	2432	202	75	142	203	68	45	44	84	46	61	82	86
I. Zymotic Class	539	21	22	55	83	37	24	28	45	12	16	13	16
II. Diseases of Uncertain Seat	108	1	—	—	1	—	—	—	—	1	2	—	4
III. Tubercular Class	381	4	7	24	37	12	10	6	19	20	28	42	39
IV. Brain and Nervous System	231	16	4	4	10	6	5	1	6	2	2	5	3
V. Organs of Circulation	151	—	—	—	—	—	—	—	2	2	4	3	6
VI. Respiratory Organs	394	26	20	40	49	7	3	4	4	3	—	4	6
VII. Organs of Digestion	157	17	9	13	16	3	—	—	1	1	5	7	2
VIII. Urinary Organs	29	—	—	—	—	—	—	3	—	1	2	2	1
IX. Organs of Generation	40	—	—	—	—	—	—	—	—	—	1	4	6
X. Organs of Locomotion	22	—	1	—	—	—	—	2	3	3	—	1	1
XI. Skin, etc.	6	1	—	—	—	1	—	—	—	—	—	—	—
XII. Malformation	12	11	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	107	97	5	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy	19	—	—	—	3	1	3	—	1	—	—	—	—
XV. Age	170	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	66	8	6	1	4	1	—	—	3	1	1	1	2
I. Small Pox	6	1	1	—	1	—	—	—	—	—	1	1	—
Measles	45	—	3	7	15	10	3	5	1	—	—	—	—
Scarlatina	53	—	2	4	8	6	4	8	15	2	—	—	1
Diphtheria	20	—	—	3	6	2	—	3	6	—	—	—	—
Hooping Cough	79	1	7	17	24	12	10	3	4	1	—	—	—
Croup	16	—	1	1	7	4	1	1	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	81	10	5	16	14	2	1	—	—	1	1	—	—
Dysentery	13	—	—	—	—	—	—	1	—	—	—	—	—
Cholera	11	1	1	3	1	—	—	—	—	—	—	—	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	78	—	—	—	—	—	—	1	4	2	2	6	3
Enteric Fever	48	—	—	2	1	—	4	5	8	4	4	3	4
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	35	—	—	—	1	—	1	1	5	1	3	2	2
Infantile Remittent	4	—	1	—	2	1	—	—	—	—	—	—	—
Metria	14	—	—	—	—	—	—	—	—	—	3	1	6
Rheumatic Fever	7	—	—	—	—	—	—	—	1	1	1	—	—
Erysipelas	14	4	—	1	1	—	—	—	—	—	1	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	10	4	1	1	2	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	1	—	—	—	—	—	—	—	1	—	—	—
Dropsy	7	—	—	—	1	—	—	—	—	—	—	—	—
Abscess	9	—	—	—	—	—	—	—	—	—	1	—	1
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	5	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	79	—	—	—	—	—	—	—	—	—	1	—	2
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	24	—	—	2	3	2	2	—	3	3	3	3	—
Tabes Mesenterica	34	—	2	2	15	2	3	2	5	3	—	—	—
Phthisis	260	2	1	1	3	2	1	1	7	11	25	38	39
Hydrocephalus	63	2	4	19	16	6	4	3	4	3	—	1	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	16	1	2	—	—	—	1	—	4	2	—	1	2
Apoplexy	41	—	—	—	—	1	—	—	—	—	—	2	—
Paralysis	89	—	—	—	—	—	—	—	—	—	—	1	—
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	11	—	—	—	—	—	—	—	—	—	—	1	—
Tetanus	2	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	29	12	2	4	7	1	2	1	—	—	—	—	—
Brain Disease	41	2	—	—	3	4	2	—	2	—	2	—	1
V. Pericarditis	3	—	—	—	—	—	—	—	2	—	—	—	1
Aneurism	5	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	143	—	—	—	—	—	—	—	—	2	4	3	5
VI. Laryngitis	6	—	—	2	—	—	—	—	—	—	—	1	—
Bronchitis	295	18	15	33	40	6	1	3	2	3	—	1	4
Pleurisy	8	—	—	—	—	1	1	—	—	—	—	1	—
Pneumonia	52	5	5	5	8	—	1	1	1	—	—	—	2
Asthma	18	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	15	3	—	—	1	—	—	—	1	—	—	1	—
VII. Teething	21	—	1	8	11	1	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	—	—	—	1	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	20	7	4	1	4	1	—	—	—	—	1	—	—
Peritonitis	18	2	—	—	—	—	—	—	—	—	3	5	1
Ascites	3	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	6	—	—	—	—	1	—	—	—	—	—	—	—
Hernia	6	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	6	—	—	—	—	—	—	—	—	1	—	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	38	5	4	3	1	—	—	—	—	—	—	2	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	5	2	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	29	1	—	1	—	—	—	—	1	—	—	—	1
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	1	—
VIII. Nephritis	3	—	—	—	—	—	—	—	—	—	—	1	—
Nephria	15	—	—	—	—	—	—	3	—	1	1	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	2	—	—	—	—	—	—	—	—	—	1	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	8	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	10	—	—	—	—	—	—	—	—	—	1	1	—
Childbirth	25	—	—	—	—	—	—	—	—	—	—	3	6
Organs of Generation	5	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	9	—	—	—	—	—	—	2	2	1	—	—	1
Rheumatism	3	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	10	—	1	—	—	—	—	—	1	2	—	1	—
XI. Carbuncle	3	1	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	3	—	—	—	—	1	—	—	—	—	—	—	—
XVII. Intemperance	4	—	—	—	—	—	—	—	—	—	—	—	—
Privation	1	—	—	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk	6	3	3	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	1	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	12	—	—	—	3	1	—	—	3	1	1	—	—
Hanging, etc.	3	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	7	2	1	—	—	—	—	—	—	—	—	—	—
Drowning	2	—	1	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	19	—	—	—	—	—	—	—	—	—	—	1	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	10	3	—	—	1	—	—	—	—	—	—	—	1
Not Specified	14	6	—	3	1	1	—	—	—	—	—	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1865.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Apoplexy	1	2	—	1	5	3	6	4	7	5	3	1	—	—	—	—	
Paralysis	1	1	3	3	2	11	8	14	17	15	11	1	1	—	—	—	
Delirium Tremens	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	3	1	—	—	1	1	2	—	2	—	—	—	—	—	—	
Tetanus	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	1	2	1	4	—	4	5	1	4	2	—	1	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	1	1	—	2	1	—	—	—	—	—	—	—	—	—	
Heart Disease	5	4	12	8	20	18	16	13	15	11	7	—	—	—	—	—	
Laryngitis	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Bronchitis	5	6	7	12	12	14	29	28	24	16	12	4	—	—	—	—	
Pleurisy	—	—	—	—	2	—	1	1	—	1	—	—	—	—	—	—	
Pneumonia	—	2	3	4	2	3	1	3	2	3	1	—	—	—	—	—	
Asthma	1	1	—	1	2	1	4	3	5	—	—	—	—	—	—	—	
Lung Disease	1	1	1	—	1	—	3	—	—	—	1	1	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Enteritis	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Peritonitis	1	3	—	2	—	—	1	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	
Ulceration of Intestines	1	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Hernia	—	1	—	—	—	2	—	—	2	—	—	1	—	—	—	—	
Ileus	—	—	—	1	—	—	—	1	1	1	1	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	2	2	2	2	1	1	2	4	5	1	—	—	—	—	1	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Jaundice	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	
Liver Disease	1	—	2	2	1	4	5	4	5	—	1	—	—	—	—	—	
Spleen Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
Nephria	—	1	1	1	1	1	1	—	1	1	—	—	—	—	—	1	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	1	—	—	2	2	—	—	1	2	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	2	1	1	1	2	—	1	—	—	—	—	—	—	—	—	—	
Childbirth	4	7	4	1	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	1	1	—	1	2	—	—	—	—	—	—	—	—	—	
Arthritis	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	
Joint Disease	1	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
Intemperance	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
Hanging, etc.	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Suffocation	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
Fracture and Contusion	1	—	1	—	—	3	2	3	1	2	2	2	—	—	—	—	
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	3	—	—	—	—	1	1	—	—	—	—	—	—	
Not Specified	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	3000	342	135	254	338	120	79	57	136	78	96	123	130
SPECIFIED CAUSES	2872	321	119	242	318	117	76	56	125	74	92	122	123
I. Zymotic Class	860	55	44	102	177	64	43	32	61	24	22	32	28
II. Diseases of Uncertain Seat	82	1	4	2	5	2	1	1	1	1	—	1	3
III. Tubercular Class	473	3	10	32	46	13	14	11	23	19	44	58	53
IV. Brain and Nervous System	207	31	9	12	9	5	2	2	5	4	3	3	3
V. Organs of Circulation	150	—	—	—	—	—	—	—	3	2	4	4	3
VI. Respiratory Organs	391	40	27	45	40	25	10	6	11	4	2	5	9
VII. Organs of Digestion	184	16	8	34	33	1	3	2	2	3	1	6	4
VIII. Urinary Organs	31	1	1	—	—	1	1	—	1	—	—	1	9
IX. Organs of Generation	26	—	—	—	—	—	—	—	—	—	4	3	3
X. Organs of Locomotion	5	—	—	—	—	—	—	—	2	2	—	—	—
XI. Skin, etc.	4	1	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	9	6	1	1	—	—	—	1	—	—	—	—	—
XIII. Premature Debility	181	158	10	13	—	—	—	—	—	—	—	—	—
XIV. Atrophy	19	—	—	—	5	2	—	—	1	—	1	—	—
XV. Age	131	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	13	3	3	—	—	1	—	—	—	—	—	—	—
XVII. Violent Deaths	106	6	1	1	2	3	2	1	15	15	11	9	8
I. Small Pox	6	—	2	—	—	1	2	—	—	—	—	—	1
Measles	166	6	3	29	86	23	9	2	6	1	—	1	—
Scarlatina	69	—	2	6	12	8	11	7	17	5	—	—	—
Diphtheria	25	—	2	2	3	9	2	1	4	1	—	1	—
Hooping Cough	94	6	10	27	26	9	4	7	5	—	—	—	—
Croup	45	5	4	7	13	6	4	2	4	—	—	—	—
Thrush	4	3	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	78	17	8	16	17	1	3	—	1	1	—	—	—
Dysentery	33	3	2	6	5	3	2	1	—	—	—	—	—
Cholera	21	6	3	5	3	—	—	1	1	—	—	—	—
Influenza	7	—	—	—	—	—	—	1	—	—	—	—	—
Purpura	3	—	—	—	—	—	—	—	—	—	—	—	1
Ague	3	—	—	—	—	—	—	1	1	—	—	—	—
Worms	2	—	—	—	—	—	—	1	1	—	—	—	—
Typhus	210	1	2	—	5	3	4	5	8	11	18	24	18
Enteric Fever	24	—	—	—	1	—	1	1	2	5	3	4	2
Relapsing Fever	9	—	—	—	—	1	1	—	3	—	—	—	—
Simple Continued Fever	31	1	—	1	2	—	—	2	8	—	—	1	2
Infantile Remittent	5	—	—	2	3	—	—	—	—	—	—	—	—
Metria	6	—	—	—	—	—	—	—	—	—	—	1	3
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	—	1
Erysipelas	6	3	1	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	10	4	4	1	1	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	1	1	—	—	—	—	—	—	—	—	—
Dropsy	32	—	1	—	5	2	1	1	1	1	—	1	1
Abscess	2	—	1	1	—	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	1	1	—	—	—	—	—	—	—	—	—	—
Cancer	40	—	—	—	—	—	—	—	—	—	—	—	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	14	—	—	1	4	—	1	1	1	—	1	4	—
Tabes Mesenterica	16	—	1	5	2	1	1	3	2	1	—	—	—
Phthisis	368	—	4	6	19	5	6	2	13	17	43	54	53
Hydrocephalus	75	3	5	20	21	7	6	5	7	1	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	116	126	127	108	109	94	118	92	82	65	46	15	6	3	—	5
SPECIFIED CAUSES . . .	115	125	122	107	104	90	115	92	82	65	46	15	6	3	—	—
Zymotic Class . . .	24	32	26	24	17	17	14	9	6	4	2	1	—	—	—	—
Uncertain Seat . . .	2	5	8	9	10	4	5	9	6	1	1	—	—	—	—	—
Tubercular Class . . .	43	29	28	22	12	8	3	1	1	—	—	—	—	—	—	—
Brain, etc.	7	6	6	12	10	13	26	13	7	11	5	2	1	—	—	—
Heart, etc.	10	13	13	15	14	14	21	13	10	9	1	—	—	—	—	—
Respiratory Organs . . .	13	18	18	9	21	17	23	20	14	7	6	1	—	—	—	—
Digestive Organs . . .	6	10	9	7	9	9	6	10	2	3	—	—	—	—	—	—
Urinary Organs . . .	1	1	3	4	—	2	1	1	—	2	1	—	—	—	—	—
Generative Organs . . .	6	7	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Skin	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	1	—	1	1	4	3	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	10	13	32	28	29	11	5	3	—	—
Sudden Deaths	—	2	—	—	1	1	—	1	1	—	—	—	—	—	—	—
Violent Deaths	2	2	7	4	5	2	5	2	2	—	1	—	—	—	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	1	2	1	—	1	4	1	1	1	—	1	1	—	—	—	—
Dysentery	2	1	—	—	1	—	—	3	1	3	—	—	—	—	—	—
Cholera	1	—	—	—	1	—	—	1	1	—	1	—	—	—	—	—
Influenza	1	—	—	—	2	—	—	1	1	—	1	—	—	—	—	—
Purpura	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	14	27	20	21	7	9	8	3	1	1	—	—	—	—	—	—
Enteric Fever	1	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—
Relapsing Fever	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever .	1	2	3	3	—	1	2	1	1	—	—	—	—	—	—	—
Infantile Remittent . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	2	2	—	2	2	1	2	3	3	—	1	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Cancer	—	3	7	7	8	3	3	5	2	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	42	29	28	22	12	8	3	1	1	—	—	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
IV. Cephalitis	11	1	—	—	1	1	1	—	2	2	1	—	1
Apoplexy	37	—	—	—	—	1	—	—	—	—	—	—	1
Paralysis	65	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	12	—	—	—	—	—	—	—	—	1	—	2	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	63	30	8	11	8	3	1	—	2	—	—	—	—
Brain Disease	16	—	1	1	—	—	—	2	1	1	2	1	—
V. Pericarditis	4	—	—	—	—	—	—	—	1	—	—	1	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	144	—	—	—	1	—	—	—	2	2	4	3	3
VI. Laryngitis	7	—	2	—	—	—	—	1	1	—	—	1	—
Bronchitis	245	31	18	34	26	23	8	5	5	1	—	3	6
Pleurisy	3	—	—	—	1	—	—	—	—	—	—	—	—
Pneumonia	89	7	6	11	13	2	2	—	5	2	2	1	1
Asthma	37	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	10	2	1	—	—	—	—	—	—	1	—	—	1
VII. Teething	65	—	3	32	30	—	—	—	—	—	—	—	—
Quinsey	5	3	—	—	1	—	1	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	18	5	1	2	1	1	—	2	—	1	1	—	1
Peritonitis	6	—	—	—	—	—	—	—	—	—	—	1	1
Ascites	8	—	—	—	—	—	—	—	—	—	—	—	1
Ulceration of Intestines	2	—	—	—	—	—	—	—	—	1	—	—	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	10	1	—	—	—	—	—	—	—	—	—	1	—
Intussusception	2	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	27	2	1	—	1	—	1	—	1	1	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	12	5	2	—	—	—	—	—	—	—	—	—	—
Liver Disease	21	—	—	—	—	—	1	—	1	—	—	2	1
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	16	—	1	—	—	1	1	—	—	—	—	1	4
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	1	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	9	—	—	—	—	—	—	—	1	—	—	—	4
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	1	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	25	—	—	—	—	—	—	—	—	—	3	3	3
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	2	—	—	—	—	—	—	—	—	1	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	3	—	—	—	—	—	—	—	2	1	—	—	—
XI. Carbuncle	3	—	1	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	4	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	4	3	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	1	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	—	2	—	—	1	—	—	—	1
Hanging, etc.	3	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	23	1	1	—	—	—	—	—	2	10	4	1	—
Drowning	9	—	—	—	2	—	—	1	—	—	1	3	1
Fracture and Contusion	38	—	—	—	—	1	1	—	7	3	4	2	5
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	9	—	—	—	—	—	—	—	1	2	—	1	—
Other Violent Causes	10	2	—	—	—	—	—	—	4	—	2	1	1
Not Specified	128	21	16	12	20	3	3	1	11	4	4	1	7

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
Apoplexy . . .	—	1	3	5	5	4	8	6	2	1	—	—	—	—	—	—	
Paralysis . . .	5	3	1	3	4	7	16	6	4	9	4	2	1	—	—	—	
Delirium Tremens . . .	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . .	1	—	1	1	—	1	1	1	1	1	—	—	—	—	—	—	
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . .	1	2	—	1	1	1	1	—	—	—	—	—	—	—	—	—	
Pericarditis . . .	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
Aneurism . . .	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
Heart Disease . . .	10	13	12	15	14	13	19	13	10	9	1	—	—	—	—	—	
Laryngitis . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis . . .	6	8	5	6	10	8	10	10	11	5	5	1	—	—	—	—	
Pleurisy . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pneumonia . . .	4	7	9	1	4	2	5	2	1	1	1	—	—	—	—	—	
Asthma . . .	—	1	3	1	7	6	7	8	2	1	—	—	—	—	—	—	
Lung Disease . . .	1	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis . . .	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Peritonitis . . .	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	
Ascites . . .	1	—	—	3	—	1	—	1	1	—	—	—	—	—	—	—	
Ulceration of Intestines . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Hernia . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus . . .	1	2	1	1	—	—	1	2	—	—	—	—	—	—	—	—	
Intussusception . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Stricture of Intestines . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease . . .	—	1	5	—	2	4	2	3	—	2	—	—	—	—	—	—	
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . .	—	1	1	—	1	—	—	1	—	—	—	—	—	—	—	—	
Jaundice . . .	1	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	
Liver Disease . . .	1	4	1	1	2	3	2	2	—	—	—	—	—	—	—	—	
Spleen Disease . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria . . .	1	1	2	2	—	1	1	—	—	—	—	—	—	—	—	—	
Addison's Disease . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ischuria . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Diabetes . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Cystitis . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease . . .	—	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—	
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth . . .	6	7	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Joint Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle . . .	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance . . .	—	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—	
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc. . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Suffocation . . .	—	—	—	1	—	—	2	—	1	—	—	—	—	—	—	—	
Drowning . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion . . .	1	1	5	2	1	—	2	1	1	—	1	—	—	—	—	—	
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . .	—	—	1	—	2	1	—	1	—	—	—	—	—	—	—	—	
Other Violent Causes . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified . . .	1	1	5	1	5	4	3	—	—	—	—	—	—	—	—	5	

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1492	192	72	128	178	62	44	29	76	41	48	48	63
SPECIFIED CAUSES	1431	184	64	121	170	61	42	29	69	38	44	47	59
I. Zymotic Class	458	31	26	51	98	39	22	17	31	10	8	14	13
II. Diseases of Uncertain Seat	27	1	1	—	1	2	—	1	1	1	—	—	1
III. Tubercular Class	241	3	7	19	25	5	8	6	13	12	22	21	25
IV. Brain and Nervous System	99	17	6	5	6	2	2	1	2	2	2	1	—
V. Organs of Circulation	64	—	—	—	1	—	—	—	3	2	1	—	1
VI. Respiratory Organs	192	29	13	24	20	9	6	2	5	—	2	1	4
VII. Organs of Digestion	79	8	5	16	14	1	2	—	1	—	1	2	1
VIII. Urinary Organs	21	1	1	—	—	—	1	—	1	—	—	—	7
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	4	—	—	—	—	—	—	—	1	2	—	—	—
XI. Skin, etc.	3	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	4	2	1	—	—	—	—	1	—	—	—	—	—
XIII. Premature Debility	94	87	2	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	—	—	—	3	1	—	—	—	—	—	—	—
XV. Age	51	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	7	1	1	—	—	1	—	—	—	—	—	—	—
XVII. Violent Deaths	79	3	1	1	2	1	1	1	11	9	8	8	7
I. Small Pox	1	—	1	—	—	—	—	—	—	—	—	—	—
Measles	89	3	1	15	47	14	6	1	1	1	—	—	—
Scarlatina	37	—	—	4	6	5	5	4	9	3	—	—	—
Diphtheria	10	—	1	—	2	5	1	1	—	—	—	—	—
Hooping Cough	50	3	5	12	14	6	3	3	4	—	—	—	—
Croup	27	2	2	3	10	4	3	—	3	—	—	—	—
Thrush	4	3	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa	43	11	5	10	5	1	2	—	—	—	—	—	—
Dysentery	17	2	1	4	2	2	—	1	—	—	—	—	—
Cholera	15	5	3	2	3	—	—	—	1	—	—	—	—
Influenza	3	—	—	—	—	—	—	1	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	2	—	—	—	—	—	—	1	1	—	—	—	—
Worms	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	109	—	2	—	3	2	2	3	3	2	8	11	10
Enteric Fever	11	—	—	—	1	—	—	—	1	4	—	2	1
Relapsing Fever	4	—	—	—	—	—	—	—	3	—	—	—	—
Simple Continued Fever	22	—	—	1	2	—	—	2	4	—	—	1	2
Infantile Remittent	3	—	—	—	3	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	2	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	4	—	4	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	1	—	—	—	—	—	—	—	—	—	—
Dropsy	14	—	—	—	1	2	—	1	1	1	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	8	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	1	1	—	1	1	—	—	1	1	—
Tabes Mesenterica	13	—	—	5	2	1	—	3	1	1	—	—	—
Phthisis	179	—	4	3	8	3	3	—	8	10	21	20	25
Hydrocephalus	42	3	3	10	14	1	4	2	4	1	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—MALES. (Continued.)

DISEASES.	ALL AGES	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	—	—	—	1	1	1	—	—	—	—	—	—
Apoplexy	18	—	—	—	—	1	—	—	—	—	—	—	—
Paralysis	24	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	6	—	—	—	—	—	—	—	—	1	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	34	17	5	5	5	—	1	—	1	—	—	—	—
Brain Disease	11	—	1	—	—	—	—	1	1	1	2	1	—
V. Pericarditis	1	—	—	—	—	—	—	—	1	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	61	—	—	—	1	—	—	—	2	2	1	—	1
VI. Laryngitis	5	—	2	—	—	—	—	—	1	—	—	1	—
Bronchitis	112	23	7	19	12	9	4	2	2	—	—	—	3
Pleurisy	2	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	50	5	3	5	8	—	2	—	2	—	2	—	1
Asthma	18	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	5	1	1	—	—	—	—	—	—	—	—	—	—
VII. Teething	30	—	2	15	13	—	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	1	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	8	4	—	1	—	1	—	—	—	—	1	—	—
Peritonitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	1
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	5	—	—	—	—	—	—	—	—	—	—	1	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	11	1	1	—	1	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	6	3	2	—	—	—	—	—	—	—	—	—	—
Liver Disease	9	—	—	—	—	—	1	—	1	—	—	1	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	8	—	1	—	—	—	1	—	—	—	—	—	3
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	1	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	7	—	—	—	—	—	—	—	1	—	—	—	3
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	2	—	—	—	—	—	—	—	—	1	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	2	—	—	—	—	—	—	—	1	1	—	—	—
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	1	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	—	—	—	—	1	—	—	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	14	1	1	—	—	—	—	—	1	4	2	1	—
Drowning	9	—	—	—	2	—	—	1	—	—	1	3	1
Fracture and Contusion	30	—	—	—	—	1	—	—	5	3	3	2	5
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	9	—	—	—	—	—	—	—	1	2	—	1	—
Other Violent Causes	9	2	—	—	—	—	—	—	3	—	2	1	1
Not Specified	61	8	8	7	8	1	2	—	7	3	4	1	4

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
ALL CAUSES	1508	150	63	126	160	58	35	28	60	37	48	75	67
SPECIFIED CAUSES	1441	137	55	121	148	56	34	27	56	36	48	75	64
I. Zymotic Class	402	24	18	51	79	25	21	15	30	14	14	18	15
II. Diseases of Uncertain Seat	55	—	3	2	4	—	1	—	—	—	—	1	2
III. Tubercular Class	232	—	3	13	21	8	6	5	10	7	22	37	28
IV. Brain and Nervous System	108	14	3	7	3	3	—	1	3	2	1	2	3
V. Organs of Circulation	86	—	—	—	—	—	—	—	—	—	3	4	2
VI. Respiratory Organs	199	11	14	21	20	16	4	4	6	4	—	4	5
VII. Organs of Digestion	105	8	3	18	19	—	1	2	1	3	—	4	3
VIII. Urinary Organs	10	—	—	—	—	1	—	—	—	—	—	1	2
IX. Organs of Generation	26	—	—	—	—	—	—	—	—	—	4	3	3
X. Organs of Locomotion	1	—	—	—	—	—	—	—	1	—	—	—	—
XI. Skin, etc.	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	5	4	—	1	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	87	71	8	8	—	—	—	—	—	—	—	—	—
XIV. Atrophy	11	—	—	—	2	1	—	—	1	—	1	—	—
XV. Age	80	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	6	2	2	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	27	3	—	—	—	2	1	—	4	6	3	1	1
I. Small Pox	5	—	1	—	—	1	2	—	—	—	—	—	1
Measles	77	3	2	14	39	9	3	1	5	—	—	1	—
Scarlatina	32	—	2	2	6	3	6	3	8	2	—	—	—
Diphtheria	15	—	1	2	1	4	1	—	4	1	—	1	—
Hooping Cough	44	3	5	15	12	3	1	4	1	—	—	—	—
Croup	18	3	2	4	3	2	1	2	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	35	6	3	6	12	—	1	—	1	1	—	—	—
Dysentery	16	1	1	2	3	1	2	—	—	—	—	—	—
Cholera	6	1	—	3	—	—	—	1	—	—	—	—	—
Influenza	4	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	—	—	—	—	—	—	—	—	—	—	1
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	1	—	—	—	—	—
Typhus	101	1	—	—	2	1	2	2	5	9	10	13	8
Enteric Fever	13	—	—	—	—	—	1	1	1	1	3	2	1
Relapsing Fever	5	—	—	—	—	1	1	—	—	—	1	—	—
Simple Continued Fever	9	1	—	—	—	—	—	—	4	—	—	—	—
Infantile Remittent	2	—	—	2	—	—	—	—	—	—	—	—	—
Metria	6	—	—	—	—	—	—	—	—	—	—	1	3
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	1
Erysipelas	3	1	1	—	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	6	4	—	1	1	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	1	—	—	—	—	—	—	—	—	—
Dropsy	18	—	1	—	4	—	1	—	—	—	—	1	—
Abscess	2	—	1	1	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	1	—	—	—	—	—	—	—	—	—	—
Cancer	32	—	—	—	—	—	—	—	—	—	—	—	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	—	3	—	—	—	1	—	—	3	—
Tabes Mesenterica	3	—	1	—	—	—	1	—	1	—	—	—	—
Phthisis	189	—	—	3	11	2	3	2	5	7	22	34	28
Hydrocephalus	33	—	2	10	7	6	2	3	3	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1865.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2'	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	7	1	—	—	—	—	—	—	2	2	—	—	1
Apoplexy	19	—	—	—	—	—	—	—	—	—	—	—	1
Paralysis	41	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	6	—	—	—	—	—	—	—	—	—	—	2	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	29	13	3	6	3	3	—	—	1	—	—	—	—
Brain Disease	5	—	—	1	—	—	—	1	—	—	—	—	—
V. Pericarditis	3	—	—	—	—	—	—	—	—	—	—	1	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	83	—	—	—	—	—	—	—	—	—	3	3	2
VI. Laryngitis	2	—	—	—	—	—	—	1	—	—	—	—	—
Bronchitis	133	8	11	15	14	14	4	3	3	1	—	3	3
Pleurisy	1	—	—	—	1	—	—	—	—	—	—	—	—
Pneumonia	39	2	3	6	5	2	—	—	3	2	—	1	—
Asthma	19	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	5	1	—	—	—	—	—	—	—	1	—	—	1
VII. Teething	35	—	1	17	17	—	—	—	—	—	—	—	—
Quinsey	4	3	—	—	1	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	10	1	1	1	1	—	—	2	—	1	—	—	1
Peritonitis	3	—	—	—	—	—	—	—	—	—	—	1	1
Ascites	6	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	1	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	5	1	—	—	—	—	—	—	—	—	—	—	—
Intussusception	2	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	16	1	—	—	—	—	1	—	1	1	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	6	2	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	12	—	—	—	—	—	—	—	—	—	—	1	1
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	8	—	—	—	—	1	—	—	—	—	—	1	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	1
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	1	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	25	—	—	—	—	—	—	—	—	—	3	3	3
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	1	—	—	—	—
XI. Carbuncle	1	—	1	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	3	3	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	4	—	—	—	—	2	—	—	—	—	—	—	1
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	9	—	—	—	—	—	—	—	1	6	2	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	8	—	—	—	—	—	1	—	2	—	1	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	1	—	—	—	—
Not Specified	67	13	8	5	12	2	1	1	4	1	—	—	3

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1981	196	78	116	114	68	65	35	109	37	65	82	65
SPECIFIED CAUSES	1969	194	76	116	114	68	65	35	108	37	64	82	64
I. Zymotic Class	525	22	22	31	48	43	50	26	67	10	19	13	12
II. Diseases of Uncertain Seat	81	5	—	—	1	—	1	—	2	1	2	1	3
III. Tubercular Class	286	5	10	26	18	9	7	1	21	13	28	33	31
IV. Brain and Nervous System	208	38	14	9	4	2	3	3	5	2	3	6	3
V. Organs of Circulation	111	1	—	—	—	—	—	—	2	1	2	1	6
VI. Respiratory Organs	260	23	15	25	15	6	2	4	1	3	3	8	2
VII. Organs of Digestion	148	15	9	21	25	6	1	1	2	1	2	8	3
VIII. Urinary Organs	38	—	—	—	—	1	—	—	1	—	—	3	2
XI. Organs of Generation	22	—	—	—	—	—	—	—	—	—	1	3	1
X. Organs of Locomotion	11	—	—	—	—	—	—	—	1	3	1	—	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	6	6	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	75	70	2	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	17	—	—	—	1	—	—	—	2	—	—	—	—
XV. Age	123	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	6	—	1	1	—	—	—	—	1	—	—	1	—
XVII. Violent Deaths	51	9	3	—	2	1	1	—	3	3	3	5	1
I. Small Pox	9	—	3	—	2	1	1	—	—	—	1	—	—
Measles	3	—	—	—	—	—	—	2	1	—	—	—	—
Scarlatina	184	2	5	10	28	31	35	17	42	3	4	2	1
Diphtheria	20	—	—	—	2	4	3	—	8	1	—	—	—
Hooping Cough	6	1	—	3	1	—	—	1	—	—	—	—	—
Croup	13	—	—	2	2	3	4	1	1	—	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	70	12	14	13	9	1	1	—	—	—	—	—	1
Dysentery	11	1	—	1	—	—	—	1	2	1	—	—	—
Cholera	3	—	—	1	—	—	—	—	—	—	1	—	—
Influenza	7	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	1	—	—	—	—	1	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	125	—	—	—	1	1	2	1	5	2	11	6	6
Enteric Fever	17	—	—	—	—	—	2	—	3	1	1	2	1
Relapsing Fever	3	—	—	—	1	—	—	—	1	—	—	—	—
Simple Continued Fever	22	—	—	—	2	1	—	1	2	—	—	2	1
Infantile Remittent	2	—	—	—	—	—	1	1	—	—	—	—	—
Metria	7	—	—	—	—	—	—	—	—	—	—	1	1
Rheumatic Fever	6	—	—	—	—	—	—	1	—	2	1	—	1
Erysipelas	8	2	—	—	—	—	—	—	2	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	5	2	—	1	—	—	1	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	2	—	—	—	—	—	—	—	—	—	—	—
Dropsy	20	—	—	—	—	—	1	—	2	—	1	—	—
Abscess	4	—	—	—	1	—	—	—	—	1	—	—	—
Ulcer	2	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	2	—	—	—	—	—	—	—	—	—	—	—
Cancer	47	—	—	—	—	—	—	—	—	—	1	1	3
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	18	—	1	3	1	1	—	—	3	2	1	3	1
Tabes Mesenterica	27	1	4	5	2	2	2	—	8	3	—	—	—
Phthisis	187	—	1	2	3	3	1	—	4	6	25	30	30
Hydrocephalus	54	4	4	16	12	3	4	1	6	2	2	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	15	1	2	3	—	—	1	—	4	—	—	1	—
Apoplexy	31	—	—	—	—	—	—	—	—	—	—	1	—
Paralysis	58	—	—	—	—	—	—	—	—	—	1	—	1
Delirium Tremens	4	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	4	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	61	36	12	5	3	2	—	3	—	—	—	—	—
Brain Disease	32	1	—	1	1	—	2	—	1	2	2	3	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	8	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	103	1	—	—	—	—	—	—	2	1	2	1	6
VI. Laryngitis	5	—	—	—	1	—	—	—	—	1	—	—	—
Bronchitis	180	20	12	21	9	5	1	2	—	2	—	5	—
Pleurisy	6	—	—	—	1	—	—	—	—	—	—	—	—
Pneumonia	54	2	3	4	4	1	1	2	1	—	3	3	2
Asthma	9	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	6	1	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	53	1	4	19	24	5	—	—	—	—	—	—	—
Quinsey	3	2	—	—	—	1	—	—	—	—	—	—	—
Gastritis	4	—	—	—	—	—	—	1	—	—	—	—	1
Enteritis	9	1	3	—	—	—	—	—	—	1	—	1	—
Peritonitis	7	—	—	—	—	—	—	—	—	—	—	4	1
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	9	—	—	—	—	—	1	—	—	—	—	—	—
Hernia	7	1	1	1	—	—	—	—	1	—	—	—	—
Ileus	15	2	1	—	—	—	—	—	—	—	1	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	12	3	—	1	—	—	—	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	10	5	—	—	—	—	—	—	—	—	—	1	—
Liver Disease	12	—	—	—	1	—	—	—	—	—	1	2	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	6	—	—	—	—	—	—	—	—	—	—	1	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	1	—
Stone	4	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	6	—	—	—	—	—	—	—	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	18	—	—	—	—	1	—	—	—	—	—	1	2
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	5	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	15	—	—	—	—	—	—	—	—	—	1	3	1
Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	2	—	—	—	—	—	—	—	—	1	1	—	—
Rheumatism	5	—	—	—	—	—	—	—	1	1	—	—	—
Joint and Bone Disease	4	—	—	—	—	—	—	—	—	1	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	11	8	3	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	9	—	—	—	—	1	1	—	1	—	1	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	—	—	—	1	—	—	—	—	—	—	—	—
Drowning	8	—	—	—	—	—	—	—	—	1	1	3	—
Fracture and Contusion	10	—	—	—	—	—	—	—	2	1	1	2	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	5	1	—	—	1	—	—	—	—	—	—	—	1
Not Specified	12	2	2	—	—	—	—	—	1	—	1	—	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	947	108	41	64	55	35	30	21	60	18	31	51	32
SPECIFIED CAUSES	943	108	40	64	55	35	30	21	60	18	30	51	31
I. Zymotic Class	250	12	9	14	23	21	22	16	32	5	6	8	7
II. Diseases of Uncertain Seat	34	4	—	—	1	—	—	—	2	—	1	1	2
III. Tubercular Class	146	3	5	12	8	8	3	—	14	6	14	22	15
IV. Brain and Nervous System	107	19	8	4	—	1	3	2	3	—	2	5	2
V. Organs of Circulation	50	—	—	—	—	—	—	—	—	—	1	—	2
VI. Respiratory Organs	132	16	8	17	9	2	—	2	1	2	2	6	—
VII. Organs of Digestion	73	8	6	14	13	2	1	1	2	—	1	3	1
VIII. Urinary Organs	23	—	—	—	—	1	—	—	1	—	—	1	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	8	—	—	—	—	—	—	—	—	3	1	—	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	43	39	2	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	—	—	—	—	—	—	2	—	—	—	—
XV. Age	30	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	1	—	—	—	—	1	—	—	—	—
XVII. Violent Deaths	34	4	2	—	1	—	1	—	2	2	2	5	1
I. Small Pox	3	—	2	—	—	1	—	—	—	—	—	—	—
Measles	2	—	—	—	—	—	—	2	—	—	—	—	—
Scarlatina	86	1	1	3	14	15	15	11	23	1	—	—	1
Diphtheria	9	—	—	—	1	2	2	—	3	—	—	—	—
Hooping Cough	2	1	—	—	1	—	—	—	—	—	—	—	—
Croup	5	—	—	—	1	1	2	1	—	—	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	31	4	6	8	5	—	—	—	—	—	—	—	1
Dysentery	5	1	—	1	—	—	—	1	—	—	—	—	—
Cholera	3	—	—	1	—	—	—	—	—	—	1	—	—
Influenza	3	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	63	—	—	—	—	1	2	—	2	1	4	4	4
Enteric Fever	8	—	—	—	—	—	1	—	—	1	—	2	1
Relapsing Fever	2	—	—	—	—	—	—	—	1	—	—	—	—
Simple Continued Fever	15	—	—	—	1	1	—	1	2	—	—	2	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	—	—	—	—	—	2	1	—	—
Erysipelas	4	1	—	—	—	—	—	—	1	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	4	2	—	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	6	—	—	—	—	—	—	—	2	—	1	—	—
Abscess	1	—	—	—	1	—	—	—	—	—	—	—	—
Ulcer	1	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	2	—	—	—	—	—	—	—	—	—	—	—
Cancer	21	—	—	—	—	—	—	—	—	—	—	1	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	12	—	1	2	—	—	—	—	3	2	—	2	—
Tabes Mesenterica	16	—	3	3	1	2	1	—	4	2	—	—	—
Phthisis	92	—	—	1	2	3	—	—	2	1	14	20	15
Hydrocephalus	26	3	1	6	5	3	2	—	5	1	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	26	32	37	37	37	40	45	33	38	30	32	12	1	1	-	-	
SPECIFIED CAUSES	25	32	37	37	37	40	45	33	38	30	32	12	1	1	-	-	
Zymotic Class	5	6	12	10	13	7	6	4	4	4	4	-	-	-	-	-	
Uncertain Seat	-	-	3	5	3	1	3	2	2	3	-	1	-	-	-	-	
Tubercular Class	6	9	4	4	5	4	1	2	-	1	-	-	-	-	-	-	
Brain, etc.	3	7	6	2	4	5	10	5	7	5	3	1	-	-	-	-	
Heart, etc.	6	6	3	6	2	8	6	5	2	3	-	-	-	-	-	-	
Respiratory Organs	1	3	4	4	4	5	10	8	14	4	8	2	-	-	-	-	
Digestive Organs	-	-	-	3	2	4	3	4	1	1	2	1	-	-	-	-	
Urinary Organs	1	1	1	-	1	2	3	2	4	1	2	1	-	-	-	-	
Generative Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Locomotive Organs	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	
Skin	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	-	-	2	8	12	6	1	1	-	-	
Sudden Deaths	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Violent Deaths	2	-	2	1	2	4	2	-	1	-	-	-	-	-	-	-	
Small Pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hooping Cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	-	-	-	1	-	1	1	1	1	2	-	-	-	-	-	-	
Dysentery	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	3	5	9	9	10	4	3	1	1	-	-	-	-	-	-	-	
Enteric Fever	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	
Relapsing Fever	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Simple Cont. Fever	1	-	2	-	-	-	1	1	-	-	3	-	-	-	-	-	
Infantile Remittent	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dropsy	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	
Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Mortification	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	-	-	1	5	3	1	3	1	1	3	-	-	-	-	-	-	
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	6	9	3	3	5	4	1	2	-	1	-	-	-	-	-	-	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1034	88	37	52	59	33	35	14	49	19	34	31	33
SPECIFIED CAUSES	1026	86	36	52	59	33	35	14	48	19	34	31	33
I. Zymotic Class	275	10	13	17	25	22	28	10	35	5	13	5	5
II. Diseases of Uncertain Seat	47	1	—	—	—	—	1	—	—	1	1	—	1
III. Tubercular Class	140	2	5	14	10	1	4	1	7	7	14	11	16
IV. Brain and Nervous System	101	19	6	5	4	1	—	1	2	2	1	1	1
V. Organs of Circulation	61	1	—	—	—	—	—	—	2	1	1	1	4
VI. Respiratory Organs	128	7	7	8	6	4	2	2	—	1	1	2	2
VII. Organs of Digestion	75	7	3	7	12	4	—	—	—	1	1	5	2
VIII. Urinary Organs	15	—	—	—	—	—	—	—	—	—	—	2	1
IX. Organs of Generation	22	—	—	—	—	—	—	—	—	—	1	3	1
X. Organs of Locomotion	3	—	—	—	—	—	—	—	1	—	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	32	31	—	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	11	—	—	—	1	—	—	—	—	—	—	—	—
XV. Age	93	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	1	—	—	—	—	—	—	—	—	1	—
XVII. Violent Deaths	17	5	1	—	1	1	—	—	1	1	1	—	—
I. Small Pox	6	—	1	—	2	—	1	—	—	—	1	—	—
Measles	1	—	—	—	—	—	—	—	1	—	—	—	—
Scarlatina	98	1	4	7	14	16	20	6	19	2	4	2	—
Diphtheria	11	—	—	—	1	2	1	—	5	1	—	—	—
Hooping Cough	4	—	—	3	—	—	—	1	—	—	—	—	—
Croup	8	—	—	2	1	2	2	—	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	39	8	8	5	4	1	1	—	—	—	—	—	—
Dysentery	6	—	—	—	—	—	—	—	2	1	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	4	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	1	—	—	—	—	1	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	62	—	—	—	1	—	—	1	3	1	7	2	2
Enteric Fever	9	—	—	—	—	—	1	—	3	—	1	—	—
Relapsing Fever	1	—	—	—	1	—	—	—	—	—	—	—	—
Simple Continued Fever	7	—	—	—	1	—	—	—	—	—	—	—	1
Infantile Remittent	2	—	—	—	—	—	1	1	—	—	—	—	—
Metria	7	—	—	—	—	—	—	—	—	—	—	1	1
Rheumatic Fever	3	—	—	—	—	—	—	1	—	—	—	—	1
Erysipelas	4	1	—	—	—	—	—	—	1	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	—	—	—	—	—	1	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	14	—	—	—	—	—	1	—	—	—	—	—	—
Abscess	3	—	—	—	—	—	—	—	—	1	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	26	—	—	—	—	—	—	—	—	—	1	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	6	—	—	1	1	1	—	—	—	—	1	1	1
Tabes Mesenterica	11	1	1	2	1	—	1	—	4	1	—	—	—
Phthisis	95	—	1	1	1	—	1	—	2	5	11	10	15
Hydrocephalus	28	1	3	10	7	—	2	1	1	1	2	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—FEMALES.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	45	39	38	41	35	44	50	44	51	71	44	34	9	3	1	1	
SPECIFIED CAUSES . .	44	39	38	41	35	42	50	44	51	71	44	34	9	3	1	-	
Zymotic Class	13	9	10	9	6	5	8	9	2	11	2	3	-	-	-	-	
Uncertain Seat	2	4	8	3	5	3	7	2	4	2	1	-	-	1	-	-	
Tubercular Class . . .	13	9	9	6	5	5	1	-	-	-	-	-	-	-	-	-	
Brain, etc.	3	-	1	6	4	7	6	3	9	11	4	4	-	-	-	-	
Heart, etc.	5	3	3	5	5	4	7	8	4	5	1	1	-	-	-	-	
Respiratory Organs . .	2	2	-	7	4	7	6	11	13	18	7	9	-	-	-	-	
Digestive Organs . . .	-	2	3	2	3	2	5	6	2	4	2	2	-	-	-	-	
Urinary Organs	2	1	1	1	-	4	1	1	1	-	-	-	-	-	-	-	
Generative Organs . . .	2	8	1	2	1	-	2	-	1	-	-	-	-	-	-	-	
Locomotive Organs . .	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	2	1	1	-	2	4	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	5	4	12	20	26	14	9	2	1	-	
Sudden Deaths	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Violent Deaths	-	-	1	-	-	1	1	-	1	-	1	1	-	-	-	-	
Small Pox	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hooping Cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhœa	-	-	2	-	-	-	1	2	1	4	1	1	-	-	-	-	
Dysentery	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	
Cholera	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Purpura	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	6	5	6	8	4	3	4	6	-	2	-	1	-	-	-	-	
Enteric Fever	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Cont. Fever . .	1	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Dropsy	-	2	1	2	1	2	2	-	1	1	1	-	-	-	-	-	
Abscess	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
Ulcer	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	2	2	6	-	4	1	5	1	2	1	-	-	-	-	-	-	
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tabes Mesenterica . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	13	9	9	6	5	5	1	-	-	-	-	-	-	-	-	-	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1865.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	—	—	1	—	—	—	—	1	—	—	—	—
Apoplexy	20	—	—	—	—	—	—	—	—	—	—	1	—
Paralysis	28	—	—	—	—	—	—	—	—	—	1	—	—
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	32	18	6	3	3	1	—	1	—	—	—	—	—
Brain Disease	12	1	—	1	1	—	—	—	1	2	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	59	1	—	—	—	—	—	—	2	1	1	1	4
VI. Laryngitis	2	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	95	5	6	8	4	4	1	1	—	1	—	1	—
Pleurisy	4	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	19	1	1	—	1	—	1	1	—	—	1	1	2
Asthma	6	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	1	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	25	1	2	7	11	4	—	—	—	—	—	—	—
Quinsey	2	2	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	1
Enteritis	3	—	1	—	—	—	—	—	—	1	—	—	—
Peritonitis	7	—	—	—	—	—	—	—	—	—	—	4	1
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	3	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	10	—	—	—	—	—	—	—	—	—	1	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	6	1	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	6	3	—	—	—	—	—	—	—	—	—	1	—
Liver Disease	4	—	—	—	1	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	2	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	1	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	10	—	—	—	—	—	—	—	—	—	—	1	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	5	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	15	—	—	—	—	—	—	—	—	—	1	3	1
Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	3	—	—	—	—	—	—	—	1	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	5	4	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	6	—	—	—	—	1	—	—	—	—	1	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	—	—	—	1	—	—	—	—	1	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	1	—	—	—	—	—	—	—	1	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	8	2	1	—	—	—	—	—	1	—	—	—	—

[illegible]

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1410	121	53	92	143	77	41	44	73	39	59	41	43
SPECIFIED CAUSES	1374	94	50	91	142	76	41	44	72	39	59	41	43
I. Zymotic Class	420	9	16	27	71	45	29	32	41	16	15	9	10
II. Diseases of Uncertain Seat	51	1	—	1	—	1	1	—	—	1	1	2	1
III. Tubercular Class	233	3	8	14	18	9	5	5	12	14	33	22	15
IV. Brain and Nervous System	102	2	4	6	5	2	1	3	6	1	2	2	4
V. Organs of Circulation	36	—	—	—	—	—	—	—	—	1	2	1	—
VI. Respiratory Organs	173	14	11	25	21	9	2	3	4	3	3	1	2
VII. Organs of Digestion	118	9	7	17	24	6	1	1	4	1	1	2	4
VIII. Urinary Organs	7	—	—	—	—	—	—	—	—	—	—	—	3
IX. Organs of Generation	11	—	—	—	—	—	—	—	—	—	1	1	3
X. Organs of Locomotion	10	—	—	—	—	—	—	—	2	—	1	—	1
XI. Skin, etc.	3	2	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	5	3	2	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	51	48	2	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	7	—	—	—	2	1	1	—	—	—	—	—	—
XV. Age	117	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	28	2	—	—	1	3	1	—	3	2	—	1	—
I. Small Pox	3	—	1	—	—	—	—	1	—	1	—	—	—
Measles	69	2	—	9	31	14	5	1	6	—	—	1	—
Scarlatina	86	—	2	4	10	15	13	14	21	5	1	—	—
Diphtheria	7	—	—	—	1	1	1	1	3	—	—	—	—
Whooping Cough	43	2	2	9	16	5	4	5	—	—	—	—	—
Croup	11	—	—	1	5	2	2	1	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	34	3	8	3	7	1	—	—	1	—	1	—	—
Dysentery	7	—	—	—	—	—	—	1	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	—	1	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	93	—	—	1	—	—	1	2	3	3	9	4	9
Enteric Fever	12	—	—	—	—	1	—	1	1	2	2	1	—
Relapsing Fever	1	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever	26	—	—	—	—	4	2	2	5	3	2	1	—
Infantile Remittent	8	—	1	—	—	2	1	3	1	—	—	—	—
Metria	3	—	—	—	—	—	—	—	—	—	—	1	—
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	—	1
Erysipelas	9	—	1	—	1	—	—	—	—	—	—	1	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	2	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	26	—	—	—	—	1	1	—	—	1	1	1	—
Abscess	5	1	—	1	—	—	—	—	—	—	—	1	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	16	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	12	1	—	—	—	1	—	—	2	3	—	1	1
Tabes Mesenterica	18	—	4	1	5	2	3	—	2	—	—	—	1
Phthisis	171	—	2	2	5	3	2	3	5	10	33	21	13
Hydrocephalus	32	2	2	11	8	3	—	2	3	1	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	42	49	57	57	49	40	49	67	60	51	36	21	1	4	—	1
SPECIFIED CAUSES . .	42	49	57	57	49	40	48	67	60	51	36	21	1	4	—	—
Zymotic Class	12	6	18	12	13	11	10	5	6	4	2	1	—	—	—	—
Uncertain Seat	—	2	6	3	3	3	6	7	3	6	1	2	—	—	—	—
Tubercular Class . . .	17	15	8	11	11	4	6	3	—	—	—	—	—	—	—	—
Brain, etc.	1	5	3	6	2	5	9	12	9	6	5	1	—	—	—	—
Heart, etc.	4	3	4	8	4	—	1	3	2	2	1	—	—	—	—	—
Respiratory Organs . .	2	8	4	5	10	10	9	11	7	5	3	—	—	1	—	—
Digestive Organs . . .	3	4	8	5	3	3	1	3	6	3	1	1	—	—	—	—
Urinary Organs	—	—	2	1	—	—	—	—	1	—	—	—	—	—	—	—
Generative Organs . .	1	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . .	—	—	1	—	1	1	1	2	—	—	—	—	—	—	—	—
Skin	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	5	19	25	25	23	16	1	3	—	—
Sudden Deaths	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	2	3	1	5	1	—	—	2	1	—	—	—	—	—	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	—	—	—	—	2	1	—	1	2	2	2	—	—	—	—	—
Dysentery	—	—	1	—	1	1	1	—	1	—	—	1	—	—	—	—
Cholera	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	10	6	15	8	8	6	5	2	1	—	—	—	—	—	—	—
Enteric Fever	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	—	—	—	2	—	—	3	1	1	—	—	—	—	—	—	—
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	2	2	—	1	1	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	1	2	1	3	1	4	3	2	2	—	2	—	—	—	—
Abscess	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer	—	—	2	2	—	2	2	4	—	3	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	17	13	8	11	10	4	6	3	—	—	—	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	8	—	1	—	—	1	—	2	2	—	1	—	—
Apoplexy	21	—	—	3	1	—	—	—	1	—	—	1	—
Paralysis	39	—	—	—	—	—	—	—	1	—	1	—	1
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy	7	—	—	—	—	—	—	—	—	—	—	—	1
Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	16	2	3	3	4	1	1	1	1	—	—	—	—
Brain Disease	6	—	—	—	—	—	—	—	1	—	—	1	1
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	35	—	—	—	—	—	—	—	—	1	2	1	—
VI. Laryngitis	2	—	—	—	—	—	—	1	—	—	—	—	—
Bronchitis	117	13	8	21	14	5	1	—	2	1	1	1	—
Pleurisy	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	38	1	2	4	7	4	1	2	2	2	1	—	2
Asthma	11	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	5	—	1	—	—	—	—	—	—	—	1	—	—
VII. Teething	38	—	1	14	20	3	—	—	—	—	—	—	—
Quinsey	2	—	—	—	—	—	—	—	1	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	1	—
Enteritis	34	9	5	3	2	2	—	1	2	—	—	—	1
Peritonitis	3	—	—	—	—	—	—	—	—	—	—	—	1
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	3	—	—	—	—	—	—	—	—	—	1	—	—
Hernia	1	—	—	—	—	1	—	—	—	—	—	—	—
Ileus	5	—	—	—	1	—	—	—	—	—	—	—	2
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	9	—	—	—	—	—	1	—	1	1	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	16	—	1	—	1	—	—	—	—	—	—	1	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	3	—	—	—	—	—	—	—	—	—	—	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	2
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	9	—	—	—	—	—	—	—	—	—	1	1	3
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	8	—	—	—	—	—	—	—	1	—	1	—	—
Joint and Bone Disease	2	—	—	—	—	—	—	—	1	—	—	—	1
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	3	2	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	7	1	—	—	1	3	1	—	1	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	4	—	—	—	—	—	—	—	1	—	—	—	—
Fracture and Contusion	10	—	—	—	—	—	—	—	1	2	—	1	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	36	27	3	1	1	1	—	—	1	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1675	170	75	164	188	81	68	35	76	30	53	67	76
SPECIFIED CAUSES	1638	152	71	162	185	80	68	35	73	30	53	66	76
I. Zymotic Class	506	26	15	55	81	32	41	21	36	12	18	15	26
II. Diseases of Uncertain Seat	34	1	—	1	2	2	—	—	2	1	1	2	—
III. Tubercular Class	278	1	8	24	25	8	9	8	18	10	22	24	25
IV. Brain and Nervous System :	124	5	3	14	6	4	2	3	6	2	1	2	5
V. Organs of Circulation	63	—	—	1	—	—	—	—	1	—	3	3	3
VI. Respiratory Organs	245	24	26	37	36	21	12	2	4	2	2	5	4
VII. Organs of Digestion	108	10	12	20	28	10	1	1	1	1	—	2	2
VIII. Urinary Organs	18	—	—	—	—	1	1	—	2	—	—	2	2
IX. Organs of Generation	12	—	—	—	—	—	—	—	—	—	1	1	3
X. Organs of Locomotion	7	—	—	1	—	—	—	—	—	1	1	—	—
XI. Skin, etc.	5	1	—	1	1	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	89	77	5	7	—	—	—	—	—	—	—	—	—
XIV. Atrophy	16	—	—	—	5	2	1	—	1	1	—	2	1
XV. Age	71	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	5	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	56	6	2	1	1	—	1	—	2	—	4	8	5
I. Small Pox	4	2	—	—	—	—	—	—	1	—	—	—	—
Measles	12	—	—	3	3	1	5	—	—	—	—	—	—
Scarlatina	52	—	—	1	11	3	11	13	1	—	—	1	—
Diphtheria	8	—	—	3	2	—	2	1	—	—	—	—	—
Hooping Cough	114	7	8	29	34	18	8	4	6	—	—	—	—
Croup	34	4	—	2	14	6	6	2	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	49	10	4	13	12	1	1	—	—	—	—	—	—
Dysentery	4	—	—	—	1	1	—	—	—	—	—	—	—
Cholera	4	—	—	—	2	—	—	—	—	—	—	—	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	—	—	—	—	—	—	—	1	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	169	—	—	1	—	1	6	1	10	5	15	12	20
Enteric Fever	13	—	—	1	1	—	—	2	3	3	—	—	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	17	—	1	—	—	1	1	—	2	2	2	—	3
Infantile Remittent	2	—	—	—	—	—	1	—	1	—	—	—	—
Metria	7	—	—	—	—	—	—	—	—	—	—	2	3
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	1	—	—
Erysipelas	4	1	—	—	1	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	7	2	2	2	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	8	—	—	—	1	2	—	—	1	—	—	2	—
Abscess	2	1	—	—	—	—	—	—	—	—	—	—	—
Ulcer	3	—	—	—	—	—	—	—	1	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	—	—	1	1	—	—	—	—	1	1	—	—
Cancer	15	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	15	—	2	1	4	1	1	1	—	—	1	—	—
Tabes Mesenterica	15	1	1	3	2	2	—	—	5	—	—	—	1
Phthisis	209	—	2	7	9	4	5	2	10	9	21	24	24
Hydrocephalus	89	—	3	13	10	1	3	5	3	1	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	9	—	1	—	—	—	—	1	2	—	—	1	1
Apoplexy	18	1	—	—	—	—	—	—	—	—	1	1	1
Paralysis	35	—	—	—	—	—	—	—	—	—	—	—	1
Delirium Tremens	3	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	5	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	1	—	—	—	—	—	—	—	1	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	13	3	—	2	2	2	1	1	2	—	—	—	—
Brain Disease	38	1	2	12	4	2	1	1	1	2	—	—	1
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	1	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	62	—	—	1	—	—	—	—	1	—	2	3	3
VI. Laryngitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	195	22	25	36	32	18	10	1	2	2	—	1	1
Pleurisy	5	—	—	—	—	—	1	—	1	—	—	—	—
Pneumonia	34	2	1	1	4	2	—	1	1	—	1	4	2
Asthma	3	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	7	—	—	—	—	1	1	—	—	—	1	—	1
VII. Teething	59	2	5	17	26	9	—	—	—	—	—	—	—
Quinsey	2	—	—	1	—	—	1	—	—	—	—	—	—
Gastritis	4	—	1	—	—	—	—	—	—	—	—	—	—
Enteritis	15	7	6	2	—	—	—	—	—	—	—	—	—
Peritonitis	6	—	—	—	1	—	—	—	1	—	—	1	2
Ascites	1	—	—	—	—	—	—	—	—	—	—	1	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	7	1	—	—	1	—	—	1	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	11	—	—	—	—	1	—	—	—	1	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	1	—	—	1	—	—	—	—
Nephria	8	—	—	—	—	—	1	—	—	—	—	1	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	1
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	11	—	—	—	—	—	—	—	—	—	1	1	3
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	2	—	—	1	—	—	—	—	—	—	1	—	—
Rheumatism	4	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	1	—	—	—
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	3	1	—	1	1	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	6	5	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	7	—	—	1	—	—	—	—	2	—	1	2	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	—	1	—	1	—	—	—	—	—	—	—	—
Drowning	13	—	—	—	—	—	—	—	—	—	2	4	1
Fracture and Contusion	18	1	—	—	—	—	1	—	—	—	1	2	3
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	—	—	—	—	—	—	—	—	—	—	—	1
Not Specified	37	18	4	2	3	1	—	—	3	—	—	1	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	—	1	1	3	1	1	3	1	1	2	—	—	—	—	—	—
Paralysis	1	—	3	2	3	3	3	1	8	6	3	1	—	—	—	—
Delirium Tremens	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	—	—	3	2	2	3	—	1	—	—	—	—	—	—	—	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	6	5	6	5	7	7	3	5	7	—	—	1	—	—	—	—
Laryngitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	2	1	1	1	11	3	13	5	4	4	—	—	—	—	—	—
Pleurisy	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—
Pneumonia	1	1	1	1	1	4	2	3	—	1	—	—	—	—	—	—
Asthma	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
Lung Disease	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	1	—	1	—	2	3	1	—	—	1	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	3	1	—	—	—	—	—	1	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diabetes	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
Paramenia	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	1	—	2	2	—	—	—	1	—	—	—	—	—	—	—
Fracture and Contusion	2	1	4	—	1	1	1	—	—	—	—	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Other Violent Causes	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	2

CAUSES of DEATH in LEITH, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	948	110	40	77	89	40	23	14	47	14	18	30	34
SPECIFIED CAUSES	941	106	39	76	89	40	23	14	47	14	18	30	34
I. Zymotic Class	213	11	10	20	38	24	8	7	21	8	6	7	7
II. Diseases of Uncertain Seat	24	—	—	—	1	—	—	—	—	—	—	—	—
III. Tubercular Class	139	3	3	16	13	5	3	3	9	2	7	12	10
IV. Brain and Nervous System	77	13	3	3	3	2	1	—	4	1	—	1	2
V. Organs of Circulation	68	—	—	2	—	—	—	—	—	—	2	2	—
VI. Respiratory Organs	146	18	12	20	19	5	8	2	6	1	—	—	4
VII. Organs of Digestion	63	4	3	7	9	—	—	—	—	1	1	2	2
VIII. Urinary Organs	16	—	—	1	—	—	—	—	1	—	1	2	—
IX. Organs of Generation	8	—	—	—	—	—	—	—	—	—	—	2	3
X. Organs of Locomotion	1	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	3	2	—	—	—	—	1	—	—	—	—	—	—
XIII. Premature Debility	62	50	6	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy	13	—	—	—	4	3	1	1	—	—	—	—	—
XV. Age	44	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	62	5	—	1	2	1	1	1	6	1	1	2	6
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	21	—	—	3	11	3	2	—	2	—	—	—	—
Scarlatina	26	—	—	—	2	7	2	3	10	2	—	—	—
Diphtheria	14	1	—	1	2	3	1	—	3	—	1	1	—
Hooping Cough	26	1	2	9	6	5	2	1	—	—	—	—	—
Croup	12	—	—	1	4	4	—	2	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	27	4	7	5	5	—	—	—	—	—	—	—	—
Dysentery	3	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	6	1	—	1	2	1	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	1	—	—	—	—	—	—	—	—
Typhus	34	—	—	—	—	—	—	—	—	1	2	3	5
Enteric Fever	19	—	—	—	2	1	—	—	1	3	3	2	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	4	—	—	—	—	—	—	—	2	1	—	—	—
Infantile Remittent	5	—	—	—	2	—	1	1	1	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	1	2
Rheumatic Fever	4	—	—	—	—	—	—	—	1	1	—	—	—
Erysipelas	5	4	1	—	—	—	—	—	—	—	—	—	—
Pyæmia	1	—	—	—	1	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	7	—	—	—	1	—	—	—	—	—	—	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	14	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	3	—	—	1	—	—	—	—	1	—	—	1	—
Tabes Mesenterica	16	2	2	2	3	1	—	2	1	—	1	1	—
Phthisis	85	—	—	—	1	1	1	—	3	2	6	9	10
Hydrocephalus	35	1	1	13	9	3	2	1	4	—	—	1	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	37	47	47	35	39	33	46	35	28	29	24	6	6	—	—	—	
SPECIFIED CAUSES .	37	47	47	35	39	32	46	35	28	29	24	6	6	—	—	—	
Zymotic Class . .	5	7	8	7	8	2	3	1	3	1	1	—	—	—	—	—	
Uncertain Seat . .	1	2	3	2	3	3	2	3	2	1	1	—	—	—	—	—	
Tubercular Class . .	7	19	10	9	5	—	2	—	1	—	—	—	—	—	—	—	
Brain, etc. . . .	2	—	3	3	4	2	5	7	5	6	6	1	—	—	—	—	
Heart, etc. . . .	3	7	12	7	5	3	12	3	4	3	3	—	—	—	—	—	
Respiratory Organs .	4	3	2	1	4	12	6	13	1	3	1	1	—	—	—	—	
Digestive Organs . .	7	2	3	2	2	3	4	4	—	6	1	—	—	—	—	—	
Urinary Organs . .	1	1	—	1	1	1	3	—	1	2	—	—	—	—	—	—	
Generative Organs .	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	6	2	9	6	11	4	6	—	—	—	
Sudden Deaths . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths . .	7	3	5	3	5	4	3	2	2	1	—	—	—	—	—	—	
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	1	1	—	—	—	—	—	1	2	—	1	—	—	—	—	—	
Dysentery	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	
Cholera	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	1	5	6	4	4	1	1	—	1	—	—	—	—	—	—	—	
Enteric Fever . . .	—	1	1	1	2	1	1	—	—	—	—	—	—	—	—	—	
Relapsing Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . .	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	—	1	2	—	—	1	—	1	—	—	1	—	—	—	—	—	
Abscess	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer	1	—	1	2	3	1	1	2	2	1	—	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	7	19	9	9	5	—	2	—	1	—	—	—	—	—	—	—	
Hydrocephalus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in LEITH, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	ALL AGES.	BOTH SEXES.												
		AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	7	-	-	1	1	-	-	-	1	-	-	1	-	-
Apoplexy	18	-	-	1	-	-	-	-	1	1	-	-	-	1
Paralysis	24	-	-	-	-	-	-	-	-	-	-	-	-	-
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Tetanus	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	20	11	3	1	2	1	1	-	1	-	-	-	-	-
Brain Disease	6	1	-	-	-	1	-	-	-	-	-	-	-	1
V. Pericarditis	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Aneurism	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	66	-	-	2	-	-	-	-	-	-	1	2	-	-
VI. Laryngitis	2	-	-	1	-	-	-	-	-	-	-	-	-	-
Bronchitis	99	14	8	16	13	4	3	1	4	-	-	-	-	-
Pleurisy	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia	40	4	4	3	6	1	5	1	2	1	-	-	-	3
Asthma	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Lung Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. Teething	10	-	-	5	5	-	-	-	-	-	-	-	-	-
Quinsey	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	9	3	1	-	2	-	-	-	-	1	-	-	-	-
Peritonitis	6	-	-	1	-	-	-	-	-	-	1	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestines	5	-	-	1	-	-	-	-	-	-	-	-	-	-
Hernia	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Ileus	8	1	2	-	-	-	-	-	-	-	-	1	1	-
Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	8	-	-	-	2	-	-	-	-	-	-	-	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liver Disease	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Spleen Disease	1	-	-	-	-	-	-	-	-	-	-	1	-	-
VIII. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephria	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	6	-	-	1	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	7	-	-	-	-	-	-	-	1	-	1	-	-	-
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	7	-	-	-	-	-	-	-	-	-	-	2	3	-
Organs of Generation	1	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Arthritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Joint and Bone Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	1	-	1	-	-	-	-	-	-	-	-	-	-	-
XVII. Intemperance	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	6	-	-	1	1	1	-	-	1	-	-	-	-	-
Hanging, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	18	-	-	-	-	-	1	-	2	-	-	1	3	-
Fracture and Contusion	25	1	-	-	1	-	-	1	3	1	1	1	2	-
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	4	2	-	-	-	-	-	-	-	-	-	-	-	1
Not Specified	7	4	1	1	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1865.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	729	56	21	40	59	32	21	20	32	13	24	22	22
SPECIFIED CAUSES	719	54	20	40	59	32	21	20	31	13	23	22	22
I. Zymotic Class	212	8	4	18	36	20	15	12	23	7	5	6	5
II. Diseases of Uncertain Seat	16	—	—	—	—	—	—	—	—	—	—	—	—
III. Tubercular Class	106	—	4	2	3	5	2	6	6	3	12	7	9
IV. Brain and Nervous System	54	2	1	—	1	1	1	1	—	—	2	2	1
V. Organs of Circulation	50	—	—	—	—	—	—	—	—	—	1	3	3
VI. Respiratory Organs	81	8	1	9	11	4	3	1	—	2	—	2	—
VII. Organs of Digestion	42	4	3	5	6	—	—	—	—	1	—	—	1
VIII. Urinary Organs	7	—	—	—	—	—	—	—	—	—	—	1	1
IX. Organs of Generation	6	—	—	—	—	—	—	—	—	—	—	1	2
X. Organs of Locomotion	4	—	—	—	—	—	—	—	1	—	1	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	42	30	7	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy	5	—	—	—	2	1	—	—	1	—	—	—	—
XV. Age	68	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	25	2	—	1	—	1	—	—	—	—	2	—	—
I. Small Pox	9	1	1	—	1	—	1	1	1	—	—	1	1
Measles	39	1	—	5	17	5	2	3	4	2	—	—	—
Scarlatina	29	—	—	1	4	6	6	6	5	1	—	—	—
Diphtheria	5	—	—	—	1	—	—	1	2	1	—	—	—
Hooping Cough	20	2	—	3	6	2	2	—	5	—	—	—	—
Croup	10	1	1	2	2	3	—	—	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	22	2	1	4	4	—	—	—	—	—	—	—	—
Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	4	—	—	2	—	—	—	1	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	47	—	—	—	—	—	3	—	2	3	5	5	3
Enteric Fever	8	—	—	—	—	1	1	—	1	—	—	—	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	11	—	—	—	1	2	—	—	2	—	—	—	—
Infantile Remittent	1	—	—	—	—	1	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	—	1	1	—	—	—	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	1	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	11	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	—	—	—	—	—	2	1	1	—	1
Tabes Mesenterica	3	—	—	—	—	—	—	1	—	1	—	—	1
Phthisis	76	—	—	—	—	2	—	1	2	1	11	7	7
Hydrocephalus	20	—	4	2	3	3	2	4	2	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1865.—BOTH SEXES. (Continued.)

DISEASES.		BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12												
IV. Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	22	—	—	—	—	—	1	—	—	—	—	—	—	1
Paralysis	12	—	—	—	—	—	—	—	—	—	1	—	—	—
Delirium Tremens	4	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	—	—	—	—	—	—	—	—	1	2	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	6	2	1	—	1	1	—	1	—	—	—	—	—	—
Brain Disease	7	—	—	—	—	—	—	—	—	—	—	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	49	—	—	—	—	—	—	—	—	—	1	3	3	—
VI. Laryngitis	3	—	—	1	—	—	—	—	—	—	—	1	—	—
Bronchitis	63	7	1	8	11	4	3	1	—	1	—	—	—	—
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	7	1	—	—	—	—	—	—	—	—	—	1	—	—
Asthma	5	—	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	—	—	—	—	—	—	—	—	1	—	—	—	—
VII. Teething	13	1	1	5	6	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis	2	—	—	—	—	—	—	—	—	1	—	—	—	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	5	1	1	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	3	1	1	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	9	—	—	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease	2	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	—	—	—	1	—	—
Nephria	3	—	—	—	—	—	—	—	—	—	—	—	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	5	—	—	—	—	—	—	—	—	—	—	1	2	—
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	1	—	—	—	—	—	—	—	—	—	1	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	2	—	—	—	—	—	—	—	1	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	2	2	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	1	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	3	—	—	—	—	—	—	—	—	—	1	—	—	—
Fracture and Contusion	12	—	—	—	—	1	—	—	—	—	1	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	10	2	1	—	—	—	—	—	1	—	1	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1865.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	—	1	—	1	3	2	3	1	4	2	2	1	—	—	—	—
Paralysis	—	1	—	2	—	—	1	2	3	1	1	—	—	—	—	—
Delirium Tremens . .	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	—	—	—	2	2	1	—	1	—	1	—	—	—	—	—	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	2	4	3	6	3	4	6	3	4	3	2	1	1	—	—	—
Laryngitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	—	1	1	4	1	1	6	6	5	1	1	—	—	—	—	—
Pleurisy	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	—	1	1	1	—	2	—	—	—	—	—	—	—	—	—	—
Asthma	—	—	—	—	2	1	—	2	—	—	—	—	—	—	—	—
Lung Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—
Intussusception . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	—	—	—	1	—	2	3	1	1	—	—	—	—	—	—	—
Spleen Disease	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Addison's Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Joint Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hanging, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Fracture and Contusion . .	3	1	2	—	—	1	2	1	—	—	—	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Not Specified. . . .	—	1	—	1	—	—	2	—	1	—	—	—	—	—	—	—

TABLE showing the Distribution of DEATHS according to MONTHS,
or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1865.

		DEATHS in 1865.													
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.	
MEAN TEMPERATURE in 1865		34°·6	33°·9	37°·3	46°·5	50°·9	57°·1	58°·4	56°·1	53°·0	46°·0	41°·4	42°·9	46°·9	
	Population 1865.														
SCOTLAND . . .		3,136,057	6900	7000	6903	5788	5930	5351	5603	5490	4837	5371	6044	5674	70,891
INSULAR DISTRICTS .		158,289	253	252	293	182	223	185	189	172	188	174	196	181	2,488
MAINLAND DISTRICTS		1,785,080	3157	3234	3348	2814	2808	2527	2421	2517	2337	2431	2681	2717	32,992
TOWN DISTRICTS . .		1,192,668	3190	3514	3262	2792	2899	2639	2993	2801	2312	2766	3167	2776	35,411
DIVISIONS.															
1	Northern . . .	131,862	220	239	227	176	169	148	138	148	158	146	148	153	2,070
2	North-Western . .	163,759	262	262	292	206	230	196	225	206	172	202	201	224	2,678
3	North-Eastern . .	374,607	612	581	640	576	589	541	531	518	459	479	613	607	6,740
4	East-Midland . . .	527,161	1167	1157	1068	954	961	937	997	919	854	841	948	928	11,731
5	West-Midland . . .	242,957	445	461	496	373	449	356	359	371	355	371	397	348	4,784
6	South-Western . .	1,062,299	2962	3000	2781	2372	2407	2116	2303	2179	1810	2220	2519	2357	28,966
7	South-Eastern . .	419,901	906	884	972	781	778	752	772	832	743	795	892	776	9,883
8	Southern . . .	213,511	386	413	427	356	347	305	278	317	286	317	326	281	4,039
COUNTIES.															
I. NORTHERN.															
1	Shetland . . .	31,921	46	53	60	35	40	38	26	42	54	41	40	40	515
2	Orkney . . .	32,794	50	48	56	45	44	35	36	26	27	21	38	31	457
3	Caithness . . .	43,223	82	99	89	73	62	54	53	51	48	58	38	47	754
4	Sutherland . . .	23,924	42	39	22	23	23	21	23	29	29	26	32	35	344
II. NORTH-WESTERN.															
5	Ross and Cromarty .	81,850	119	133	132	96	118	103	115	118	92	117	95	124	1,362
6	Inverness . . .	81,909	143	129	160	110	112	93	110	88	80	85	106	100	1,316
III. NORTH-EASTERN.															
7	Nairn . . .	8,461	13	11	18	17	12	14	20	13	7	10	13	9	157
8	Elgin (or Moray) . .	45,782	69	69	78	57	55	51	71	60	59	52	73	79	773
9	Banff . . .	58,001	75	83	88	76	77	76	63	67	43	57	68	89	862
10	Aberdeen . . .	227,543	389	370	402	366	392	353	351	339	313	316	409	388	4,388
11	Kincardine . . .	34,820	66	48	54	54	53	47	26	39	37	44	50	42	560
IV. EAST-MIDLAND.															
12	Forfar . . .	212,325	557	506	481	393	432	449	476	449	364	345	393	422	5,267
13	Perth . . .	131,426	254	266	257	232	234	219	203	195	192	183	217	202	2,654
14	Fife . . .	155,543	295	319	276	261	247	225	246	225	263	268	295	268	3,188
15	Kinross . . .	8,353	13	15	12	24	18	14	19	15	11	15	17	8	181
16	Clackmannan . . .	19,514	48	51	42	44	30	30	53	35	24	30	26	28	441
V. WEST-MIDLAND.															
17	Stirling . . .	89,978	168	172	176	137	176	135	138	147	113	155	172	153	1,842
18	Dumbarton . . .	57,235	108	122	133	109	116	106	81	96	92	74	97	82	1,216
19	Argyll . . .	79,533	135	136	148	108	124	87	113	92	115	110	99	92	1,359
20	Bute . . .	16,211	34	34	39	19	33	28	27	36	35	32	29	21	367
VI. SOUTH-WESTERN.															
21	Renfrew . . .	173,337	497	545	490	390	373	343	362	321	306	331	428	407	4,793
22	Ayr . . .	202,923	400	395	405	357	369	341	296	297	235	288	318	361	4,062
23	Lanark . . .	686,039	2005	2060	1886	1625	1665	1432	1645	1561	1269	1601	1773	1589	20,111
VII. SOUTH-EASTERN.															
24	Linlithgow . . .	42,640	89	69	88	76	70	64	62	52	58	60	74	80	842
25	Edinburgh . . .	280,298	648	639	685	549	557	552	597	628	536	607	670	563	7,231
26	Haddington . . .	38,162	67	70	97	61	58	50	50	59	60	52	59	56	739
27	Berwick . . .	36,623	68	71	63	58	59	47	34	54	59	43	56	42	654
28	Peebles . . .	11,508	21	16	18	16	16	16	17	21	14	16	16	16	203
29	Selkirk . . .	10,670	13	19	21	21	18	23	12	18	16	17	17	19	214
VIII. SOUTHERN.															
30	Roxburgh . . .	54,780	95	103	99	101	85	80	61	76	71	76	74	71	992
31	Dumfries . . .	74,952	125	140	155	125	136	126	129	112	101	106	147	108	1,510
32	Kirkcudbright . . .	42,231	82	81	91	70	64	64	47	71	64	71	52	58	815
33	Wigtown . . .	41,548	84	89	82	60	62	35	41	58	50	64	53	44	722

APPENDIX.

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855-1864.--BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	651295	61374	20513	43341	60053	30569	20113	14180	33557	16454	21496	24646	221
SPECIFIED CAUSES	614267	49954	17415	40043	56646	29049	19278	13592	32085	15631	20696	23815	21
I. Zymotic Class	149019	6439	5107	14630	26027	16357	11888	8375	17024	5085	4444	4249	32
II. Diseases of Uncertain Seat	24066	391	110	209	355	294	257	216	589	384	398	409	5
III. Tubercular Class	105275	1374	2451	6431	9313	4480	2730	2051	6866	5161	9810	11787	96
IV. Brain and Nervous System	48914	3615	1217	2017	2050	1073	723	571	1830	1114	1092	1143	11
V. Organs of Circulation	24203	144	42	66	76	55	48	71	372	548	753	771	9
VI. Respiratory Organs	79929	5211	4287	8844	9275	4007	2157	1229	2362	790	1056	1565	15
VII. Organs of Digestion	47824	4350	2118	6090	7185	1375	487	353	1027	764	908	1124	11
VIII. Urinary Organs	7668	43	16	29	67	60	83	67	214	172	238	336	3
IX. Organs of Generation	5015	1	—	2	1	2	—	—	—	15	210	639	8
X. Organs of Locomotion	3361	14	5	11	33	32	37	40	248	346	283	210	1
XI. Skin, etc.	716	127	74	86	53	30	11	2	17	5	7	21	
XII. Malformation	1476	1244	82	63	33	7	6	5	15	2	9	3	
XIII. Premature Debility	28333	25735	1472	1124	2	—	—	—	—	—	—	—	
XIV. Atrophy	5217	66	53	125	1382	494	230	139	329	130	103	85	
XV. Age	60950	—	—	—	—	—	—	—	—	—	—	—	
XVI. Sudden Deaths	1400	170	87	52	28	12	12	10	19	18	25	20	
XVII. Violent Deaths	20901	1030	294	264	766	771	609	463	1173	1097	1360	1453	13
I. Small Pox	10548	774	698	1513	1765	1132	798	514	976	272	312	519	3
Measles	13027	202	244	1971	4978	2347	1252	662	1000	125	80	45	
Scarlatina	26465	151	292	1629	4058	4249	3769	3167	6540	1370	486	249	1
Diphtheria	6428	164	119	374	999	852	774	595	1459	429	217	109	
Hooping Cough	20853	1243	1413	4615	6498	3009	1802	1009	1184	54	7	5	
Croup	11663	504	337	1178	3133	2359	1729	1083	1262	60	2	3	
Thrush	328	203	32	43	36	5	2	1	1	—	—	1	
Diarrhoea	12966	1624	1077	1790	2287	613	234	146	276	114	111	142	1
Dysentery	4616	86	144	280	386	128	82	54	121	62	74	109	
Cholera	1076	48	47	138	138	44	42	24	87	25	12	30	
Influenza	3397	133	85	140	147	75	47	32	61	38	41	37	
Purpura	464	18	12	33	34	18	10	10	41	27	31	30	
Ague	66	—	2	2	1	6	8	7	5	5	2	3	
Worms	338	2	3	8	31	63	69	39	97	21	2	2	
Infantile Fever	827	99	72	167	225	116	67	41	38	2	—	—	
Typhus	29284	120	170	487	1129	1246	1131	940	3678	2298	2757	2365	17
Metria	1802	—	—	—	—	—	—	—	—	—	91	411	4
Rheumatic Fever	807	4	—	—	4	3	6	11	79	89	102	76	
Erysipelas	2851	679	132	139	101	57	42	25	92	91	106	76	
Syphilis	1034	379	222	113	55	13	5	2	1	1	8	36	
Noma	167	6	6	9	21	21	18	13	23	1	3	1	
Hydrophobia	12	—	—	1	1	1	1	—	3	1	—	—	
II. Hæmorrhage	987	121	14	24	13	10	10	12	24	18	49	45	
Dropsy	9422	39	23	53	166	193	188	150	415	236	178	181	2
Abscess	1146	87	37	61	66	32	11	17	71	66	67	63	
Ulcer	392	31	8	13	21	5	6	2	3	6	12	13	
Fistula	127	—	—	2	1	1	—	2	2	2	2	9	
Mortification	1381	95	20	38	69	35	22	15	33	22	23	26	
Cancer	10499	18	8	18	19	18	18	18	40	34	66	72	1
Gout	112	—	—	—	—	—	2	—	1	—	1	—	
III. Scrofula	5428	99	131	249	401	237	147	148	579	625	660	529	3
Tabes Mesenterica	7180	456	400	853	2000	897	456	272	783	381	198	122	
Phthisis	74640	206	536	1137	2295	1443	855	734	3110	3625	8841	11095	91
Hydrocephalus	18027	613	1384	4192	4617	1903	1272	897	2394	530	111	41	

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855-1864.--BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	20119	19760	19443	19324	20705	21733	27501	27090	31286	29469	24799	13595	5029	1527	354	1158
PECIFIED CAUSES . . .	19338	19035	18645	18469	19630	20447	26051	26908	31107	29291	24655	13495	4984	1516	352	834
zymotic Class . . .	2692	2591	2319	2294	2205	2129	2557	2326	2548	2129	1330	586	171	44	2	100
Uncertain Seat . . .	695	989	1415	1681	2018	2138	2710	2381	2349	1816	1097	454	102	24	5	18
ubercular Class . . .	7537	6170	5092	4025	3303	2597	2110	1175	641	289	103	35	7	2	1	69
Brain, etc.	1342	1545	1735	1985	2317	2850	3809	3999	4491	3722	2351	881	197	37	3	51
Heart, etc.	1088	1317	1455	1608	1856	2116	2806	2653	2478	1736	823	262	31	10	2	47
Respiratory Organs . . .	1717	1903	2420	2727	3420	3817	5100	4790	4646	3688	2199	886	180	52	3	52
Digestive Organs . . .	1322	1509	1643	1787	2139	2305	2744	2519	2298	1487	758	262	43	5	2	38
Urinary Organs	393	402	385	396	418	484	653	700	808	689	408	187	38	7	—	6
Generative Organs . . .	883	926	556	266	192	138	108	85	66	35	18	3	—	—	—	4
Locomotive Organs . . .	130	153	121	141	169	187	239	247	227	188	95	27	8	4	—	2
Skin	19	19	19	23	18	31	35	24	32	25	16	11	—	1	—	2
Malformation	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	138	159	188	283	454	648	91	5	5	3	—	1	—	—	—	7
Age	—	—	—	—	—	16	2064	5254	9900	12996	15124	9744	4153	1317	332	50
Sudden Deaths	51	79	73	78	84	99	149	121	86	56	23	8	2	—	—	2
Violent Deaths	1331	1271	1224	1175	1037	892	876	628	532	432	310	148	52	13	2	385
Small Pox	222	171	138	112	84	72	44	17	11	2	1	2	—	—	—	9
Measles	35	18	15	7	4	3	1	3	—	—	—	—	—	—	—	3
Scarlatina	113	68	51	29	23	19	10	9	3	4	2	1	—	—	—	16
Diphtheria	45	31	28	35	24	30	31	15	11	7	4	1	—	—	—	2
Hooping Cough	2	2	—	1	—	—	1	—	—	—	—	—	—	—	—	4
Croup	—	1	—	—	1	1	—	2	—	—	—	—	—	—	—	5
Thrush	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Diarrhoea	161	206	202	230	276	294	496	509	669	625	436	210	71	19	1	7
Dysentery	115	140	161	208	250	267	348	355	409	350	215	98	27	5	—	5
Cholera	31	39	38	50	46	50	41	29	36	23	13	2	3	—	—	6
Influenza	31	34	53	73	105	139	251	313	460	500	351	153	49	11	1	7
Purpura	17	17	19	16	15	23	20	19	14	12	4	2	—	1	—	—
Ague	5	2	1	2	—	1	5	1	2	2	3	—	—	—	—	—
Worms	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	1361	1366	1323	1351	1222	1071	1116	886	762	459	227	75	9	5	—	30
Metria	381	315	113	21	1	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	49	50	51	36	31	28	47	34	24	21	7	3	—	—	—	3
Erysipelas	88	98	85	103	106	109	129	127	139	116	65	38	12	3	—	3
Syphilis	36	29	37	18	15	15	7	2	2	—	—	—	—	—	—	—
Noma	—	3	1	2	2	5	9	5	6	8	2	1	—	—	—	—
Hydrophobia	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Hæmorrhage	63	68	78	57	60	59	74	38	39	27	18	4	2	—	—	3
Dropsy	261	313	398	469	625	672	955	941	1056	877	530	209	43	5	1	11
Abscess	66	45	52	52	43	48	59	34	42	24	19	3	3	1	—	—
Ulcer	10	15	13	20	25	25	33	40	40	26	14	6	1	—	—	—
Fistula	6	9	9	14	13	8	14	8	6	9	4	—	—	—	—	—
Mortification	26	34	23	25	51	54	75	98	141	168	147	82	28	6	2	—
Cancer	261	501	836	1036	1192	1262	1487	1204	1013	672	358	146	24	12	2	4
Gout	2	4	6	8	9	10	13	18	12	13	7	4	1	—	—	—
Scrofula	239	205	160	136	132	107	89	76	49	29	14	5	2	—	—	5
Tabes Mesenterica . . .	49	46	35	31	33	28	20	18	14	6	3	1	2	—	—	2
Phthisis	7235	5914	4891	3854	3134	2460	1996	1081	577	254	86	29	3	2	1	54
Hydrocephalus	14	5	6	4	4	2	5	—	1	—	—	—	—	—	—	8

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855-1864.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.										
		AGE UNDER										
		MONTHS.			2	3	4	5	10	15	20	25
		3	6	12								
IV. Cephalitis	3489	68	116	314	351	187	175	144	481	268	260	244
Apoplexy	10932	106	86	169	160	104	79	60	224	125	130	171
Paralysis	14815	—	3	9	15	19	11	7	55	49	75	103
Delirium Tremens	646	—	—	—	—	—	—	—	—	—	—	13
Chorea	83	1	1	2	4	1	2	1	16	12	12	6
Epilepsy	2037	8	2	9	17	16	8	8	62	145	168	200
Tetanus	546	166	10	16	29	11	9	6	43	45	23	15
Insanity	617	—	—	—	1	—	1	—	6	6	11	24
Convulsions	7589	3127	854	1192	1108	514	251	168	263	20	12	11
Brain Disease	8160	139	145	306	374	221	187	177	680	444	401	356
V. Pericarditis	760	11	1	9	8	12	6	13	70	63	73	56
Aneurism	752	2	—	1	—	—	—	—	1	6	12	7
Heart Disease	22691	131	41	56	68	43	42	58	301	479	668	708
VI. Laryngitis	1532	52	69	158	235	145	130	72	147	36	26	33
Bronchitis	43876	3392	2901	5927	5845	2383	1200	646	1061	262	293	422
Pleurisy	3184	132	53	81	111	70	54	47	126	69	101	152
Pneumonia	21011	1483	1186	2523	2878	1301	686	420	879	310	467	696
Asthma	6652	6	6	10	14	7	6	3	6	10	19	48
Lung Disease	3674	146	72	145	192	101	81	41	143	103	150	214
VII. Teething	11115	52	507	4347	5529	623	42	11	4	—	—	—
Quinsey	691	58	50	74	95	70	40	36	61	26	24	16
Gastritis	1604	103	46	78	81	36	19	18	68	35	47	66
Enteritis	9040	2333	943	941	912	329	168	131	330	186	199	209
Peritonitis	2713	164	65	69	62	40	28	17	112	140	175	242
Ascites	887	10	1	5	9	7	12	7	36	37	31	22
Ulceration of Intestines	1714	38	23	35	52	26	16	11	49	44	55	102
Hernia	914	35	20	13	8	6	—	2	2	5	6	13
Ileus	2736	266	80	148	35	15	16	13	58	56	86	84
Intussusception	398	23	45	31	6	1	5	2	14	13	13	13
Stricture of Intestines	218	8	1	1	—	—	—	1	1	—	3	6
Stomach Disease	6882	589	252	360	287	123	87	63	145	79	104	136
Pancreas Disease	13	—	—	—	—	1	—	—	—	—	—	—
Hepatitis	1417	31	12	16	17	10	5	6	30	32	31	47
Jaundice	1872	534	32	21	45	44	19	10	27	4	23	22
Liver Disease	5416	106	41	51	35	38	30	23	83	102	104	140
Spleen Disease	194	—	—	—	12	6	—	2	7	5	7	6
VIII. Nephritis	487	5	3	5	16	14	27	19	50	13	13	23
Nephria	1623	3	1	9	10	17	11	18	59	58	78	113
Ischuria	440	18	4	5	5	5	2	1	4	3	4	16
Diabetes	674	—	1	2	10	3	5	4	8	27	50	64
Stone	668	4	3	2	4	3	3	4	7	8	8	4
Cystitis	480	1	1	1	—	1	2	2	1	4	10	15
Stricture of Urethra	92	—	1	—	—	—	—	1	—	—	—	—
Kidney Disease	3204	12	2	5	22	17	33	18	85	59	75	101
IX. Paramenia	231	—	—	—	—	—	—	—	—	13	73	36
Ovarian Dropsy	634	—	—	—	—	—	—	—	—	1	8	33
Childbirth	3322	—	—	—	—	—	—	—	—	—	113	521
Organs of Generation	828	1	—	2	1	2	—	—	—	1	16	49
X. Arthritis	197	3	1	3	3	2	10	3	28	27	20	11
Rheumatism	1388	—	—	1	1	4	4	3	22	32	42	33
Joint and Bone Disease	1776	11	4	7	29	26	23	34	198	287	221	166
XI. Carbuncle	205	11	7	6	4	6	1	—	1	2	1	5
Phlegmon	84	10	2	6	3	2	—	—	4	1	1	5
Skin Disease	427	106	65	74	46	22	10	2	12	2	5	11
XII. Cyanosis	488	424	23	18	9	2	—	1	5	—	2	2
Spina Bifida	324	257	34	18	8	—	3	—	2	1	1	—
Other Malformations	664	563	25	27	16	5	3	4	8	1	6	1
XVII. Intemperance	731	—	—	—	—	—	—	—	—	2	2	18
Privation	61	3	—	3	10	5	1	—	2	—	3	2
Want of Breast Milk	552	378	106	61	7	—	—	—	—	—	—	—
Neglect	32	19	4	2	3	2	—	1	—	—	—	—
Cold	328	31	9	3	3	6	2	2	4	9	13	12
Poison	472	51	6	9	14	17	16	12	17	6	13	23
Burns and Scalds	3121	12	19	106	456	466	391	257	398	101	70	54
Hanging, etc.	466	—	—	—	—	—	—	—	1	6	14	26
Suffocation	901	313	128	36	35	17	12	5	26	19	29	24
Drowning	4864	15	7	12	136	146	76	65	260	303	492	535
Fracture and Contusion	7403	17	11	24	93	94	95	93	383	531	575	630
Wounds	828	2	—	—	4	8	6	10	31	61	67	66
Other Violent Causes	1142	189	4	8	5	10	10	18	51	59	82	63
Not Specified	37028	11420	3098	3298	3407	1520	835	588	1472	823	800	831

CAUSES OF DEATH at ALL AGES during the TEN YEARS 1855-1864.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	48	48	50	65	60	65	70	75	30	85	90	95	100	105	?
Cephalitis	133	102	109	84	59	58	55	44	30	20	11	6	—	—	—	—
Apoplexy	271	375	438	593	769	978	1323	1233	1360	1031	631	220	59	8	1	20
Paralysis	230	299	433	575	778	1056	1731	2090	2554	2309	1511	590	127	28	2	14
Delirium Tremens	81	134	108	101	57	39	23	14	3	3	3	—	—	—	—	1
Chorea	4	1	4	—	2	2	3	2	2	1	1	—	—	—	—	—
Epilepsy	192	174	152	127	116	126	111	80	61	45	28	10	—	—	—	4
Tetanus	21	16	21	24	19	13	15	8	16	6	3	—	—	—	—	—
Insanity	39	50	59	59	62	70	56	50	39	21	16	6	1	—	—	—
Convulsions	14	8	4	8	3	7	2	5	3	1	—	—	—	—	—	4
Brain Disease	357	386	407	414	452	501	490	473	423	285	147	49	10	1	—	8
Pericarditis	29	40	45	34	36	42	36	46	39	29	16	1	—	—	—	2
Aneurism	60	95	99	94	89	76	69	41	30	24	8	—	—	1	—	1
Heart Disease	999	1182	1311	1480	1731	1998	2701	2566	2409	1683	799	261	31	9	2	44
Laryngitis	40	58	55	40	39	42	32	25	27	16	3	2	1	—	—	—
Bronchitis	564	658	959	1116	1511	1797	2570	2541	2699	2272	1523	638	146	43	2	27
Pleurisy	132	124	146	146	177	180	250	270	251	199	113	41	2	2	—	5
Pneumonia	632	669	726	737	765	820	878	795	686	487	239	101	21	2	1	14
Asthma	160	212	328	477	676	751	1078	923	823	624	275	90	8	3	—	6
Lung Disease	189	182	206	211	252	227	292	236	160	90	46	14	2	2	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	13	11	5	9	18	16	14	15	12	8	3	2	—	1	—	—
Gastritis	70	73	68	95	100	97	109	121	105	59	39	14	2	—	—	1
Enteritis	181	204	205	172	222	205	240	229	218	170	80	32	4	1	—	6
Peritonitis	195	180	149	131	109	119	132	114	108	82	36	17	1	—	—	1
Ascites	38	53	40	62	91	66	88	90	61	51	25	4	5	—	1	—
Ulceration of Intestines	99	121	119	108	132	123	142	117	105	52	26	8	2	—	—	4
Hernia	19	38	33	59	70	78	103	107	95	105	60	24	—	—	—	1
Ileus	94	113	130	122	162	191	221	236	253	198	117	41	15	2	—	1
Intussusception	10	12	18	27	26	24	31	16	24	19	7	4	1	—	—	—
Stricture of Intestines	9	5	12	19	15	23	30	25	31	11	9	2	—	—	—	1
Stomach Disease	216	274	311	329	422	524	656	644	568	336	153	46	7	1	—	11
Pancreas Disease	1	—	2	1	—	2	3	1	2	—	—	—	—	—	—	—
Hepatitis	64	96	102	116	136	154	157	106	101	56	25	5	2	—	—	3
Jaundice	43	31	49	67	82	78	163	149	152	118	79	34	3	—	1	3
Liver Disease	263	284	333	454	540	590	632	534	455	218	97	29	1	—	—	6
Spleen Disease	7	14	17	16	14	15	23	15	8	4	2	—	—	—	—	—
Nephritis	26	17	16	26	25	24	37	31	26	27	14	8	—	1	—	—
Nephria	144	166	123	126	105	107	118	86	77	41	20	5	3	—	—	—
Ischuria	14	4	14	14	12	22	34	44	63	69	47	26	4	1	—	—
Diabetes	62	58	57	57	49	42	30	41	23	13	1	2	—	—	—	2
Stone	9	6	8	12	17	34	61	90	132	131	75	30	7	1	—	1
Cystitis	17	17	16	9	23	27	40	47	77	74	46	25	3	1	—	—
Stricture of Urethra	5	5	6	10	13	8	11	13	10	1	3	1	1	—	—	—
Kidney Disease	116	129	145	142	174	220	322	348	400	333	202	90	20	3	—	3
Paramenia	19	23	22	14	11	1	—	1	—	—	—	—	—	—	—	—
Ovarian Dropsy	48	59	63	71	100	60	46	39	33	18	8	2	—	—	—	2
Childbirth	730	751	392	72	3	—	1	—	—	—	—	—	—	—	—	2
Organs of Generation	86	93	79	109	78	77	61	45	33	17	10	1	—	—	—	—
Arthritis	2	9	6	8	12	8	7	10	4	8	3	1	—	—	—	—
Rheumatism	46	50	43	71	95	124	160	189	172	145	76	22	8	3	—	2
Joint Disease	82	94	72	62	62	55	72	48	51	35	16	4	—	1	—	—
Carbuncle	2	10	8	15	9	16	27	13	23	16	11	9	—	1	—	1
Phlegmon	5	3	7	5	6	8	2	3	3	5	—	—	—	—	—	—
Skin Disease	12	6	4	3	3	7	6	8	6	4	5	2	—	—	—	1
Cyanosis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Intemperance	75	87	89	115	106	74	51	32	22	10	—	—	—	—	—	2
Privation	5	2	1	5	2	4	3	6	1	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cold	18	16	18	23	24	26	25	11	14	16	5	2	1	—	—	8
Poison	23	41	40	37	39	25	19	14	10	7	—	—	—	—	—	1
Burns and Scalds	46	57	55	57	49	36	61	67	86	73	71	47	13	4	—	4
Hanging, etc.	38	37	40	53	52	62	53	23	15	7	2	—	—	—	—	8
Suffocation	19	20	34	24	33	16	19	15	11	13	7	1	—	—	—	16
Drowning	400	362	330	275	219	161	188	98	91	35	19	3	1	—	—	207
Fracture and Contusion	568	502	490	469	403	374	361	294	250	230	188	91	32	9	2	62
Wounds	66	72	65	59	59	60	40	30	20	16	7	1	2	—	—	5
Other Violent Causes	73	75	62	58	51	53	56	38	12	25	11	3	3	—	—	72
Not Specified	781	725	798	855	1075	1286	1450	182	179	178	144	100	45	11	2	324

CAUSES OF DEATH at ALL AGES during the TEN YEARS 1855-1864.—MALES.

DISEASES.	ALL AGES.	MALES.										
		AGE UNDER										
		MONTHS.			2	3	4	5	10	15	20	25
		3	6	12								
ALL CAUSES	323541	34799	11499	23185	30853	15347	10158	7134	17343	8376	11030	12821
SPECIFIED CAUSES	304372	28332	9825	21427	29112	14561	9720	6845	16574	7959	10621	12396
I. Zymotic Class	72578	3480	2754	7385	13057	8012	5961	4108	8387	2278	2073	2028
II. Diseases of Uncertain Seat	9327	193	58	105	193	142	134	124	339	222	193	192
III. Tubercular Class	52062	789	1356	3512	4959	2318	1403	1076	3652	2435	4635	6125
IV. Brain and Nervous System	26192	2154	711	1170	1149	579	379	297	1028	639	622	619
V. Organs of Circulation	12400	87	26	30	39	29	31	43	183	223	400	368
VI. Respiratory Organs	41566	3063	2524	4962	4837	2016	1032	604	1189	390	572	893
VII. Organs of Digestion	24754	2662	1257	3342	3686	706	242	187	528	445	527	526
VIII. Urinary Organs	5394	31	12	22	35	41	49	47	132	101	152	188
IX. Organs of Generation	13	—	—	1	—	—	—	—	—	—	—	—
X. Organs of Locomotion	1784	11	2	5	14	18	23	19	157	206	190	128
XI. Skin, etc.	391	73	40	50	30	10	8	2	11	1	2	9
XII. Malformation	832	717	47	26	14	3	3	2	10	1	5	1
XIII. Premature Debility	15787	14386	809	591	1	—	—	—	—	—	—	—
XIV. Atrophy	2329	33	27	64	673	259	112	70	184	72	49	39
XV. Age	22923	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	748	92	44	29	13	5	8	5	11	10	15	11
XVII. Violent Deaths	15292	561	158	133	412	423	335	261	763	936	1186	1269
I. Small Pox	5576	420	377	756	879	554	422	270	517	126	169	332
Measles	6569	108	132	1025	2515	1200	618	309	509	51	34	26
Scarlatina	13572	88	180	882	2128	2174	1985	1628	3349	630	229	100
Diphtheria	3044	87	66	192	488	424	375	293	626	195	93	45
Hooping Cough	9297	587	689	2122	2950	1239	775	417	485	20	3	3
Croup	6149	292	214	640	1708	1205	881	531	632	36	1	2
Thrush	183	122	16	22	19	1	1	—	1	—	—	—
Diarrhoea	6490	936	588	956	1197	305	131	94	144	52	56	66
Dysentery	2105	53	81	141	234	62	46	22	78	35	35	53
Cholera	583	27	27	76	72	25	21	17	42	13	7	14
Influenza	1442	61	45	77	77	46	26	17	31	21	19	19
Purpura	258	13	6	17	21	9	9	2	26	14	17	19
Ague	43	—	—	—	1	3	6	6	2	2	1	2
Worms	172	1	1	3	14	29	34	20	53	15	—	2
Infantile Fever	436	52	42	91	120	62	36	16	16	1	—	—
Typhus	14195	72	93	254	553	632	569	442	1761	980	1295	1255
Metria	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	392	4	—	—	2	1	2	6	47	41	59	40
Erysipelas	1460	348	66	64	44	28	17	12	58	43	51	33
Syphilis	529	206	128	60	24	7	1	2	—	1	2	17
Noma	77	3	3	6	11	6	6	4	9	1	2	—
Hydrophobia	6	—	—	1	—	—	—	—	1	1	—	—
II. Hæmorrhage	517	55	11	13	9	3	6	6	10	10	25	22
Dropsy	3910	23	12	23	98	106	105	89	241	135	80	67
Abscess	595	44	19	37	34	10	4	10	40	44	39	40
Ulcer	182	13	3	6	10	—	2	1	—	3	4	5
Fistula	93	—	—	2	1	1	—	2	2	1	1	6
Mortification	672	51	9	14	29	15	7	7	18	10	12	15
Cancer	3283	7	4	10	12	7	10	9	27	19	31	37
Gout	75	—	—	—	—	—	—	—	1	—	1	—
III. Scrofula	3108	49	75	121	203	129	83	85	358	404	398	337
Tabes Mesenterica	3818	272	210	451	1044	472	251	153	456	195	103	60
Phthisis	35264	117	274	605	1182	707	428	353	1521	1541	4083	5707
Hydrocephalus	9872	351	797	2335	2530	1010	641	485	1317	295	51	21

CAUSES OF DEATH at ALL AGES during the TEN YEARS 1855-1864.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	9377	9188	9510	9823	10389	10788	13180	12767	13898	12986	10159	5394	1791	469	118	664
UNSPECIFIED CAUSES . . .	9003	8857	9158	9460	9892	10227	12531	12696	13830	12918	10103	5348	1773	466	118	510
Zymotic Class . . .	1094	1078	1124	1143	1098	1005	1209	1057	1091	873	545	235	60	11	—	51
Uncertain Seat . . .	245	303	416	542	679	783	1015	941	917	752	413	165	33	5	2	9
Tubercular Class . . .	3364	2652	2298	1862	1611	1298	1021	592	318	135	41	15	2	—	—	43
Brain, etc.	764	931	992	1125	1253	1512	1993	2043	2183	1781	1125	386	75	12	1	28
Heart, etc.	536	678	756	862	963	1111	1434	1375	1273	927	415	133	14	1	1	18
Respiratory Organs . . .	903	1005	1329	1590	1851	1946	2485	2284	2135	1669	966	366	72	17	1	21
Digestive Organs . . .	570	724	828	912	1064	1159	1278	1245	1088	701	368	121	16	3	—	15
Urinary Organs . . .	224	220	229	252	288	337	502	526	666	592	351	168	29	7	—	6
Generative Organs . . .	1	—	—	—	3	—	1	1	1	1	2	—	—	—	—	—
Locomotive Organs . . .	66	91	66	72	73	81	118	95	103	83	35	13	4	—	—	2
Skin	7	10	5	13	11	24	21	15	14	15	12	6	—	—	—	—
Malformation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	38	60	66	103	166	227	39	3	4	2	—	—	—	—	—	1
Age	—	—	—	—	—	4	708	2032	3675	5145	5695	3687	1447	404	112	14
Sudden Deaths	36	39	39	42	43	54	84	56	48	28	11	6	1	—	—	1
Violent Deaths	1155	1065	1010	942	789	686	623	431	314	214	124	47	20	6	1	301
Small Pox	126	106	86	70	47	50	31	10	2	2	—	1	—	—	—	6
Measles	12	6	5	3	2	1	1	—	—	—	—	—	—	—	—	2
Scarlatina	30	28	21	15	17	10	6	8	3	2	1	1	—	—	—	8
Diphtheria	19	14	16	17	12	12	15	11	4	4	2	1	—	—	—	2
Whooping Cough	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	2
Croup	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	3
Thrush	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	63	80	83	106	133	131	232	232	294	258	185	74	25	4	—	3
Dysentery	57	61	80	80	115	101	141	135	189	136	66	31	10	—	—	4
Cholera	21	22	23	28	30	27	19	16	19	10	4	—	1	—	—	2
Influenza	17	21	20	39	41	50	101	128	167	174	140	70	16	3	—	3
Erysipelas	11	10	9	10	7	17	7	11	7	3	3	1	—	—	—	—
Scarlet Fever	4	1	1	2	—	1	3	1	2	2	2	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	660	635	689	685	614	518	546	424	314	211	111	39	6	3	—	14
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	26	24	22	15	13	15	23	13	7	10	—	—	—	—	—	1
Erysipelas	39	52	50	67	63	58	73	64	77	57	30	17	2	1	—	1
Erysiphe	8	13	17	5	2	9	3	1	2	—	—	—	—	—	—	—
Erysiphe	—	2	—	1	2	4	6	2	4	4	1	—	—	—	—	—
Hydrophobia	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Hæmorrhage	29	36	41	33	36	34	41	21	21	13	10	2	1	—	—	2
Empyema	105	100	130	172	227	258	373	393	420	379	200	76	14	—	1	7
Abscess	27	21	24	23	25	27	29	18	26	10	6	2	1	1	—	—
Ulcer	3	6	6	11	12	17	20	22	18	9	8	1	—	—	—	—
Fistula	4	6	6	13	9	5	11	7	3	7	3	—	—	—	—	—
Portification	14	19	10	16	22	31	38	49	74	86	66	40	6	2	1	—
Cancer	62	114	194	268	342	403	494	419	345	239	116	43	11	2	—	—
Scout	1	1	5	6	6	8	9	12	10	9	4	1	—	—	—	—
Erofula	135	110	89	76	68	64	32	30	25	8	4	1	1	—	—	2
Abes Mesenterica	25	13	18	12	13	16	11	10	4	3	—	—	—	—	—	—
Thyphoid	3197	2526	2187	1770	1529	1217	978	552	288	124	37	14	1	—	—	34
Hydrocephalus	7	3	4	4	1	1	—	—	1	—	—	—	—	—	—	7

CAUSES OF DEATH at ALL AGES during the TEN YEARS 1855-1864.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.										
		AGE UNDER										
		MONTHS.			2	3	4	5	10	15	20	25
		3	6	12								
IV. Cephalitis	2008	49	63	172	184	118	84	74	284	147	150	128
Apoplexy	5745	63	46	100	86	48	41	33	114	72	64	93
Paralysis	7131	—	2	6	4	11	5	3	32	19	41	60
Delirium Tremens	545	—	—	—	—	—	—	—	—	—	—	13
Chorea	36	1	1	1	3	1	2	1	3	4	5	1
Epilepsy	1098	4	2	6	9	12	2	6	35	87	101	102
Tetanus	342	105	6	11	10	7	4	1	25	37	17	12
Insanity	258	—	—	—	1	—	1	—	3	4	6	10
Convulsions	4399	1853	506	712	638	273	141	85	141	7	6	5
Brain Disease	4630	79	85	162	214	109	99	94	391	262	232	195
V. Pericarditis	425	6	—	5	3	6	4	6	34	37	34	30
Aneurism	497	1	—	1	—	—	—	—	—	1	6	2
Heart Disease	11478	80	26	24	36	23	27	37	149	185	360	336
VI. Laryngitis	859	29	43	104	136	67	64	39	71	19	12	21
Bronchitis	21583	1981	1687	3279	2970	1204	558	310	509	119	143	208
Pleurisy	1780	67	29	42	63	29	36	25	69	38	70	99
Pneumonia	12141	899	718	1453	1573	657	328	205	460	155	263	422
Asthma	3264	2	4	7	9	4	4	3	3	5	9	28
Lung Disease	1939	85	43	77	86	55	42	22	77	54	75	115
VII. Teething	5827	23	283	2360	2827	305	19	8	2	—	—	—
Quinsey	373	33	30	46	52	39	18	17	29	10	17	8
Gastritis	833	69	28	46	42	19	11	12	31	16	22	26
Enteritis	4932	1391	572	533	471	171	81	68	170	108	125	112
Peritonitis	1189	107	45	38	32	21	14	7	50	85	85	66
Ascites	342	5	1	2	2	6	9	1	25	19	16	10
Ulceration of Intestines	898	25	15	24	28	16	11	9	27	22	24	50
Hernia	462	28	18	12	7	5	—	2	1	4	4	9
Ileus	1511	189	48	26	13	9	9	5	36	34	59	55
Intussusception	250	12	29	20	3	—	2	2	7	11	12	9
Stricture of Intestines	124	4	—	1	—	—	—	1	1	—	1	2
Stomach Disease	3437	354	136	187	146	64	41	37	65	44	54	60
Pancreas Disease	7	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	720	20	8	10	9	6	3	—	18	18	18	29
Jaundice	944	334	17	13	22	19	9	5	13	4	16	6
Liver Disease	2806	68	27	24	25	24	15	13	48	67	69	80
Spleen Disease	99	—	—	—	7	2	—	—	5	3	5	4
VIII. Nephritis	315	3	2	4	9	8	20	11	34	5	11	16
Nephria	934	2	1	6	4	13	7	13	35	39	45	63
Ischuria	359	12	4	4	3	3	1	1	3	1	1	6
Diabetes	421	—	—	2	5	3	1	3	6	11	35	33
Stone	597	4	1	2	3	3	2	4	6	7	7	4
Cystitis	394	1	1	1	—	—	1	2	1	3	9	6
Stricture of Urethra	90	—	1	—	—	—	—	1	—	—	—	—
Kidney Disease	2284	9	2	3	11	11	17	12	47	35	44	60
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	13	—	—	1	—	—	—	—	—	—	—	—
X. Arthritis	119	2	1	2	2	1	5	1	19	19	16	8
Rheumatism	588	—	—	—	1	2	3	1	14	16	25	13
Joint and Bone Disease	1077	9	1	3	11	15	15	17	124	171	149	107
XI. Carbuncle	120	6	4	3	3	1	1	—	1	—	—	3
Phlegmon	46	7	2	5	3	—	—	—	4	1	1	—
Skin Disease	225	60	34	42	24	9	7	2	6	—	1	6
XII. Cyanosis	280	249	12	9	2	1	—	1	3	—	—	1
Spina Bifida	157	128	15	6	3	—	2	—	1	1	1	—
Other Malformations	395	340	20	11	9	2	1	1	6	—	4	—
XVII. Intemperance	469	—	—	—	—	—	—	—	—	2	2	14
Privation	25	—	—	—	2	4	—	—	—	—	2	1
Want of Breast Milk	301	214	57	25	5	—	—	—	—	—	—	—
Neglect	15	9	4	1	—	1	—	—	—	—	—	—
Cold	218	13	4	—	1	3	—	1	3	7	6	9
Poison	255	28	3	7	8	11	9	6	10	2	4	9
Burns and Scalds	1423	6	9	53	246	237	194	120	155	56	46	32
Hanging, etc.	331	—	—	—	—	—	—	—	1	6	10	18
Suffocation	542	158	70	19	22	11	7	1	20	11	24	20
Drowning	4101	10	5	7	74	93	55	49	219	271	446	462
Fracture and Contusion	6084	9	4	15	50	51	60	65	293	473	512	590
Wounds	682	1	—	—	2	5	5	6	24	55	62	58
Other Violent Causes	846	113	2	6	2	7	5	13	38	53	72	56
Not Specified	19169	6167	1674	1758	1741	786	438	289	769	417	409	425

CAUSES OF DEATH at ALL AGES during the TEN YEARS 1855-1864.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	73	60	73	57	42	40	38	32	15	11	7	1	—	—	—	—
Apoplexy	143	227	248	304	394	523	697	663	703	528	319	102	25	1	—	14
Paralysis	142	171	235	318	401	507	851	996	1166	1061	696	253	47	10	1	5
Delirium Tremens	68	112	89	88	50	32	19	12	3	2	1	—	—	—	—	—
Chorea	2	1	3	—	2	—	3	1	—	—	1	—	—	—	—	—
Epilepsy	104	81	80	72	64	74	59	45	31	19	13	7	—	—	—	3
Tetanus	9	9	12	14	14	10	12	6	8	2	2	—	—	—	—	—
Insanity	18	23	30	26	17	22	21	20	16	14	2	2	1	—	—	—
Convulsions	3	1	2	5	1	6	2	2	1	1	—	—	—	—	—	2
Brain Disease	202	246	220	241	268	298	291	266	240	143	84	21	2	1	—	4
Pericarditis	15	19	24	17	19	26	20	32	25	18	11	—	—	—	—	1
Aneurism	47	70	71	64	65	49	39	25	16	13	3	—	—	—	—	—
Heart Disease	474	589	661	781	879	1036	1375	1318	1232	896	401	133	14	1	1	17
Laryngitis	19	34	32	25	25	26	21	16	16	9	1	2	—	—	—	—
Bronchitis	225	295	457	560	741	836	1120	1103	1134	966	649	246	55	15	—	5
Pleurisy	75	65	82	90	104	98	139	143	129	110	61	21	1	—	—	3
Pneumonia	394	416	480	507	488	516	548	468	393	256	112	48	11	1	1	8
Asthma	85	99	169	288	353	346	512	430	389	288	119	46	4	1	—	5
Lung Disease	105	96	109	120	140	124	145	124	74	40	24	3	1	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	8	2	3	5	9	15	8	7	7	2	3	—	—	—	—	—
Gastritis	28	36	34	68	49	48	52	69	50	27	23	4	1	—	—	—
Enteritis	82	90	96	92	110	102	120	110	101	77	39	17	2	1	—	4
Peritonitis	48	59	50	66	67	52	51	53	45	43	19	4	—	—	—	—
Ascites	18	20	18	20	32	25	24	33	17	14	8	3	1	—	—	—
Ulceration of Intestines	48	60	63	60	65	70	72	72	49	23	8	4	2	—	—	1
Hernia	10	17	13	23	22	27	35	55	42	61	42	14	—	—	—	—
Ileus	44	69	76	69	92	100	110	120	131	90	54	20	6	1	—	1
Intussusception	4	7	11	20	14	17	22	9	17	6	3	3	—	—	—	—
Stricture of Intestines	7	3	7	10	7	17	18	17	13	4	5	1	—	—	—	1
Stomach Disease	93	125	150	145	222	272	312	317	284	164	68	16	2	1	—	2
Pancreas Disease	1	—	1	—	—	1	1	1	2	—	—	—	—	—	—	—
Hepatitis	33	53	59	55	57	75	65	55	47	34	12	2	—	—	—	2
Jaundice	14	20	29	23	30	38	74	65	59	60	39	19	1	—	—	2
Liver Disease	128	160	208	247	283	291	303	254	219	94	45	14	1	—	—	2
Spleen Disease	4	3	10	9	5	9	11	8	5	2	—	—	—	—	—	—
Nephritis	13	8	9	15	18	18	24	18	22	20	7	8	—	1	—	—
Nephria	76	87	75	77	66	62	72	45	50	25	12	3	—	—	—	—
Ischuria	9	1	11	12	10	13	30	38	56	64	45	26	3	1	—	—
Diabetes	41	28	29	40	38	28	25	28	20	8	—	1	—	—	—	2
Stone	7	2	7	9	16	29	55	80	121	124	67	27	6	1	—	1
Cystitis	11	15	12	6	16	17	36	38	69	69	41	21	2	1	—	—
Stricture of Urethra	5	5	6	9	13	8	11	12	10	1	3	1	1	—	—	—
Kidney Disease	62	74	80	84	111	162	249	267	318	281	176	81	17	3	—	3
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	—	—	—	3	—	1	1	1	1	2	—	—	—	—	—
Arthritis	1	5	2	2	6	5	7	6	—	3	1	—	—	—	—	—
Rheumatism	18	24	19	34	38	46	65	64	75	66	22	10	4	—	—	2
Joint Disease	47	62	45	36	39	30	46	25	28	14	12	3	—	—	—	—
Carbuncle	—	7	1	9	6	13	18	8	12	11	8	5	—	—	—	—
Phlegmon	3	—	2	2	4	6	1	2	1	2	—	—	—	—	—	—
Skin Disease	4	3	2	2	1	5	2	5	1	2	4	1	—	—	—	—
Cyanosis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	50	52	48	72	70	50	33	24	13	6	—	—	—	—	—	2
Privation	1	1	—	2	2	3	2	2	1	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	16	13	12	17	19	20	17	9	8	8	3	2	—	—	—	6
Poison	14	23	26	17	17	12	12	8	7	4	—	—	—	—	—	—
Burns and Scalds	28	33	26	20	16	15	13	17	23	13	12	9	4	2	—	1
Hanging, etc.	25	27	30	37	39	43	35	17	12	4	2	—	—	—	—	6
Suffocation	16	14	27	17	18	12	14	12	7	8	3	1	—	—	—	10
Drowning	350	327	293	235	179	131	142	74	72	26	16	3	—	—	—	189
Fracture and Contusion	531	467	445	431	342	308	284	214	144	114	78	31	14	4	1	50
Wounds	61	54	52	46	47	51	30	23	18	12	6	—	1	—	—	4
Other Violent Causes	63	54	51	48	40	41	41	31	9	19	4	1	1	—	—	33
Not Specified	374	331	352	336	497	561	649	71	68	68	56	46	18	3	—	154

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855-1864.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
ALL CAUSES	327754	26375	9014	20156	29200	15222	9995	7046	16214	8078	10466	11825	11612
SPECIFIED CAUSES	309895	21622	7590	18616	27534	14188	9558	6747	15511	7672	10075	11419	11196
I. Zymotic Class	76441	2959	2353	7245	12970	8345	5927	4267	8637	2807	2371	2221	1990
II. Diseases of Uncertain Seat	14739	198	52	104	162	152	123	92	250	162	205	217	350
III. Tubercular Class	53213	585	1095	2919	4354	2162	1327	975	3214	2726	5175	5662	5115
IV. Brain and Nervous System	22722	1461	506	847	901	494	344	274	802	475	470	524	513
V. Organs of Circulation	11803	57	16	36	37	26	17	28	189	325	353	403	522
VI. Respiratory Organs	38363	2148	1763	3882	4438	1991	1125	625	1173	400	484	672	702
VII. Organs of Digestion	23070	1688	861	2748	3499	669	245	166	499	319	381	598	628
VIII. Urinary Organs	2274	12	4	7	32	19	34	20	82	71	86	148	182
IX. Organs of Generation	5002	1	—	1	1	2	—	—	—	15	210	639	862
X. Organs of Locomotion	1577	3	3	6	19	14	14	21	91	140	93	82	55
XI. Skin, etc.	325	54	34	36	23	20	3	—	6	4	5	12	6
XII. Malformation	644	527	35	37	19	4	3	3	5	1	4	2	—
XIII. Premature Debility	12546	11349	663	533	1	—	—	—	—	—	—	—	—
XIV. Atrophy	2888	33	26	61	709	235	118	69	145	58	54	46	63
XV. Age	38027	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	652	78	43	23	15	7	4	5	8	8	10	9	11
XVII. Violent Deaths	5609	469	136	131	354	348	274	202	410	161	174	184	186
I. Small Pox	4972	354	321	757	886	578	376	244	459	146	143	187	177
Measles	6458	94	112	946	2463	1147	634	353	491	74	46	19	22
Scarlatina	12893	63	112	747	1930	2075	1784	1539	3191	740	257	149	100
Diphtheria	3384	77	53	182	511	428	399	302	833	234	124	64	44
Hooping Cough	11556	656	724	2493	3548	1770	1027	592	699	34	4	2	—
Croup	5514	212	123	538	1425	1154	848	552	630	24	1	1	—
Thrush	145	81	16	21	17	4	1	1	—	—	—	1	—
Diarrhœa	6476	688	489	834	1090	308	103	52	132	62	55	76	77
Dysentery	2511	33	63	139	152	66	36	32	43	27	39	56	77
Cholera	493	21	20	62	66	19	21	7	45	12	5	16	11
Influenza	1955	72	40	63	70	29	21	15	30	17	22	18	11
Purpura	206	5	6	16	13	9	1	8	15	13	14	11	11
Ague	23	—	2	2	—	3	2	1	3	3	1	1	—
Worms	166	1	2	5	17	34	35	19	44	6	2	—	—
Infantile Fever	391	47	30	76	105	54	31	25	22	1	—	—	—
Typhus	15089	48	77	233	576	614	562	498	1917	1318	1462	1110	88
Metria	1802	—	—	—	—	—	—	—	—	—	91	411	46
Rheumatic Fever	415	—	—	—	2	2	4	5	32	48	43	36	23
Erysipelas	1391	331	66	75	57	29	25	13	34	48	55	43	4
Syphilis	505	173	94	53	31	6	4	—	1	—	6	19	11
Noma	90	3	3	3	10	15	12	9	14	—	1	1	—
Hydrophobia	6	—	—	—	1	1	1	—	2	—	—	—	—
II. Hæmorrhage	470	66	3	11	4	7	4	6	14	8	24	23	3
Dropsy	5512	16	11	30	68	87	83	61	174	101	98	114	153
Abscess	551	43	18	24	32	22	7	7	31	22	28	23	4
Ulcer	210	18	5	7	11	5	4	1	3	3	8	8	—
Fistula	34	—	—	—	—	—	—	—	—	1	1	3	—
Mortification	709	44	11	24	40	20	15	8	15	12	11	11	11
Cancer	7216	11	4	8	7	11	8	9	13	15	35	35	10
Gout	37	—	—	—	—	—	2	—	—	—	—	—	—
III. Scrofula	2320	50	56	128	198	108	64	63	221	221	262	192	15
Tabes Mesenterica	3362	184	190	402	956	425	205	119	327	186	95	62	4
Phthisis	39376	89	262	532	1113	736	427	381	1589	2084	4758	5388	490
Hydrocephalus	8155	262	587	1857	2087	893	631	412	1077	235	60	20	1

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855-1864.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1481	19	53	142	167	69	91	70	197	121	110	116	64
Apoplexy	5187	43	40	69	74	56	38	27	110	53	66	78	114
Paralysis	7684	—	1	3	11	8	6	4	23	50	34	43	54
Delirium Tremens	101	—	—	—	—	—	—	—	—	—	—	—	10
Chorea	47	—	—	1	1	—	—	—	13	8	7	5	3
Epilepsy	939	4	—	3	8	4	6	2	27	58	67	98	88
Tetanus	204	61	4	5	10	4	5	5	18	8	6	3	11
Insanity	359	—	—	—	—	—	—	—	3	2	5	14	19
Convulsions	3190	1274	348	480	470	241	110	83	122	13	6	6	4
Brain Disease	3530	60	60	144	160	112	88	83	289	182	169	169	146
V. Pericarditis	335	5	1	4	5	6	2	7	36	26	39	26	10
Aneurism	255	1	—	—	—	—	—	—	1	5	6	5	12
Heart Disease	11213	51	15	32	32	20	15	21	152	294	308	372	503
VI. Laryngitis	673	23	26	54	99	78	66	33	76	17	14	12	21
Bronchitis	22293	1411	1214	2648	2875	1179	642	336	552	143	150	214	270
Pleurisy	1404	65	24	39	48	41	18	22	57	31	31	53	58
Pneumonia	8870	584	468	1070	1305	644	358	215	419	155	204	274	248
Asthma	3388	4	2	3	5	3	2	—	3	5	10	20	31
Lung Disease	1735	61	29	68	106	46	39	19	66	49	75	99	74
VII. Teething	5288	29	224	1987	2702	318	23	3	2	—	—	—	—
Quinsey	318	25	20	28	43	31	22	19	32	16	7	8	9
Gastritis	771	34	18	32	39	17	8	6	37	19	25	40	32
Enteritis	4108	942	371	408	441	158	87	63	160	78	74	97	103
Peritonitis	1524	57	20	31	30	19	14	10	62	55	90	176	143
Ascites	545	5	—	3	7	1	3	6	11	18	15	12	22
Ulceration of Intestines	816	13	8	11	24	10	5	2	22	22	31	52	55
Hernia	452	7	2	1	1	1	—	—	1	1	2	4	1
Ilcus	1225	77	32	22	22	6	7	8	22	22	27	29	38
Intussusception	148	11	16	11	3	1	3	—	7	2	1	4	3
Stricture of Intestines	94	4	1	—	—	—	—	—	—	—	2	4	1
Stomach Disease	3445	235	116	173	141	59	46	26	80	35	50	76	83
Pancreas Disease	6	—	—	—	—	1	—	—	—	—	—	—	—
Hepatitis	697	11	4	6	8	4	2	6	12	14	13	18	25
Jaundice	928	200	15	8	23	25	10	5	14	—	7	16	26
Liver Disease	2610	38	14	27	10	14	15	10	35	35	35	60	80
Spleen Disease	95	—	—	—	5	4	—	2	2	2	2	2	77
VIII. Nephritis	172	2	1	1	7	6	7	8	16	8	2	7	10
Nephria	689	1	—	3	6	4	4	5	24	19	33	50	69
Ischuria	81	6	—	1	2	2	1	—	1	2	3	10	4
Diabetes	253	—	1	—	5	—	4	1	2	16	15	31	29
Stone	71	—	2	—	1	—	1	—	1	1	1	—	22
Cystitis	86	—	—	—	—	1	1	—	—	1	1	9	55
Stricture of Urethra	2	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	920	3	—	2	11	6	16	6	38	24	31	41	63
IX. Paramenia	231	—	—	—	—	—	—	—	—	13	73	36	18
Ovarian Dropsy	634	—	—	—	—	—	—	—	—	1	8	33	43
Childbirth	3322	—	—	—	—	—	—	—	—	—	113	521	737
Organs of Generation	815	1	—	1	1	2	—	—	—	1	16	49	65
X. Arthritis	78	1	—	1	1	1	5	2	9	8	4	3	3
Rheumatism	800	—	—	1	—	2	1	2	8	16	17	20	14
Joint and Bone Disease	699	2	3	4	18	11	8	17	74	116	72	59	38
XI. Carbuncle	85	5	3	3	1	5	—	—	—	2	1	2	—
Phlegmon	38	3	—	1	—	2	—	—	—	—	—	5	3
Skin Disease	202	46	31	32	22	13	3	—	6	2	4	5	3
XII. Cyanosis	208	175	11	9	7	1	—	—	2	—	2	1	—
Spina Bifida	167	129	19	12	5	—	1	—	1	—	—	—	—
Other Malformations	269	223	5	16	7	3	2	3	2	1	2	1	1
XVII. Intemperance	262	—	—	—	—	—	—	—	—	—	—	4	15
Privation	36	3	—	3	8	1	1	—	2	—	1	1	1
Want of Breast Milk	251	164	49	36	2	—	—	—	—	—	—	—	—
Neglect	17	10	—	1	3	1	—	1	—	—	—	—	—
Cold	110	18	5	3	2	3	2	1	1	2	7	3	6
Poison	217	23	3	2	6	6	7	6	7	4	9	14	14
Burns and Scalds	1698	6	10	53	210	229	197	137	243	45	24	22	28
Hanging, etc.	135	—	—	—	—	—	—	—	—	—	4	8	10
Suffocation	359	155	58	17	13	6	5	4	6	8	5	4	9
Drowning	763	5	2	5	62	53	21	16	41	32	46	73	55
Fracture and Contusion	1319	8	7	9	43	43	35	28	90	58	63	40	28
Wounds	146	1	—	—	2	3	1	4	7	6	5	8	12
Other Violent Causes	296	76	2	2	3	3	5	5	13	6	10	7	8
Not Specified	17859	4953	1424	1540	1666	734	397	299	703	406	391	406	416

CAUSES of DEATH at ALL AGES during the TEN YEARS 1855-1864.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	60	42	36	27	17	18	17	12	15	9	4	5	—	—	—	—
Apoplexy . . .	128	148	190	289	375	455	626	570	657	503	312	118	34	7	1	—
Paralysis . . .	88	128	198	257	377	549	880	1094	1388	1248	815	337	80	18	1	—
Delirium Tremens . . .	13	22	19	13	7	7	4	2	—	1	2	—	—	—	—	—
Chorea . . .	2	—	1	—	—	2	—	1	2	1	—	—	—	—	—	—
Epilepsy . . .	88	93	72	55	52	52	52	35	30	26	15	3	—	—	—	—
Tetanus . . .	12	7	9	10	5	3	3	2	8	4	1	—	—	—	—	—
Insanity . . .	21	27	29	33	45	48	35	30	23	7	14	4	—	—	—	—
Convulsions . . .	11	7	2	3	2	1	—	3	2	—	—	—	—	—	—	—
Brain Disease . . .	155	140	187	173	184	203	199	207	183	142	63	28	8	—	—	—
Pericarditis . . .	14	21	21	17	17	16	16	14	14	11	5	1	—	—	—	—
Aneurism . . .	13	25	28	30	24	27	30	16	14	11	5	—	—	1	—	—
Heart Disease . . .	525	593	650	699	852	962	1326	1248	1177	787	398	128	17	8	1	27
Laryngitis . . .	21	24	23	15	14	16	11	9	11	7	2	—	1	—	—	—
Bronchitis . . .	339	363	502	556	770	961	1450	1438	1565	1306	874	392	91	28	2	2
Pleurisy . . .	57	59	64	56	73	82	111	127	122	89	52	20	1	2	—	—
Pneumonia . . .	238	253	246	280	277	304	330	327	293	231	127	53	10	1	—	—
Asthma . . .	75	113	159	189	323	405	566	493	434	336	156	44	4	2	—	—
Lung Disease . . .	84	86	97	91	112	103	147	112	86	50	22	11	1	2	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	5	9	2	4	9	1	6	8	5	6	—	2	—	1	—	—
Gastritis . . .	42	37	34	27	51	49	57	52	55	32	16	10	1	—	—	—
Enteritis . . .	99	114	109	80	112	103	120	119	117	93	41	15	2	—	—	—
Peritonitis . . .	147	121	99	65	42	67	81	61	63	39	17	13	1	—	—	—
Ascites . . .	26	33	22	42	59	41	64	57	44	37	17	1	4	—	1	—
Ulceration of Intestines . . .	51	61	56	48	67	53	70	45	56	29	18	4	—	—	—	—
Hernia . . .	9	21	20	36	48	51	68	52	53	44	18	10	—	—	—	—
Ileus . . .	50	44	54	53	70	91	111	116	122	108	63	21	9	1	—	—
Intussusception . . .	6	5	7	7	12	7	9	7	7	13	4	1	1	—	—	—
Stricture of Intestines . . .	2	2	5	9	8	6	12	8	18	7	4	1	—	—	—	—
Stomach Disease . . .	123	149	161	184	200	252	344	327	284	172	85	30	5	—	—	9
Pancreas Disease . . .	—	—	1	1	—	1	2	—	—	—	—	—	—	—	—	—
Hepatitis . . .	31	43	43	61	79	79	92	51	54	22	13	3	2	—	—	—
Jaundice . . .	29	11	20	44	52	40	89	84	93	58	40	15	2	—	1	—
Liver Disease . . .	135	124	175	207	257	299	329	280	236	124	52	15	—	—	—	4
Spleen Disease . . .	3	11	7	7	9	6	12	7	3	2	2	—	—	—	—	—
Nephritis . . .	13	9	7	11	7	6	13	13	4	7	7	—	—	—	—	—
Nephria . . .	68	79	48	49	39	45	46	41	27	16	8	2	3	—	—	—
Ischuria . . .	5	3	3	2	2	9	4	6	7	5	2	—	1	—	—	—
Diabetes . . .	21	30	28	17	11	14	5	13	3	5	1	1	—	—	—	—
Stone . . .	2	4	1	3	1	5	6	10	11	7	8	3	1	—	—	—
Cystitis . . .	6	2	4	3	7	10	4	9	8	5	5	4	1	—	—	—
Stricture of Urethra . . .	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Kidney Disease . . .	54	55	65	58	63	58	73	81	82	52	26	9	3	—	—	—
Paramenia . . .	19	23	22	14	11	1	—	1	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	48	59	63	71	100	60	46	39	33	18	8	2	—	—	—	2
Childbirth . . .	730	751	392	72	3	—	1	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	85	93	79	109	75	77	60	44	32	16	8	1	—	—	—	—
Arthritis . . .	1	4	4	6	6	3	—	4	4	5	2	1	—	—	—	—
Rheumatism . . .	28	26	24	37	57	78	95	125	97	79	54	12	4	3	—	—
Joint Disease . . .	35	32	27	26	33	25	26	23	23	21	4	1	—	1	—	—
Carbuncle . . .	2	3	7	6	3	3	9	5	11	5	3	4	—	1	—	1
Phlegmon . . .	2	3	5	3	2	2	1	1	2	3	—	—	—	—	—	—
Skin Disease . . .	8	3	2	1	2	2	4	3	5	2	1	1	—	—	—	1
Cyanosis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations . . .	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Intemperance . . .	25	35	41	43	36	24	18	8	9	4	—	—	—	—	—	—
Privation . . .	4	1	1	3	—	1	1	4	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cold . . .	2	3	6	6	5	6	8	2	6	8	2	—	1	—	—	—
Poison . . .	9	18	14	20	22	13	7	6	3	3	—	—	—	—	—	1
Burns, etc. . .	18	24	29	37	33	21	48	50	63	60	59	38	9	2	—	3
Hanging, etc. . .	13	10	10	16	13	19	18	6	3	3	—	—	—	—	—	—
Suffocation . . .	3	6	7	7	15	4	5	3	4	5	4	—	—	—	—	6
Drowning . . .	50	35	37	40	40	30	46	24	19	9	3	—	1	—	—	13
Fracture and Contusion . . .	37	35	45	38	61	66	77	80	106	116	110	60	18	5	1	13
Wounds . . .	5	18	13	13	12	9	10	7	2	4	1	1	1	—	—	1
Other Violent Causes . . .	10	21	11	10	11	12	15	7	3	6	7	2	2	—	—	39
Not specified . . .	407	394	446	492	578	725	801	111	111	110	88	54	27	8	2	17

CAUSES of DEATH in SCOTLAND during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
ALL CAUSES . . .	62004	58529	61906	63539	61714	68170	62341	67195	71481	74416	651295
SPECIFIED CAUSES . . .	56272	51755	58011	59930	58208	64487	59417	63860	68201	71126	614267
I. Zymotic Class . . .	13582	13779	14046	14132	14640	14478	12406	13978	18888	19090	149019
II. Diseases of Uncertain Seat . . .	2535	2403	2418	2360	2433	2479	2319	2288	2308	2523	24066
III. Tubercular Class . . .	10007	9077	10326	10265	9951	11212	10582	11429	10981	11445	105275
IV. Brain and Nervous System . . .	4607	4501	4789	4800	4770	5206	4823	5086	5216	5116	48914
V. Organs of Circulation . . .	2006	1948	2117	2261	2314	2598	2491	2787	2706	2975	24203
VI. Respiratory Organs . . .	7075	6124	6256	7884	6505	9470	8400	9194	8951	10070	79929
VII. Organs of Digestion . . .	4326	4319	5007	4832	4594	4797	5036	4788	4970	5165	47824
VIII. Urinary Organs . . .	679	590	621	726	720	786	844	904	882	916	7668
IX. Organs of Generation . . .	493	481	472	460	504	495	506	481	563	560	5015
X. Organs of Locomotion . . .	290	257	247	258	270	333	428	404	455	419	3361
XI. Skin, etc.	71	50	54	60	65	63	72	80	108	93	716
XII. Malformation	152	119	154	122	144	149	152	145	164	175	1476
XIII. Premature Debility . . .	2068	2744	2787	2911	2776	2990	2880	2986	2949	3242	28333
XIV. Atrophy	535	461	502	521	466	551	492	576	611	502	5217
XV. Age	5685	5702	6009	6231	5913	6572	5792	6559	6069	6418	60950
XVI. Sudden Deaths	248	197	138	127	89	132	105	118	120	126	1400
XVII. Violent Deaths	1913	2003	2068	1980	2054	2186	2089	2057	2260	2291	20901
I. Small Pox	1309	1306	845	332	682	1495	766	426	1646	1741	10548
Measles	1180	1033	1028	1538	972	1587	971	1404	2212	1102	13027
Scarlatina	2138	3011	2235	2671	3614	2927	1764	1281	3413	3411	26465
Diphtheria	—	—	76	294	415	480	681	997	1745	1740	6128
Whooping Cough	1903	2331	1539	1963	2660	1812	2204	2799	1649	1993	20853
Croup	873	1020	1072	1200	921	1005	890	1396	1870	1416	11663
Thrush	34	27	36	32	32	35	25	36	35	36	328
Diarrhoea	1320	1093	2071	1524	1273	1095	1041	1108	1192	1244	12966
Dysentery	602	392	929	599	469	369	361	293	285	317	4616
Cholera	238	88	170	83	146	46	67	57	114	67	1076
Influenza	701	244	285	365	294	342	232	387	304	243	3397
Purpura	51	36	50	44	31	61	49	51	47	44	464
Ague	—	3	3	5	1	3	6	16	12	17	66
Worms	47	40	35	37	30	28	30	32	35	24	338
Infantile Fever	112	196	76	64	72	61	45	63	85	53	827
Typhus	2419	2363	3087	2790	2436	2344	2579	3021	3441	4804	29284
Metria	169	143	145	152	175	236	203	130	195	254	1802
Rheumatic Fever	57	58	58	70	67	95	104	84	113	101	807
Erysipelas	326	288	204	270	247	334	253	249	335	345	2851
Syphilis	79	81	90	86	90	96	122	126	139	125	1034
Noma	23	20	11	12	12	23	12	21	20	13	167
Hydrophobia	1	1	1	1	1	4	1	1	1	—	12
II. Hæmorrhage	146	172	94	93	91	85	65	85	75	81	987
Dropsy	1220	1005	1088	1045	1027	1052	778	743	696	768	9122
Abscess	88	110	76	80	113	122	126	121	161	149	1146
Ulcer	59	28	37	29	26	35	35	55	58	50	392
Fistula	4	15	7	11	12	15	19	11	15	18	127
Mortification	153	163	150	127	148	148	115	108	127	142	1381
Cancer	871	908	960	963	1004	1014	1165	1152	1162	1300	10499
Gout	14	2	6	12	12	8	16	13	14	15	112
III. Scrofula	441	451	431	452	447	483	699	704	663	657	5428
Tabes Mesenterica	535	519	706	763	610	721	782	796	873	875	7180
Phthisis	7129	6247	7184	7264	7172	8165	7571	8211	7614	8083	74640
Hydrocephalus	1902	1860	2005	1786	1722	1843	1530	1718	1831	1830	18027

CAUSES of DEATH IN SCOTLAND during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV. Cephalitis . . .	389	363	325	349	321	378	354	319	323	368	3489
Apoplexy . . .	1041	975	1054	1059	1135	1144	1008	1201	1155	1160	10932
Paralysis . . .	1385	1418	1447	1441	1415	1560	1458	1509	1632	1550	14815
Delirium Tremens . .	71	58	86	61	50	88	54	61	63	51	646
Chorea . . .	9	9	5	6	3	9	14	9	9	10	83
Epilepsy . . .	196	166	218	193	187	224	213	230	212	198	2037
Tetanus . . .	62	86	62	49	60	47	46	49	49	36	546
Insanity . . .	58	55	59	46	52	54	91	96	60	46	617
Convulsions . . .	689	733	703	811	753	852	689	697	824	838	7589
Brain Disease . . .	707	638	830	782	794	850	896	915	889	859	8160
V. Pericarditis . . .	84	68	77	67	77	92	72	84	71	68	760
Aneurism . . .	45	66	70	78	75	88	69	89	75	97	752
Heart Disease . . .	1877	1814	1970	2116	2162	2418	2350	2614	2560	2810	22691
VI. Laryngitis . . .	101	114	178	168	156	167	161	170	173	144	1532
Bronchitis . . .	3036	2762	2867	3335	3228	3400	3017	3764	3484	3383	43876
Pleurisy . . .	451	337	319	356	302	324	268	291	252	284	3184
Pneumonia . . .	2094	1970	1890	2355	1900	2416	1974	1932	2212	2268	21011
Asthma . . .	935	610	645	620	566	714	661	698	547	656	6652
Lung Disease . . .	458	331	357	450	353	449	319	339	283	335	3674
VII. Teething . . .	1014	1028	1341	1171	996	1066	1137	1106	1132	1124	11115
Quinsey . . .	57	54	65	62	70	83	87	63	78	72	691
Gastritis . . .	162	164	162	149	146	140	152	165	164	200	1604
Enteritis . . .	857	847	962	963	848	869	947	892	902	953	9040
Peritonitis . . .	263	260	227	248	263	285	298	227	311	331	2713
Ascites . . .	92	109	98	106	104	112	61	64	73	68	887
Ulceration of Intestines	150	175	156	178	167	179	183	175	177	174	1714
Hernia . . .	86	96	86	85	71	90	110	114	86	90	914
Ileus . . .	284	267	287	260	238	268	293	268	268	303	2736
Intussusception . .	42	39	35	43	41	39	33	49	37	40	398
Stricture of Intestines	18	14	20	22	27	18	24	23	22	30	218
Stomach Disease . .	488	464	733	687	774	761	765	682	774	754	6882
Pancreas Disease . .	2	1	1	2	1	4	1	—	—	1	13
Hepatitis . . .	123	149	125	146	139	122	166	153	132	162	1417
Jaundice . . .	171	179	190	164	214	177	185	175	200	217	1872
Liver Disease . . .	507	460	504	524	477	552	572	611	589	620	5416
Spleen Disease . . .	10	13	15	22	18	22	22	21	25	26	194
VIII. Nephritis . . .	33	44	33	44	40	53	58	41	68	73	487
Nephria . . .	138	106	109	143	128	165	165	239	210	220	1623
Ischuria . . .	41	40	45	43	37	35	37	41	61	60	440
Diabetes . . .	60	54	53	60	69	64	84	74	74	82	674
Stone . . .	69	68	65	54	63	63	82	78	61	65	668
Cystitis . . .	36	33	50	59	47	40	54	66	45	50	480
Stricture of Urethra .	8	2	4	8	6	3	16	6	17	22	92
Kidney Disease . . .	294	243	262	315	330	363	348	359	346	344	3204
IX. Paramenia . . .	13	14	26	21	21	19	28	29	22	38	231
Ovarian Dropsy . . .	48	37	61	56	56	55	81	69	92	79	634
Childbirth . . .	341	351	304	302	333	328	308	305	376	374	3322
Organs of Generation .	91	79	81	81	94	93	89	78	73	69	828
X. Arthritis . . .	21	15	20	9	17	14	20	27	22	32	197
Rheumatism . . .	124	114	111	94	112	150	181	164	182	156	1388
Joint and Bone Disease	145	128	116	155	141	169	227	213	251	231	1776
XI. Carbuncle . . .	20	18	18	16	21	20	20	19	29	24	205
Phlegmon . . .	6	5	8	6	4	8	12	8	16	11	84
Skin Disease . . .	45	27	28	33	40	35	40	53	63	58	427
XII. Cyanosis . . .	27	26	62	37	42	74	56	49	56	59	488
Spina Bifida . . .	27	31	33	33	39	31	32	34	35	29	324
Other Malformations .	98	62	59	52	63	44	64	62	73	87	664
XVII. Intemperance . .	57	78	85	88	101	55	78	53	59	77	731
Privation . . .	5	6	8	5	6	6	5	7	4	9	61
Want of Breast Milk .	29	26	36	48	47	60	70	62	83	91	552
Neglect . . .	8	4	—	3	5	1	4	3	2	2	32
Cold . . .	30	21	31	24	49	47	34	34	17	41	328
Poison . . .	45	44	52	48	52	50	44	54	43	40	472
Burns and Scalds . .	311	303	288	304	303	356	293	324	329	310	3121
Hanging, etc. . .	42	54	45	44	58	50	49	46	49	29	466
Suffocation . . .	84	76	69	78	88	79	102	101	116	108	901
Drowning . . .	440	520	541	439	421	537	467	436	506	557	4864
Fracture and Contusion	617	730	705	702	722	747	726	769	856	829	7403
Wounds . . .	78	57	87	79	100	86	93	74	80	94	828
Other Violent Causes .	167	84	121	118	102	112	124	94	116	104	1142
Not Specified . . .	5732	3774	3895	3609	3506	3683	2924	3335	3280	3290	37028

CAUSES of DEATH in the INSULAR DISTRICTS during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
ALL CAUSES . . .	2693	2166	2306	2377	2633	2714	2562	2975	2934	2720	26080
SPECIFIED CAUSES . .	2069	1834	1941	2013	2189	2257	2178	2490	2454	2278	21753
I. Zymotic Class . .	434	323	296	267	400	387	477	486	495	470	4035
II. Diseases of Uncertain Seat . . }	122	90	108	78	116	104	100	100	73	91	982
III. Tubercular Class . .	304	257	309	290	321	343	341	364	350	306	3185
IV. Brain and Nervous System . }	126	117	130	143	113	137	121	156	137	132	1312
V. Organs of Circulation . .	38	40	52	48	39	49	56	63	45	64	494
VI. Respiratory Organs . .	243	144	170	179	199	198	204	222	257	211	2027
VII. Organs of Digestion . .	131	103	121	126	133	138	139	131	151	147	1323
VIII. Urinary Organs . .	31	29	26	29	22	23	20	30	25	23	258
IX. Organs of Generation . .	28	31	28	30	29	23	23	21	14	30	257
X. Organs of Locomotion . .	16	16	20	22	20	21	27	29	19	22	212
XI. Skin, etc. . . .	3	2	5	1	2	1	2	2	3	4	25
XII. Malformation . . .	1	—	7	3	7	—	1	1	2	1	23
XIII. Premature Debility . .	35	103	66	78	64	64	48	47	56	63	621
XIV. Atrophy	9	8	8	8	10	14	10	15	17	21	120
XV. Age	463	510	473	597	597	601	519	723	672	603	5758
XVI. Sudden Deaths . .	3	11	9	8	10	7	7	5	6	2	68
XVII. Violent Deaths . .	82	100	113	106	104	147	83	95	132	88	1050
I. Small Pox	22	16	23	9	8	29	6	2	15	26	156
Measles	89	88	8	4	63	5	42	125	57	13	494
Scarlatina	14	17	12	24	35	52	71	7	26	26	284
Diphtheria	—	—	2	5	3	16	14	20	39	80	179
Whooping Cough . . .	28	53	42	36	42	82	140	35	50	53	561
Croup	35	31	27	40	46	52	41	68	127	78	545
Thrush	1	—	2	3	—	1	—	3	—	2	12
Diarrhoea	23	11	49	26	35	16	17	37	22	17	233
Dysentery	19	6	24	19	8	11	10	14	6	5	122
Cholera	2	1	2	3	4	1	3	2	1	5	24
Influenza	98	12	30	16	74	38	32	70	42	26	438
Purpura	—	—	1	2	2	4	2	2	1	1	15
Ague	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	1	1	2	2	1	1	1	1	10
Infantile Fever . . .	1	5	2	2	2	2	1	—	3	—	18
Typhus	77	62	58	65	59	59	77	83	90	118	748
Metria	1	2	4	3	6	5	7	4	2	3	37
Rheumatic Fever . . .	7	3	1	2	3	5	2	3	5	7	33
Erysipelas	15	14	7	7	6	5	8	8	5	5	80
Syphilis	2	2	1	—	2	2	2	2	3	4	20
Noma	—	—	—	—	—	—	1	—	—	—	1
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . .	7	11	3	3	1	7	4	2	2	1	41
Dropsy	69	46	56	37	71	49	47	44	36	44	499
Abscess	—	2	2	—	1	1	3	2	2	2	15
Ulcer	—	1	2	1	3	5	2	2	4	2	22
Fistula	—	—	—	—	—	1	—	—	—	—	1
Mortification	6	1	4	2	3	4	3	4	4	2	33
Cancer	39	29	40	35	36	37	38	46	23	40	363
Gout	1	—	1	—	1	—	3	—	2	—	8
III. Scrofula	16	18	16	17	15	21	23	14	20	23	183
Tabes Mesenterica . .	8	7	12	7	11	11	12	10	10	4	92
Phthisis	217	206	260	211	270	285	283	306	291	250	2642
Hydrocephalus	33	26	21	25	25	26	23	31	26	29	268

CAUSES of DEATH in the INSULAR DISTRICTS during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV. Cephalitis . . .	15	14	9	15	7	8	9	14	8	7	106
Apoplexy . . .	21	24	20	22	18	24	21	19	20	34	223
Paralysis . . .	59	41	61	56	40	60	42	63	64	55	541
Delirium Tremens . .	—	1	1	—	1	—	—	—	2	—	5
Chorea . . .	—	—	1	1	—	2	1	—	1	—	6
Epilepsy . . .	4	3	7	12	5	8	11	7	10	9	76
Tetanus . . .	1	8	4	2	7	8	9	8	4	6	57
Insanity . . .	1	3	2	1	1	3	4	6	1	—	22
Convulsions . . .	14	13	13	14	12	15	10	24	11	9	135
Brain Disease . . .	11	10	12	20	22	9	14	15	16	12	141
V. Pericarditis . . .	2	1	—	1	3	—	2	2	1	—	12
Aneurism . . .	1	—	1	3	—	1	—	1	—	—	7
Heart Disease . . .	35	39	51	44	36	48	54	60	44	64	475
VI. Laryngitis . . .	—	—	4	4	2	3	1	3	2	2	21
Bronchitis . . .	93	43	57	59	87	68	71	78	102	104	762
Pleurisy . . .	27	27	30	29	33	33	37	36	45	27	324
Pneumonia . . .	45	32	43	38	20	36	42	46	50	34	386
Asthma . . .	51	30	32	39	42	43	42	50	51	36	416
Lung Disease . . .	27	12	4	10	15	15	11	9	7	8	118
VII. Teething . . .	8	12	14	10	6	15	11	17	16	18	127
Quinsey . . .	3	4	3	—	2	1	3	5	3	12	36
Gastritis . . .	8	6	4	7	2	2	7	5	4	7	52
Enteritis . . .	22	16	22	20	22	14	16	12	25	16	185
Peritonitis . . .	10	3	4	5	5	9	4	3	7	8	58
Ascites . . .	6	2	3	5	5	11	1	7	3	1	44
Ulceration of Intestines	1	2	1	3	2	6	7	5	3	1	31
Hernia . . .	3	2	3	—	7	3	2	1	1	4	26
Ileus . . .	10	16	17	12	15	15	20	11	11	11	138
Intussusception . . .	3	—	—	6	3	2	3	4	1	1	23
Stricture of Intestines	—	1	2	1	2	—	1	—	1	1	9
Stomach Disease . . .	27	12	20	27	32	38	29	27	39	40	291
Pancreas Disease . . .	—	1	—	—	—	—	—	—	—	—	1
Hepatitis . . .	7	7	4	10	6	2	9	8	5	3	61
Jaundice . . .	6	4	10	5	7	9	11	8	10	6	76
Liver Disease . . .	16	15	14	14	17	11	13	18	21	16	155
Spleen Disease . . .	1	—	—	1	3	—	2	—	1	2	10
VIII. Nephritis . . .	1	1	—	1	3	2	—	1	—	2	11
Nephria . . .	3	2	1	1	2	4	3	11	6	4	37
Ischuria . . .	1	3	1	4	1	2	2	—	3	4	21
Diabetes . . .	1	3	3	4	1	1	1	1	3	3	21
Stone . . .	6	11	7	10	5	4	5	6	5	4	63
Cystitis . . .	4	3	4	2	2	1	3	3	—	1	23
Stricture of Urethra .	1	1	—	—	—	—	—	—	1	—	3
Kidney Disease . . .	14	5	10	7	8	9	6	8	7	5	79
IX. Paramenia . . .	—	1	3	1	3	—	—	1	1	3	13
Ovarian Dropsy . . .	5	3	1	1	—	1	1	1	3	4	20
Childbirth . . .	22	27	23	23	24	20	19	18	10	21	207
Organs of Generation .	1	—	1	5	2	2	3	1	—	2	17
X. Arthritis . . .	—	—	—	—	1	—	1	1	2	—	5
Rheumatism . . .	9	15	18	17	19	20	20	21	13	18	170
Joint and Bone Disease	7	1	2	5	—	1	6	7	4	4	37
XI. Carbuncle . . .	1	2	—	—	1	—	1	—	3	1	9
Phlegmon . . .	—	—	—	—	—	1	—	—	—	—	1
Skin Disease . . .	2	—	5	1	1	—	1	2	—	3	15
XII. Cyanosis . . .	—	—	1	1	—	—	—	1	—	—	3
Spina Bifida . . .	—	—	2	2	5	—	—	—	—	—	9
Other Malformations .	1	—	4	—	2	—	1	—	2	1	11
XVII. Intemperance . .	—	1	—	1	6	—	1	1	2	1	13
Privation . . .	—	—	1	—	1	—	—	—	—	—	2
Want of Breast Milk .	—	—	—	1	—	—	1	—	1	—	3
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	4	4	—	3	4	4	2	3	1	7	32
Poison . . .	1	—	—	—	—	—	1	—	—	—	2
Burns and Scalds . . .	15	18	18	19	15	18	13	12	17	13	158
Hanging, etc. . .	—	2	4	1	1	2	2	1	—	1	14
Suffocation . . .	1	1	2	3	2	1	1	1	1	1	15
Drowning . . .	34	60	69	42	57	98	48	60	92	52	612
Fracture and Contusion	14	8	16	22	16	23	6	14	13	8	140
Wounds . . .	3	4	3	1	1	—	4	1	2	3	22
Other Violent Causes .	10	2	—	12	1	1	4	2	3	2	37
Not specified . . .	624	282	365	364	444	457	384	485	480	412	4327

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS during each of the TEN YEARS
1855-1864.—Both Sexes.

DISEASES.	1855.	1855.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
ALL CAUSES	30893	28825	30390	31564	30959	33358	30814	32694	34722	35719	319938
SPECIFIED CAUSES	28109	26681	27995	29272	28767	31081	28917	30449	32502	33485	297258
I. Zymotic Class	6447	5972	6314	6277	6805	6712	5820	6158	8445	8708	67658
II. Diseases of Uncertain Seat	1411	1311	1313	1352	1335	1359	1295	1205	1227	1276	13084
III. Tubercular Class	4586	4192	4604	4660	4547	5086	4853	5225	4985	5061	47799
IV. Brain and Nervous System	2378	2309	2325	2405	2303	2554	2373	2516	2552	2455	24170
V. Organs of Circulation	1013	975	1058	1179	1187	1252	1267	1431	1369	1447	12178
VI. Respiratory Organs	3256	2664	2746	3389	2937	3706	3492	3711	3605	4018	33464
VII. Organs of Digestion	2231	2220	2477	2453	2353	2408	2591	2409	2499	2571	24212
VIII. Urinary Organs	391	305	331	375	390	428	450	486	487	495	4138
IX. Organs of Generation	271	248	216	243	246	253	263	256	270	284	2550
X. Organs of Locomotion	177	132	133	147	154	165	221	200	225	225	1779
XI. Skin, etc.	39	19	30	37	31	33	37	45	70	43	384
XII. Malformation	87	71	84	60	64	77	77	65	93	98	776
XIII. Premature Debility	937	1225	1134	1275	1267	1351	1215	1261	1317	1367	12349
XIV. Atrophy	220	214	216	214	215	234	211	228	251	198	2201
XV. Age	3472	3612	3811	4054	3792	4198	3686	4132	3900	4011	38668
XVI. Sudden Deaths	125	106	70	58	39	62	49	50	68	74	701
XVII. Violent Deaths	1068	1106	1133	1094	1102	1203	1107	1041	1139	1154	11147
I. Small Pox	552	429	183	130	176	558	268	112	625	808	3841
Measles	305	419	328	473	445	550	370	312	944	400	4546
Scarlatina	1141	1413	1094	1098	1741	1406	1041	618	1216	1640	12408
Diphtheria	—	—	51	196	291	287	471	617	1088	1203	4204
Whooping Cough	890	693	497	601	866	775	625	1038	547	507	7044
Croup	425	497	580	655	492	472	432	587	932	762	5834
Thrush	21	11	16	17	17	21	14	11	19	20	170
Diarrhoea	547	439	802	605	586	481	496	479	537	531	5503
Dysentery	260	163	475	281	243	195	163	140	149	173	2242
Cholera	179	39	92	38	81	23	28	31	55	35	601
Influenza	508	172	190	261	177	227	132	248	209	149	2273
Purpura	31	15	26	24	14	33	27	25	21	22	238
Ague	—	3	1	2	—	1	4	5	2	9	27
Worms	22	28	26	26	17	17	20	17	18	18	209
Infantile Fever	70	107	40	37	38	35	29	42	54	26	478
Typhus	1188	1234	1666	1530	1334	1241	1370	1570	1634	1998	14765
Metria	79	86	78	81	92	115	102	67	115	137	952
Rheumatic Fever	31	39	37	45	43	60	71	53	69	59	510
Erysipelas	162	149	100	153	115	178	124	129	163	176	1449
Syphilis	24	21	26	19	28	24	26	46	37	31	282
Noma	8	9	5	4	8	9	6	7	10	4	70
Hydrophobia	1	1	1	1	1	4	1	1	1	—	12
II. Hæmorrhage	80	97	42	44	46	45	35	52	36	34	511
Dropsy	618	541	567	619	561	587	435	389	351	369	5067
Abscess	50	52	39	39	56	67	57	54	65	63	542
Ulcer	16	9	20	14	17	20	20	21	29	25	191
Fistula	2	9	4	3	3	5	10	5	9	7	57
Mortification	92	92	82	78	75	81	65	60	58	72	755
Cancer	516	510	556	550	569	549	662	612	671	696	5891
Gout	7	1	3	5	8	5	11	12	8	10	70
III. Scrofula	227	243	244	240	229	264	367	379	348	341	2882
Tabes Mesenterica	248	249	293	297	278	289	354	339	393	352	3092
Phthisis	3337	2928	3240	3362	3316	3757	3481	3803	3504	3620	34348
Hydrocephalus	774	772	827	761	724	776	651	704	740	748	7477

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS during each of the TEN YEARS
1855-1864.—BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV. Cephalitis . . .	193	200	156	177	157	208	189	151	159	192	1782
Apoplexy . . .	555	517	525	571	570	590	508	650	583	594	5663
Paralysis . . .	789	808	805	820	812	841	806	849	889	845	8264
Delirium Tremens . .	31	29	36	29	22	35	15	30	28	25	280
Chorea . . .	2	3	1	3	3	4	9	5	5	6	41
Epilepsy . . .	112	88	109	100	88	97	115	122	129	86	1046
Tetanus . . .	38	46	39	31	30	26	27	19	26	20	302
Insanity . . .	24	26	29	20	22	21	28	31	23	19	243
Convulsions . . .	288	290	250	292	257	336	276	252	300	300	2841
Brain Disease . . .	346	302	375	362	342	396	400	407	410	368	3708
V. Pericarditis . . .	53	38	47	40	44	55	46	49	36	36	444
Aneurism . . .	20	22	26	32	37	27	15	39	38	41	297
Heart Disease . . .	940	915	985	1107	1106	1170	1206	1343	1295	1370	11437
VI. Laryngitis . . .	57	55	86	73	78	81	75	74	81	78	738
Bronchitis . . .	1374	1157	1230	1675	1399	1954	1883	2187	2172	2388	17419
Pleurisy . . .	260	194	168	200	179	170	139	140	110	161	1721
Pneumonia . . .	899	826	793	969	855	982	856	858	868	949	8855
Asthma . . .	441	284	300	281	255	337	296	333	259	304	3090
Lung Disease . . .	225	148	169	191	171	182	153	149	115	138	1641
VII. Teething . . .	351	358	449	411	359	394	423	388	417	406	3956
Quinsey . . .	32	25	27	39	31	45	54	31	43	29	356
Gastritis . . .	89	98	103	87	83	72	82	95	101	120	930
Enteritis . . .	454	437	481	482	421	440	517	469	443	490	4634
Peritonitis . . .	137	150	130	130	148	139	156	128	156	176	1450
Ascites . . .	47	70	65	71	66	58	35	35	35	32	514
Ulceration of Intestines	94	108	105	108	108	96	109	100	111	100	1039
Hernia . . .	54	60	49	46	37	48	48	64	48	38	492
Ileus . . .	182	164	167	168	150	154	170	135	147	183	1620
Intussusception . . .	27	26	23	28	22	20	15	32	25	25	243
Stricture of Intestines	10	8	8	13	8	9	18	8	17	17	116
Stomach Disease . . .	283	287	413	407	448	432	444	395	436	407	3952
Pancreas Disease . . .	2	—	1	1	1	3	—	—	—	1	9
Hepatitis . . .	73	91	76	89	71	79	99	85	74	100	837
Jaundice . . .	107	108	103	82	126	101	107	101	116	117	1068
Liver Disease . . .	285	222	266	281	262	305	299	330	318	311	2879
Spleen Disease . . .	4	8	11	10	12	13	15	13	12	19	117
VIII. Nephritis . . .	17	30	19	27	28	22	31	20	37	41	272
Nephria . . .	50	43	40	44	49	60	68	101	91	112	658
Ischuria . . .	28	25	27	28	22	24	18	29	41	28	270
Diabetes . . .	42	30	28	40	42	34	49	43	50	40	398
Stone . . .	45	43	45	35	44	47	56	51	44	44	454
Cystitis . . .	20	20	30	36	23	27	31	31	30	30	278
Stricture of Urethra .	4	—	2	3	2	1	4	4	7	7	34
Kidney Disease . . .	185	114	140	162	180	213	193	207	187	193	1774
IX. Paramenia . . .	8	9	12	14	11	13	20	16	17	23	143
Ovarian Dropsy . . .	28	23	33	31	34	31	44	37	45	36	342
Childbirth . . .	186	164	132	148	151	152	146	158	166	188	1591
Organs of Generation .	49	52	39	50	50	57	53	45	42	37	474
X. Arthritis . . .	10	8	12	6	10	5	11	16	7	21	106
Rheumatism . . .	86	58	61	59	64	80	98	79	102	101	788
Joint and Bone Disease	81	66	60	82	80	80	112	105	116	103	885
XI. Carbuncle . . .	10	4	11	6	9	11	9	14	16	10	100
Phlegmon . . .	4	3	8	5	3	5	5	2	12	3	50
Skin Disease . . .	25	12	11	26	19	17	23	29	42	30	234
XII. Cyanosis . . .	18	15	32	16	19	34	36	23	32	37	262
Spina Bifida . . .	19	18	18	19	15	21	18	15	23	14	180
Other Malformations .	50	38	34	25	30	22	23	27	38	47	334
XVII. Intemperance . .	32	38	35	43	44	24	32	22	20	30	320
Privation . . .	2	2	1	3	1	1	—	2	1	1	14
Want of Breast Milk .	16	11	17	12	11	18	14	10	22	19	150
Neglect . . .	2	1	—	1	—	—	—	—	—	—	4
Cold . . .	16	15	21	16	41	36	27	27	14	29	242
Poison . . .	27	19	21	28	24	27	16	22	15	15	214
Burns and Scalds . . .	185	149	165	153	156	177	155	166	176	158	1640
Hanging, etc. . .	27	32	21	26	28	27	24	19	31	12	247
Suffocation . . .	41	43	41	49	40	34	55	40	46	44	433
Drowning . . .	251	267	307	254	246	319	276	232	273	310	2735
Fracture and Contusion	345	437	387	418	403	416	392	409	444	443	4094
Wounds . . .	39	34	51	32	64	57	53	48	37	46	461
Other Violent Causes .	85	58	66	59	44	67	63	44	60	47	593
Not Specified . . .	2784	2144	2395	2292	2192	2277	1897	2245	2220	2234	22680

CAUSES of DEATH in the TOWN DISTRICTS during each of the TEN YEARS 1855-1864.—
BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
ALL CAUSES . . .	28418	27533	29210	29598	28122	32098	28965	31526	33825	35977	305277
SPECIFIED CAUSES . . .	26094	26190	28075	28645	27252	31149	28322	30921	33245	35363	295256
I. Zymotic Class . . .	6701	7484	7436	7588	7435	7379	6109	7334	9948	9912	77326
II. Diseases of Uncertain Seat . . .	1002	1002	997	930	982	1016	924	983	1008	1156	10000
III. Tubercular Class . . .	5117	4628	5413	5315	5083	5783	5388	5840	5646	6078	54291
IV. Brain and Nervous System . . .	2103	2075	2334	2252	2354	2515	2329	2414	2527	2529	23432
V. Organs of Circulation . . .	955	933	1007	1034	1088	1297	1168	1293	1292	1464	11531
VI. Respiratory Organs . . .	3576	3316	3340	4316	3369	5566	4794	5231	5089	5841	44438
VII. Organs of Digestion . . .	1964	1993	2409	2253	2105	2241	2306	2248	2320	2147	22289
VIII. Urinary Organs . . .	257	256	264	322	308	335	374	388	370	398	3272
IX. Organs of Generation . . .	194	202	223	187	229	219	220	204	279	246	2208
X. Organs of Locomotion . . .	97	109	94	89	96	147	180	175	211	172	1370
XI. Skin, etc.	29	29	19	22	32	29	33	33	35	46	307
XII. Malformation . . .	64	48	63	59	73	72	74	79	69	76	677
XIII. Premature Debility . . .	1096	1416	1587	1558	1445	1575	1617	1678	1576	1812	15360
XIV. Atrophy	306	239	278	299	241	303	271	333	343	283	2896
XV. Age	1750	1580	1725	1580	1524	1773	1587	1701	1497	1804	16524
XVI. Sudden Deaths . . .	120	80	59	61	40	63	49	63	46	50	631
XVII. Violent Deaths . . .	763	797	822	780	848	836	899	921	939	1049	8704
I. Small Pox	735	861	639	193	498	908	492	312	1006	907	6551
Measles	786	526	692	1061	464	1032	559	967	1211	689	7987
Scarlatina	983	1581	1129	1549	1838	1469	652	656	2171	1745	13773
Diphtheria	—	—	23	93	121	177	196	360	618	457	2045
Whooping Cough	985	1580	1000	1326	1752	955	1439	1726	1052	1433	13248
Croup	413	492	465	505	383	481	417	741	811	576	5284
Thrush	12	16	18	12	15	13	11	19	16	14	146
Diarrhoea	750	648	1220	893	652	598	528	592	633	696	7210
Dysentery	323	223	430	299	218	163	188	139	130	139	2252
Cholera	57	48	76	42	61	22	36	24	58	27	451
Influenza	95	60	65	88	43	77	68	69	53	68	686
Purpura	20	21	23	18	15	24	20	24	25	21	211
Ague	—	—	2	3	1	2	2	11	10	8	39
Worms	25	12	8	10	11	9	9	14	16	5	119
Infantile Fever	41	84	34	25	32	24	15	21	28	27	331
Typhus	1154	1067	1363	1195	1043	1044	1132	1368	1717	2688	13771
Metria	89	55	63	68	77	116	94	59	78	114	813
Rheumatic Fever	16	16	20	23	21	30	31	28	39	35	259
Erysipelas	149	125	97	110	126	151	121	112	167	164	1322
Syphilis	53	58	63	67	60	70	94	78	99	90	732
Noma	15	11	6	8	4	14	5	14	10	9	96
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	59	64	49	46	44	33	26	31	37	46	435
Dropsy	503	418	465	389	395	416	296	310	309	355	3856
Abscess	38	56	35	41	56	54	66	65	94	84	589
Ulcer	23	18	15	14	6	10	13	32	25	23	179
Fistula	2	6	3	8	9	9	9	6	6	11	69
Mortification	55	70	64	47	70	63	47	44	65	68	593
Cancer	316	369	364	378	399	428	465	494	468	564	4245
Gout	6	1	2	7	3	3	2	1	4	5	34
III. Scrofula	198	190	171	195	203	198	309	311	295	293	2365
Tabes Mesenterica	279	263	401	459	321	421	416	447	470	519	3996
Phthisis	3545	3113	3684	3661	3586	4123	3807	4102	3816	4213	37650
Hydrocephalus	1095	1062	1157	1000	973	1041	856	980	1065	1053	10282

CAUSES of DEATH in the TOWN DISTRICTS during each of the TEN YEARS 1855-1864.—

BOTH SEXES.

DISEASES.	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	Total.
IV. Cephalitis . . .	181	149	160	157	157	162	156	154	156	169	1601
Apoplexy . . .	465	434	509	466	547	530	479	532	552	532	5046
Paralysis . . .	537	569	581	565	563	659	610	597	679	650	6010
Delirium Tremens . .	40	28	49	35	27	53	39	31	33	26	361
Chorea . . .	7	6	3	2	—	3	4	4	3	4	36
Epilepsy . . .	80	75	102	81	94	119	87	101	73	103	915
Tetanus . . .	23	32	19	16	23	13	10	22	19	10	187
Insanity . . .	33	26	28	25	29	30	59	59	36	27	352
Convulsions . . .	337	430	440	505	484	501	403	421	513	529	4613
Brain Disease . . .	350	326	443	400	430	445	482	493	463	479	4311
V. Pericarditis . . .	29	29	30	26	30	37	24	33	34	32	304
Aneurism . . .	24	44	43	43	38	60	54	49	37	56	448
Heart Disease . . .	902	860	934	965	1020	1200	1090	1211	1221	1376	10779
VI. Laryngitis . . .	44	59	88	91	76	83	85	93	90	64	773
Bronchitis . . .	1569	1562	1580	2201	1742	3378	3063	3499	3210	3891	25695
Pleurisy . . .	164	116	121	127	90	121	92	115	97	96	1139
Pneumonia . . .	1150	1112	1054	1348	1025	1398	1076	1028	1294	1285	11770
Asthma . . .	443	296	313	300	269	334	323	315	237	316	3146
Lung Disease . . .	206	171	184	249	167	252	155	181	161	189	1915
VII. Teething . . .	655	653	878	750	631	657	703	701	699	700	7032
Quinsey . . .	22	25	35	23	37	37	30	27	32	31	299
Gastritis . . .	65	60	55	55	61	66	63	65	59	73	622
Enteritis . . .	381	394	459	461	405	415	414	411	434	447	4221
Peritonitis . . .	116	107	93	113	110	137	138	96	148	147	1205
Ascites . . .	39	37	30	30	33	43	25	22	35	35	329
Ulceration of Intestines	55	65	50	67	57	77	67	70	63	73	644
Hernia . . .	29	34	34	39	27	39	60	49	37	48	396
Ileus . . .	92	87	103	80	73	99	103	122	110	109	978
Intussusception . . .	12	13	12	9	16	17	15	13	11	14	132
Stricture of Intestines	8	5	10	8	17	9	5	15	4	12	93
Stomach Disease . . .	173	165	300	253	294	291	292	260	299	307	2639
Pancreas Disease . . .	—	—	—	1	—	1	1	—	—	—	3
Hepatitis . . .	43	51	45	47	62	41	58	60	53	59	519
Jaundice . . .	58	67	77	77	81	67	67	66	74	94	728
Liver Disease . . .	206	223	224	229	198	236	260	263	250	293	2382
Spleen Disease . . .	5	5	4	11	3	9	5	8	12	5	67
VIII. Nephritis . . .	15	13	14	16	9	29	27	20	31	30	204
Nephria . . .	85	61	68	98	77	101	94	127	113	104	928
Ischuria . . .	12	12	17	11	14	9	17	12	17	28	149
Diabetes . . .	17	21	22	16	26	29	34	30	21	39	255
Stone . . .	18	14	13	9	14	12	21	21	12	17	151
Cystitis . . .	12	10	16	21	22	12	20	32	15	19	179
Stricture of Urethra .	3	1	2	5	4	2	12	2	9	15	55
Kidney Disease . . .	95	124	112	146	142	141	149	144	152	146	1351
IX. Paramenia . . .	5	4	11	6	7	6	8	12	4	12	75
Ovarian Dropsy . . .	15	11	27	24	22	23	36	31	44	39	272
Childbirth . . .	133	160	149	131	158	156	143	129	200	165	1524
Organs of Generation .	41	27	41	26	42	34	33	32	31	30	337
X. Arthritis . . .	11	7	8	3	6	9	8	10	13	11	86
Rheumatism . . .	29	41	32	18	29	50	63	64	67	37	430
Joint and Bone Disease	57	61	54	68	61	88	109	101	131	124	854
XI. Carbuncle . . .	9	12	7	10	11	9	10	5	10	13	96
Phlegmon . . .	2	2	—	1	1	2	7	6	4	8	33
Skin Disease . . .	18	15	12	11	20	18	16	22	21	25	178
XII. Cyanosis . . .	9	11	29	20	23	40	20	25	24	22	223
Spina Bifida . . .	8	13	13	12	19	10	14	19	12	15	135
Other Malformations . .	47	24	21	27	31	22	40	35	33	39	319
XVII. Intemperance . .	25	39	50	44	51	31	45	30	37	46	398
Privation . . .	3	4	6	2	4	5	5	5	3	8	45
Want of Breast Milk . .	13	15	19	35	36	42	55	52	60	72	399
Neglect . . .	6	3	—	2	5	1	4	3	2	2	28
Cold . . .	10	2	10	5	4	7	5	4	2	5	54
Poison . . .	17	25	31	20	28	23	27	32	28	25	256
Burns and Scalds . . .	111	136	105	132	132	161	125	146	136	139	1323
Hanging, etc. . .	15	20	20	17	29	21	23	26	18	16	205
Suffocation . . .	42	32	26	25	46	44	46	60	69	63	453
Drowning . . .	155	193	165	143	118	120	143	144	141	195	1517
Fracture and Contusion .	258	285	302	262	303	308	328	346	399	378	3169
Wounds . . .	36	19	33	46	35	29	36	25	41	45	345
Other Violent Causes . .	72	24	55	47	57	44	57	48	53	55	512
Not Specified . . .	2324	1348	1135	953	870	949	643	605	580	614	10021

DEATHS, 1855-1864. Proportion of Deaths from different causes in every million persons, during the Ten Years 1855-1864.

CAUSES OF DEATH.	SCOTLAND.	INSULAR DISTRICTS.	MAINLAND-RURAL DISTRICTS.	TOWN DISTRICTS.	CAUSES OF DEATH.	SCOTLAND.	INSULAR DISTRICTS.	MAINLAND-RURAL DISTRICTS.	TOWN DISTRICTS.
All Causes	21365	16153	18191	27059	5. Pericarditis . . .	26	9	27	27
1. Zymotic Class . . .	5182	2996	4140	7086	Aneurism . . .	26	5	18	41
2. Uncertain Scat . . .	836	729	800	916	Heart Disease . . .	789	352	699	987
3. Tubercular Class . . .	3661	2365	2925	4975	6. Laryngitis . . .	53	15	45	71
4. Brain and Nerv. Sys. .	1701	974	1477	2147	Bronchitis . . .	1525	565	1066	2355
5. Organs of Circulation .	841	366	745	1056	Pleurisy . . .	110	240	105	104
6. Respiratory Organs . .	2779	1505	2047	4072	Pneumonia . . .	730	286	541	1078
7. Organs of Digestion . .	1663	982	1481	2042	Asthma . . .	231	308	189	288
8. Urinary Organs . . .	266	191	253	299	Lung Disease . . .	127	88	100	175
9. Organs of Generation .	174	191	156	202	7. Teething . . .	386	94	242	644
10. Organs of Locomotion .	116	157	108	125	Quinsey . . .	24	26	21	27
11. Skin, etc.	24	18	23	28	Gastritis . . .	55	38	56	57
12. Malformation	51	17	47	62	Enteritis . . .	314	137	283	386
13. Premature Debility . .	985	463	755	1407	Peritonitis . . .	94	43	88	110
14. Atrophy	181	89	134	265	Ascites . . .	30	32	31	30
15. Age	2119	4275	2366	1514	Ulceration of Intestines	59	23	63	59
16. Sudden Deaths . . .	48	50	42	57	Hernia . . .	31	19	30	36
17. Violent Deaths . . .	727	779	682	797	Ileus . . .	95	102	99	89
1. Small-pox	366	115	235	600	Intussusception . . .	13	17	14	12
Measles	453	366	278	732	Stricture of Intestines	7	6	7	9
Scarlatina	920	210	759	1262	Stomach Disease . . .	239	216	241	241
Diphtheria	223	132	257	187	Pancreas Disease . . .	-	-	-	-
Hooping-cough	725	416	431	1214	Hepatitis	49	45	51	47
Croup	405	404	357	484	Jaundice	65	56	65	66
Thrush	11	9	10	13	Liver Disease	188	115	176	218
Diarrhoea	451	188	336	660	Spleen Disease	6	7	7	6
Dysentery	160	90	137	206	8. Nephritis	16	8	16	18
Cholera	37	18	36	41	Nephria	56	27	40	85
Influenza	117	325	138	63	Ischuria	15	15	16	13
Purpura	16	11	14	19	Diabetes	23	15	24	23
Ague	2	-	1	3	Stone	23	46	27	13
Worms	12	-	12	11	Cystitis	16	17	17	16
Infantile Fever	29	13	29	30	Stricture of Urethra .	3	2	2	5
Typhus	1018	555	903	1262	Kidney Disease	111	58	108	123
Metria	62	28	58	74	9. Paramenia	8	9	8	7
Rheumatic Fever	28	28	31	23	Ovarian Dropsy	22	14	20	25
Erysipelas	99	59	88	121	Childbirth	115	153	97	139
Syphilis	36	14	17	67	Organs of Generation .	28	12	29	31
Noma	5	-	4	9	10. Arthritis	6	3	6	8
Hydrophobia	-	-	-	-	Rheumatism	48	126	48	39
2. Hæmorrhage	34	30	31	39	Joint and Bone Disease	61	27	54	78
Dropsy	327	370	301	353	11. Carbuncle	7	6	6	9
Abscess	39	11	33	53	Phlegmon	3	-	3	3
Ulcer	13	16	11	16	Skin Disease	14	11	14	16
Fistula	4	-	3	6	12. Cyanosis	17	2	16	20
Mortification	48	24	46	54	Spina Bifida	11	6	11	12
Cancer	365	269	360	389	Other Malformations .	23	8	20	29
Gout	4	6	4	3	17. Intemperance	25	9	19	36
3. Scrofula	188	135	176	213	Privation	2	1	-	4
Tabes Mesenterica . . .	249	68	189	366	Want of Breast Milk .	19	2	9	36
Phthisis	2595	1961	2102	3450	Neglect	1	-	-	2
Hydrocephalus	626	199	451	942	Cold	11	23	14	5
4. Cephalitis	121	78	109	146	Poison	16	1	13	23
Apoplexy	380	165	346	462	Burns and Scalds . . .	108	119	100	121
Paralysis	525	401	505	550	Hanging, etc.	16	10	15	18
Delirium Tremens	22	3	17	33	Suffocation	31	11	26	41
Chorea	3	5	2	3	Drowning	169	454	167	139
Epilepsy	70	56	64	83	Fracture & Contusion .	257	104	250	290
Tetanus	19	42	18	17	Wounds	28	16	28	31
Insanity	21	16	14	32	Other Violent Causes .	39	27	36	47
Convulsions	263	100	173	422					
Brain Disease	283	104	226	395					

DEATHS, 1855-1864. Proportion of Deaths from different causes in every 100,000 Deaths from specified causes, during the Ten Years 1855-1864.

CAUSES OF DEATH.	SCOTLAND.	INSULAR DISTRICTS.	MAINLAND-RURAL DISTRICTS.	TOWN DISTRICTS.	CAUSES OF DEATH.	SCOTLAND.	INSULAR DISTRICTS.	MAINLAND-RURAL DISTRICTS.	TOWN DISTRICTS.
CLASSES OF DISEASE.					5. Pericarditis . . .	123	55	149	103
1. Zymotic Class . . .	24260	18549	22761	26190	Aneurism . . .	122	32	99	151
2. Uncertain Seat . . .	3918	4514	4402	3387	Heart Disease . . .	3694	2183	3848	3651
3. Tubercular Class . . .	17138	14642	16080	18388	6. Laryngitis . . .	249	96	244	261
4. Brain and Nerv. Sys. . .	7963	6031	8132	7936	Bronchitis . . .	7143	3503	5859	8702
5. Organs of Circulation . . .	3940	2271	4097	3905	Pleurisy . . .	518	1489	578	383
6. Respiratory Organs . . .	13012	9318	11258	15051	Pneumonia . . .	3420	1774	2978	3983
7. Organs of Digestion . . .	7786	6082	8146	7549	Asthma . . .	1082	1912	1039	1065
8. Urinary Organs . . .	1248	1186	1389	1108	Lung Disease . . .	598	542	552	643
9. Organs of Generation . . .	816	1181	858	748	7. Teething . . .	1809	583	1331	2381
10. Organs of Locomotion . . .	547	975	598	464	Quinsey . . .	112	165	119	101
11. Skin, etc. . .	117	115	129	104	Gastritis . . .	261	239	312	216
12. Malformation . . .	240	105	261	229	Enteritis . . .	1471	850	1559	1429
13. Premature Debility . . .	4613	2869	4155	5202	Peritonitis . . .	441	266	487	408
14. Atrophy . . .	849	552	740	981	Ascites . . .	144	202	173	111
15. Age . . .	9922	26470	13008	5596	Ulceration of Intestines . . .	279	142	349	218
16. Sudden Deaths . . .	228	313	236	214	Hernia . . .	148	119	165	134
17. Violent Deaths . . .	3403	4827	3750	2948	Ileus . . .	445	634	545	328
DISEASES.					Intussusception . . .	64	105	81	44
1. Small-pox . . .	1717	717	1287	2218	Stricture of Intestines . . .	35	41	39	31
Measles . . .	2120	2270	1529	2705	Stomach Disease . . .	1120	1343	1329	894
Scarlatina . . .	4308	1305	4174	4665	Pancreas Disease . . .	2	4	3	1
Diphtheria . . .	1046	827	1414	692	Hepatitis . . .	230	280	281	175
Hooping-cough . . .	3394	2574	2369	4487	Jaundice . . .	304	349	359	246
Croup . . .	1898	2505	1962	1789	Liver Disease . . .	881	712	968	866
Thrush . . .	4	55	57	49	Spleen Disease . . .	31	46	39	22
Diarrhoea . . .	2110	1163	1851	2441	8. Nephritis . . .	79	50	91	69
Dysentery . . .	751	560	754	762	Nephria . . .	264	170	221	314
Cholera . . .	175	110	202	152	Ischuria . . .	71	96	90	50
Influenza . . .	553	2013	764	232	Diabetes . . .	109	96	134	86
Purpura . . .	75	68	80	71	Stone . . .	108	289	152	51
Ague . . .	10	-	9	13	Cystitis . . .	78	105	93	60
Worms . . .	53	46	70	40	Stricture of Urethra . . .	14	13	11	18
Infantile Fever . . .	134	82	161	112	Kidney Disease . . .	521	363	596	457
Typhus . . .	4767	3392	4967	4664	9. Paramenia . . .	37	59	48	29
Metria . . .	293	170	320	275	Ovarian Dropsy . . .	103	92	115	92
Rheumatic Fever . . .	131	174	171	87	Childbirth . . .	540	951	535	516
Erysipelas . . .	464	367	487	447	Organs of Generation . . .	134	78	159	114
Syphilis . . .	168	91	94	247	10. Arthritis . . .	32	22	35	29
Noma . . .	27	4	23	32	Rheumatism . . .	226	781	265	145
Hydrophobia . . .	2	-	4	-	Joint and Bone Disease . . .	289	170	297	289
2. Hæmorrhage . . .	160	188	172	147	11. Carbuncle . . .	33	40	33	32
Dropsy . . .	1534	2294	1704	1306	Phlegmon . . .	13	4	17	11
Abscess . . .	186	69	152	199	Skin Disease . . .	69	69	78	60
Ulcer . . .	64	101	64	60	12. Cyanosis . . .	79	13	88	75
Fistula . . .	20	4	19	23	Spina Bifida . . .	52	40	60	45
Mortification . . .	224	151	254	201	Other Malformations . . .	108	50	112	108
Cancer . . .	1709	1209	1980	1437	17. Intemperance . . .	119	59	107	134
Gout . . .	18	36	23	11	Privation . . .	9	9	5	15
3. Scrofula . . .	883	841	969	800	Want of Breast Milk . . .	89	13	50	135
Tabes Mesenterica . . .	1169	423	1040	1011	Neglect . . .	5	-	1	9
Phthisis . . .	12151	12145	11555	12751	Cold . . .	53	147	80	18
Hydrocephalus . . .	2934	1252	2515	3482	Poison . . .	77	9	71	86
4. Cephalitis . . .	568	487	599	542	Burns and Scalds . . .	508	726	552	448
Apoplexy . . .	1779	1025	1905	1709	Hanging, etc. . .	75	64	83	69
Paralysis . . .	2412	2523	2779	2035	Suffocation . . .	146	69	145	153
Delirium Tremens . . .	105	23	94	122	Drowning . . .	791	2813	920	513
Chorea . . .	13	27	13	12	Fracture & Contusion . . .	1205	643	1577	1073
Epilepsy . . .	331	349	351	309	Wounds . . .	134	101	155	117
Tetanus . . .	88	262	101	63	Other Violent Causes . . .	185	170	199	173
Insanity . . .	100	101	81	119					
Convulsions . . .	1235	620	955	1562					
Brain Disease . . .	1328	648	1247	1460					

DEATHS, 1855-1864. Total Number of Deaths at Different Ages in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during the Ten Years 1855 to 1864 inclusive.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 3 Months	34,799	26,575	1,301	997	16,710	12,539	16,788	13,069
— 6	11,499	9,014	292	228	5,009	3,907	6,198	4,879
— 12	23,185	20,156	573	460	9,326	8,047	13,286	11,649
— 2 Years	30,853	29,200	768	666	11,927	11,258	18,158	17,276
— 3	15,347	15,222	419	360	6,181	6,206	8,747	8,656
— 4	10,153	9,955	208	236	4,274	4,186	5,676	5,533
— 5	7,134	7,046	168	171	3,096	2,990	3,870	3,885
Total 0-5 Years	132,975	117,168	3,729	3,088	56,523	49,133	72,723	64,947
5-10	17,343	16,214	460	415	8,542	8,011	8,341	7,788
10-15	8,376	8,078	264	288	4,663	4,489	3,449	3,291
15-20	11,030	10,466	460	401	5,853	5,409	4,717	4,656
20-25	12,821	11,825	647	398	6,511	5,693	5,663	5,734
25-30	10,495	11,612	551	437	5,118	5,369	4,826	5,806
30-35	9,377	10,742	372	410	4,282	4,825	4,723	5,507
35-40	9,188	10,572	309	358	4,061	4,809	4,818	5,405
40-45	9,510	9,933	331	366	4,085	4,396	5,694	5,171
45-50	9,823	9,501	298	367	4,495	4,303	5,030	4,831
50-55	10,389	10,316	389	474	4,953	4,783	5,047	5,059
55-60	10,788	10,945	416	457	5,451	5,421	4,921	5,067
60-65	13,180	14,321	562	720	6,960	7,292	5,658	6,309
65-70	12,767	14,323	604	715	7,367	8,006	4,796	5,602
70-75	13,898	17,388	740	1,026	8,574	12,204	4,584	6,158
75-80	12,986	16,483	833	1,063	8,495	10,285	3,658	5,135
80-85	10,159	14,640	736	1,185	7,037	9,602	2,386	3,853
85-90	5,394	8,201	453	702	3,911	5,578	1,030	1,921
90-95	1,791	3,238	229	339	1,280	2,221	282	678
95-100	469	1,058	79	158	310	679	80	231
100 and above	118	236	25	50	71	138	22	48
Not known	664	494	103	73	446	304	115	117
ALL AGES	323,541	327,754	12,590	13,490	158,988	160,950	151,963	153,314

DEATHS, 1855-1864. Mean Annual Per-centage of Deaths to the Population at each Age in Scotland and its Three Great Groups of Districts, during the Ten Years 1855 to 1864 inclusive.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	15.196	12.682	10.796	8.763	11.964	9.345	20.363	17.279
— 2	7.371	7.199	3.974	3.551	4.855	4.752	11.832	11.600
— 3	3.635	3.703	2.045	1.791	2.488	2.584	5.643	5.754
— 4	2.488	2.489	1.044	1.240	1.754	1.759	3.931	3.839
— 5	1.771	1.815	0.808	0.879	1.290	1.253	2.713	2.865
Total 0-5 Years	6.313	5.752	3.707	3.105	5.076	4.115	9.481	8.694
5-10	0.945	0.912	0.482	0.432	0.769	0.751	1.329	1.271
10-15	0.509	0.522	0.301	0.340	0.464	0.475	0.625	0.614
15-20	0.737	0.671	0.606	0.477	0.665	0.620	0.884	0.763
20-30	1.023	0.829	1.163	0.576	0.933	0.748	1.127	0.973
30-40	1.098	1.037	0.887	0.683	0.891	0.862	1.415	1.349
40-50	1.424	1.210	0.975	0.817	1.099	0.975	1.968	1.580
50-60	2.137	1.798	1.436	1.323	1.733	1.495	2.979	2.352
60-70	3.989	3.343	2.499	2.359	3.446	2.966	5.656	4.248
70-80	9.454	8.315	6.766	6.633	8.764	7.746	12.231	9.999
80-90	20.045	18.496	14.679	14.421	19.682	17.115	24.467	21.367
90-100	37.373	36.381	36.025	31.743	37.186	36.638	38.607	38.191
100 and above	39.320	41.640	57.500	26.315	30.862	43.558	63.459	67.666
ALL AGES	2.245	2.048	1.705	1.539	1.886	1.780	2.916	2.547

CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86b	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155b	Glenrinnnes	Part of Aberlour and Mortlach.
167	Seafeld	Parts of Cullen and Rathven.
222b	Millbrex	Parts of Fyvie and Monquhitter.
227a	New Machar	New Machar and part of Udney.
227b	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237b	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon,	Strathdon, and part of Tarland.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benzie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhitter	Balquhitter, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355a	Fortingall	Parts of Fortingall and Weem.
355b	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait. [Redgorton.
375	Logiealmond	Parts of Fowles-Wester, Little Dunkeld, Methven, Monzie, and
379	Meikle	Meikle, and part of Coupar-Angus.
386a	Muthill	Muthill, and part of Ardoch. [& Kinloch, and Rattray.
386b	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394b	Strathfillan	Part of Killin.
394c	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c. . . .	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilthead	Parts of Glassary and South Knapdale. [Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilviekeon.
542	Kilfinichen & Kilviekeon	Parts of Kilfinichen & Kilviekeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelve	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c. . . .	Parts of Newton-upon-Ayr, and St Quivox.
626b	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingstone and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts, (2) Parts of North Leith, St Cuthberts, and South Leith.
787b	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813b	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853b	Wanlockhead	Part of Sanquhar.
857b	Bargrennan	Parts of Minnigaff (Kirkeudbright), and of Penninghame (Wigton).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages (pages 2 to 23), these being numbered consecutively from 1 to 901.**

Abbey,	559	Auchtertool,	407	Brechin,	275	Collace,	340	Dalziel,	639
Abbey St Bath- ans,	726	Auldearn,	121	Bressay,	1	Collessie,	416	Daviot,	187
Abbotshall,	399	Avoch,	59	Bridgeton,	644	Colmonell,	582	Daviot & Dun- lichty,	95
Abdie,	400	Avondale,	621	Brodick,	553	Colonsay,	539	Deerness,	14
Abercorn,	661	Ayr,	578	Broughton,	758	Colvend,	861	Delting,	2
Aberdalgie,	323	Ayton,	727	Brydekirk,	813b	Comrie,	341	Denny,	476
Aberdeen,	168			Buchanan,	474	Contin,	60	Deskford,	151
Aberdour (Aber- deen),	169	Baldernock,	471	Buittle,	859	Cookney,	258	Dingwall,	62
Aberdour (Fife),	401	Balfron,	472	Bunkle and Preston,	728	Corsock-Bridge,	862	Dirleton,	705
Aberfeldy,	324	Ballachulish & Cor- ran of Ardgour,	506	Burntisland,	411	Corstorphine,	678	Dollar,	467
Aberfoyle,	325	Ballantrae,	579	Burra & Quarff,	1	Cortachy and Clova,	278	Dolphington,	640
Aberlady,	702	Ballingry,	408			Coull,	182	Dores,	96
Aberlemno,	269	Balmacellan,	856	Cabrach,	177	Coupar-Angus,	279	Dornoch (Suth- erland),	47
Aberlour,	145	Balmaghie,	857	Cadder,	626	Covington and Thankerton,	634	Dornock (Dum- fries),	819
Abernethy,	326	Balmerino,	409	Cairney,	178	Coylton,	583	Douglas,	641
Abernethy and Kincardine,	124	Balquhiddel,	331	Calderhead,	626	Craig,	280	Dowally,	344
Abernyte,	327	Banchory-Deve- nick,	251	Callander,	336	Craigie,	584	Drainie,	130
Aboyne,	170	Banchory-Ter- nan,	252	Calton,	644	Craighish,	508	Dreghorn,	589
Aharacle,	505	Banff,	147	Cambuslang,	627	Crail,	417	Dron,	345
Airdrie,	651	Bargrennan,	857b	Cambusnethan,	628	Crailing,	786	Drumblade,	188
Airlie,	270	Barony,	622	Cameron,	412	Cramond,	679	Drumelzier,	759
Airth,	469	Barr,	580	Campbeltown,	507	Cranshaws,	734	Drumoak,	189
Alford,	171	Barra (Inver- ness),	108	Campsie,	475	Cranston,	680	Dryfesdale,	820
Alloa,	465	Barrhead,	572	Canisbay,	35	Crathie and Braemar,	183	Drymen,	477
Alness,	57	Barry (Forfar),	274	Canonbie,	814	Crawford,	635	Duddingston,	684
Alva (Stirling),	470	Barvas,	86a	Canongate,	685	Crawfordjohn,	636	Duffus,	131
Alvah (Banff),	146	Bathgate,	662	Caputh,	337	Creich (Suther- land),	46	Duirinish,	110
Alves,	125	Beath (Fife),	410	Cardross,	494	Crichton,	681	Dull,	346
Alvie,	90	Bedrule,	782	Careston,	277	Criech (Fife),	418	Dumbarton,	496
Alyth,	328	Beith (Ayr),	581	Cargill,	338	Crieff,	342	Dumfries,	821
Ancrum,	780	Belhelvie,	174	Carlaverock,	815	Crimond,	184	Dun,	281
Anderston,	644	Bellie,	126	Carloway,	86b	Cromarty,	61	Dunbar,	706
Annan,	812	Benbecula,	118	Carluk,	629	Cromdale and Inverallan,	93	Dunbarney,	347
Anstruther- Easter,	402	Bendochy,	332	Carmichael,	630	Crossmichael,	863	Dunblane,	348
Anstruther- Wester,	403	Benholm,	253	Carmunnoch,	631	Croy & Dalcross,	94	Dunbog,	423
Anwoth,	855	Bernera,	111	Carmylie,	276	Cruden,	185	Dundee,	282
Appin,	525	Bervie,	254	Carnbee,	413	Cullen,	150	Dundonald,	590
Applecross,	58	Biggar,	623	Carnock,	414	Culross,	343	Dunfermline,	424
Applegarth,	813a	Birnie,	127	Carnwath,	632	Culros,	343	Dunino,	425
Arbirlot,	271	Birsay,	13	Carriden,	664	Culsamond,	186	Dunipace,	478
Arbroath,	272	Birse,	175	Carrington,	675	Culter,	637	Dunkeld,	349
Arbuthnott,	250	Blackford,	333	Carstairs,	633	Cults,	419	Dunlop,	591
Archattan,	504	Blair-Athol,	334	Castleton,	784	Cumbernauld,	495	Dunnet,	36
Ardclach,	120	Blairgowrie,	335	Cathcart,	560	Cumbraes,	552	Dunnichen,	283
Ardersier,	91	Blatyre,	624	Cavers,	785	Cumlodden,	509	Dunning,	350
Ardnamurchan,	505	Blythwood,	644	Cawdor,	122	Cummertrees,	817	Dunnottar,	255
Ardrossan,	576	Boharm,	128	Ceres,	415	Cupar,	420	Dunoon & Kil- mun,	510
Arisaig,	505	Boisdale,	118	Channelkirk,	729	Currie,	682	Dunrossness,	3
Armada,	662	Boleskine,	92	Chapel-of-Gari- och,	179			Dunscore,	822
Arngask,	404	Bolton,	704	Chirnside,	730	Dailly,	585	Dunse,	735
Arrochar,	492	Bonar,	46	Clackmannan,	466	Dairsie,	421	Dunsyre,	642
Ashkirk,	781	Bonhill,	493	Clatt,	180	Dalavich,	517	Durness,	48
Assynt,	44	Borgue,	858	Cleish,	460	Dalbeattie,	864	Duror,	525
Athelstaneford,	703	Bo'ness,	663	Closeburn,	816	Dalgetty,	422	Durris,	256
Auchbreck,	157	Borthwick,	674	Clunie (Perth),	339	Dalkeith,	683	Durrisdeer,	823
Auchindoir,	172	Bothkennar,	473	Cluny (Aber'd'n),	181	Dallas,	129	Duthil,	132
Auchinleck,	577	Bothwell,	625	Clyde,	644	Dalmellington,	586	Dyce,	190
Auchterarder,	329	Botriphnie,	148	Clyne,	45	Dalmeny,	665	Dyke,	133
Auchterderran,	405	Bourtie,	176	Cockburnspath,	731	Dalry (Ayr),	587	Dysart,	426
Auchtergaven,	330	Bowden,	783	Cockpen,	676	Dalry (Kirk- cudbright),	865	Eaglesham,	561
Auchterhouse,	273	Bowmore,	536	Coigach,	75	Dalrymple,	588	Earlsferry,	436
Auchtermless,	173	Boyndie,	149	Coldingham,	732	Dalserf,	638	Earlston,	734
Auchtermuchty,	406	Bracadale,	109	Coldstream,	733	Dalton,	818	Eassie & Nevay,	286

* The actual number of Districts is 1018—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place compound names in the order in which they are pronounced.

East Kilbride, 643	Garvald, . . 707	Inveresk, . . 689	Kilwinning, 599	Ladykirk, . . 746
Eastwood, . . 562	Garvock, . . 260	Inverkeillor, 293	Kincardine	Laggan, . . 104
Eccles, . . 737	Gigha, . . 537	Inverkeithing, 432	(Perth), . . 364	Lairg, . . 53
Ecclesmachan, 666	Girthon, . . 866	Inverkeithny, 158	Kincardine	Lanark, . . 648
Echt, . . 191	Girvan, . . 594	Inverness, . . 98	(Ross), . . 71	Langholm, . . 839
Eckford, . . 787a	Gladsmuir, 708	Inverurie, . . 204	Kincardine	Langton, . . 747
Eday & Pharay, 15	Glammis, . . 289	Iona, . . 538	O'Neil, . . 209	Larbert, . . 485
Edderton, . . 63	Glasgow, . . 644	Irongray, . . 867	Kinclaven, . . 365	Largo, . . 443
Eddlestone, 760	Glass, . . 199	Irvine, . . 595	Kinfauns, . . 366	Largs, . . 602
Eddrachillis, 49	Glassary, . . 511	Jedburgh, . . 792	Kingarth, . . 555	Larkhall, . . 638
Edgerston, 787b	Glasserton, 885	Johnstone	King-Edward, 210	Lasswade, . . 691
Edinburgh, 685	Glassford, . . 645	(Dumfries), 832	Kinghorn, . . 439	Latheron, . . 38
Edinkillie, . . 134	Glenbervie, 261	Johnstone (Ren-	Kinglassie, . . 440	Lauder, . . 748
Ednam, . . 788	Glenbucket, 200	frew), . . 559	Kingoldrum, 295	Laurencekirk, 263
Edrom, . . 738	Glencairn, . . 826	Jura, . . 539	Kingsbarns, 441	Leadhills, . . 635
Edzell, . . 285	Glencoe and	Keig, . . 205	Kingussie, &c., 102	Lecropt, . . 371
Elgin, . . 135	Ballachulish, 525	Keir, . . 833	Kinloch, . . 372	Legerwood, 749
Elie, . . 427	Glencross, . . 687	Keith, . . 159	Kinlochbervie, 49	Leith, . . 692
Ellon, . . 192	Glendevon, 358	Keith-hall, 206	Kinloch-Ran-	Leochel-Cush-
Enzie, . . 152	Glenelg, . . 97	Kells, . . 868	noch, . . 367	nie, . . 214
Errol, . . 351	Glenegarry, 99	Kelso, . . 793	Kinlochspelve, 545	Lerwick, . . 5
Erskine, . . 563	Glenholm, . . 761	Kelton, . . 869	Kinloss, . . 138	Leslie (Aber-
Eskdalemuir, 824	Glenisla, . . 290	Kemback, . . 433	Kinnaird, . . 368	deen), . . 215
Ettrick, . . 774	Glenmoriston, 107	Kemnay, . . 207	Kinneff and	Leslie (Fife), 444
Evie & Rendall, 16	Glenmuick, Tul-	Kenmore, . . 360	Catterline, 262	Lesmahagow, 649
Ewes, . . 825	lich, &c. . . 201	Kennoway, 434	Kinnell, . . 296	Leswalt, . . 891
Eyemouth, 739	Glenorchy and	Kettins, . . 294	Kinnellar, . . 211	Lethendy, . . 372
Fair Isle, . . 3	Inishail, . . 512	Kettle, . . 435	Kinnethmont, 212	Lethnott and
Fala & Soutra, 686	Glenrinnies, 155b	Kilbarchan, 568	Kinnettles, 297	Navar, . . 300
Falkirk, . . 479	Glenshee, . . 370	Kilberry, . . 516	Kinnoull, . . 369	Leuchars, . . 445
Falkland, . . 428	Glenshiel, . . 67	Kilbirnie, . . 596	Kinross, . . 462	Libberton (Lan-
Farnell, . . 286	Golspie, . . 51	Kilbrandon and	Kintail, . . 72	ark), . . 650
Farr, . . 50	Gordon, . . 742	Kilchattan, 515	Kintore, . . 213	Liberton (Edin-
Fearn (Forfar), 287	Gourock, . . 567	Kilbride, . . 553	Kippen, . . 484	burgh), . . 693
Fearn (Ross), 64	Govan, . . 646	Kilbucho, . . 763	Kirkbean, . . 870	Liff, Benvie, &
Fenwick, . . 592	Graitney (or	Kilcalmonell, 516	Kirkcaldy, . . 442	Invergowrie, 301
Ferry-Port-on-	Gretna), . . 827	Kilchoman, 540	Kirkcolm, . . 887	Lilliesleaf, . . 795
Craig, . . 429	Grange, . . 156	Kilchrenan, 517	Kirkconnel, 834	Linlithgow, 668
Fetlar, . . 4	Greenlaw, . . 743	Kilconquhar, 436	Kirkcowan, 888	Linton, . . 796
Fettercairn, 257	Greenock, . . 564	Kildalton, . . 541	Kirkcudbright, 871	Lintrathen, 302
Fetteresso, . . 258	Guthrie, . . 291	Kildonan, . . 52	Kirkden, . . 298	Lismore, . . 525
Findo-Gask, 352	Haddington, 709	Kildrummy, 208	Kirkgunzeon, 872	Little Dun-
Fintray (Aber-	Halfmorton, 828	Kilfinan, . . 518	Kirkhill, . . 103	keld, . . 373
deen), . . 193	Halkirk, . . 37	Kilfinichen and	Kirkhope, . . 776	Livingstone, 669
Fintry (Stirling), 480	Hamilton, . . 647	Kilvickeon, 542	Kirkinner, . . 889	Lochaber, . . 99
Firth & Stennes, 17	Harray, . . 18	Killelan and	Kirkintilloch, 498	Lochalsh, . . 74
Flisk, . . 430	Harris, . . 111	Kilchenzie, 519	Kirkliston, 667	Lochbroom, 75
Flotta, . . 32	Hawick, . . 789	Killearn, . . 482	Kirkmabreck, 873	Lochcarron, 76
Fodderty, . . 65	Heriot, . . 688	Killearnan, 68	Kirkmahoe, 835	Lochgilphead, 526
Fogo, . . 740	Hobkirk, . . 790	Killin, . . 361	Kirkmaiden, 890	Lochgoilhead, 527
Fordoun, . . 259	Hoddam, . . 829	Kilmadock, 362	Kirkmichael	Lochlee, . . 303
Fordyce, . . 153	Holm & Paplay, 19	Kilmalcolm, 569	(Ayr), . . 600	Lochmaben, 840
Forfar, . . 288	Holytown, . . 625	Kilmalie, . . 520	Kirkmichael	Lochranza, 556
Forgan, . . 431	Holywood, . . 830	Kilmany (Fife), 437	(Banff), . . 160	Lochrutton, 875
Forgandenny, 353	Houston and	Kilmarnock, 597	Kirkmichael	Lochs, . . 87
Forglen, . . 154	Killellan, . . 565	Kilmarnock, 497	(Dumfries), 836	Lochwinnoch, 570
Forgue, . . 194	Howmore, . . 118	Kilmartin, 521	Kirkmichael	Logie (Fife), 446
Forres, . . 137	Hownam, . . 791	Kilmaurs, . . 598	(Perth), . . 370	Logie (Perth), 374
Fort-Augustus	Hoy & Græmsay, 20	Kilmelford, 524	Kirknewton and	Logiealmond, 375
(or Abertarff), 92	Humbie, . . 710	Kilmeny (Ar-	East-Calder, 690	Logie-Buchan, 216
Forteviot, . . 354	Hume, . . 744	gyll), . . 543	Kirkoswald, 601	Logie-Cold-
Fortingall, . . 355a	Huntly, . . 202	Kilmodan, . . 522	Kirkpatrick-	stone, . . 217
Fortrose, . . 80	Hutchesontown, 644	Kilmonivaig, 99	Durham, . . 874	Logie-Easter, 77
Foss, . . 355b	Hutton (Ber-	Kilmorack, 100	Kirkpatrick-	Logie-Pert, 304
Fossaway and	wick), . . 745	Kilmore & Kil-	Fleming, . . 837	Logierait, . . 376
Tulliebole, 461	Hutton (Dum-	bride, . . 523	Kirkpatrick-	Longforgan, 377
Foula, . . 12	fries), . . 831	Kilmorich, . . 527	Juxta, . . 838	Longformacus, 750
Foulden, . . 741	Inch (Wigtown), 886	Kilmory, . . 554	Kirkton (As-	Longside, . . 218
Foveran, . . 195	Inchinnan, . . 566	Kilmuir, . . 112	synt), . . 44	Lonmay, . . 219
Fowlis-Easter, 356	Inchture, . . 359	Kilmuir-Easter, 69	Kirkton (Farr), 50	Loth, . . 54
Fowlis-Wester, 357	Innerkip, . . 567	Kilmun, . . 509	Kirktown (Rox-	Loudoun, . . 603
Fraserburgh, 196	Innerleithen, 762	Kilninian and	burgh), . . 794	Lumphanan, 220
Fyvie, . . 197	Innerwick, . . 711	Kilmore, . . 544	Kirkurd, . . 764	Lunan, . . 305
Gairloch, . . 66	Insch (Aberd'n), 203	Kilninver, . . 524	Kirkwall & St Ola 21	Lundie, . . 306
Galashiels, . . 775	Inverallan, . . 93	Kilrenny, . . 438	Kirriemuir, 299	Lunnasting, 7
Galston, . . 593	Inveraray, . . 513	Kilspindie, 363	Knockando, 139	Luss, . . 499
Gamrie, . . 155	Inverarity, . . 292	Kilsyth, . . 483	Knockbain, 73	Lyne, . . 765
Gargunnoch, 481	Inveravon, . . 157	Kiltarlity, . . 101	Knoydart, . . 97	Madderty, . . 770
Gartly, . . 198	Inverchaolain, 514	Kiltearn, . . 70	Ladhope, . . 799	Mains, . . 833

Makerston, 797	New Pitsligo, 227b	Rathven, . 164	Shapinshay, 28	Tillicoultry, 468
Manor, . 766	New Spynie, 136	Ratray, . 389	Shettleston, 622	Tingwall, . 10
Markinch, . 447	Newton, . 696	Rayne, . 236	Shieldaig, . 58	Tinwald, . 849
Marnoch, . 161	Newtyle, . 314	Reay, . 40	Shotts, . 655	Tobermory, 549
Maryculter, 264	Nigg (Kincard.) 266	Redgorton, 390	Skene, . 238	Tomintoul, 160
Maryhill, . 622	Nigg (Ross), 78	Renfrew, . 575	Skipness, . 531	Tongland, . 881
Marykirk, . 265	North Berwick, 713	Rerrick, . 879	Skirling, . 769	Tongue, . 56
Marytown, 308	North Bute, 557	Rescobie, . 317	Slains, . 239	Torossay, . 550
Mauchline, 604	North Knap- dale, . 530	Resolis, . 79	Slamannan, 489	Torphichen, 671
Maxton, . 798	North Leith, 692	Rhynd, . 391	Sleat, . 115	Torryburn, 458
Maybole, . 605	Northmavine, 8	Rhynie, . 237	Smailholm, 805	Torthorwald, 850
Mearns, . 571	North Morar, 97	Riccanton, . 611	Small Isles, 116	Tough, . 244
Megget, . 765	North Ronald- shay, . 22	Roberton, . 777	Snizort, . 117	Towie, . 245
Meigle, . 379	North Uist, 113	Rogart, . 55	Sorbie, . 897	Tradeston, 644
Melrose, . 799	North Yell, 4	Rosehall, . 46	Sorn, . 613	Tranent, . 722
Menmuir, . 309	Oa, . 546	Rosemarkie, 80	Southdean, 806	Traquair, . 771
Merton, . 751	Oathlaw, . 315	Roseneath, 502	Southend, . 532	Trinity-Gask, 396
Methlic, . 221	Oban, . 523	Rosskeen, . 81	South Knapdale, 533	Troqueer, . 882
Methven, . 380	Ochiltree, . 609	Rothsay, . 558	South Leith, 692	Tulliallan, . 397
Mid-Calder, 694	Old Ardrossan, 576	Rothiemay, 165	South Ronald- shay & Bur- ray, . 29	Tullynessle and Forbes, . 246
Middlebie, . 841	Old Cumnock, 610	Rothiemurchus, 132	South Uist, 118	Tundergarth, 851
Midmar, . 222	Old Deer, . 228	Rousay and Egilshay, 24	Speymouth, 143	Turriff, . 247
Mid & S. Yell, 6	Oldhamstocks, 714	Row, . 503	Spott, . 720	Tweedsmuir, 772
Millbex, . 222b	Old, or West, Kilpatrick, 501	Roxburgh, 803	Springburn, 622	Twynholm, 883
Milton, . 644	Old Luce, . 894	Rutherglen, 654	Sprouston, 807	Tynron, . 852
Minnigaff, . 876	Old Machar, 168	Ruthven, . 318	Stair, . 614	Tyree, . 551
Minto, . 800	Old Meldrum, 229	Ruthwell, . 846	Stenscholl, 112	Tyrie, . 248
Mochrum, . 892	Old Monkland, 652	Saddell, . 531	Stenton, . 721	Udny, . 249
Moffat, . 842	Orlig, . 39	St Andrews (Dundee), 282	Stevenston, 615	Uig, . 89
Moneydie, . 381	Ordiquhill, 163	St Andrew (Edinburgh), 685	Stewarton, 616	Unst, . 11
Monifieth, . 310	Ormiston, . 715	St Andrews (Orkney), 25	Stirling, . 490	Uphall, . 672
Monikie, . 311	Orphir, . 23	St Andrews- Lhanbryde, 142	Stitchel, . 808	Urquhart (El- gin), . 144
Monimail, . 448	Orwell, . 463	St Andrews and St Leonards (Fife), . 453	Stobo, . 770	Urquhart (In- verness), . 107
Monkton and Prestwick, 606	Oxnam, . 802	St Boswells, 804	Stoer, . 44	Urquhart and Logie-Wester, 84
Monquhitter, 223	Oyne, . 230	St Clements, 282	Stonehouse, 656	Urr, . 884
Montrose, 312	Paisley, . 573	St Cyrus, . 267	Stoneykirk, 898	Urray, . 85
Monymusk, 224	Panbride, . 316	St Fergus, 166	Stornoway, 88	
Mouzie (Perth), 382	Papa-Stour, 12	St George, 685	Stow, . 699	
Mouzievaird, 383	Papa-Westray, 33	St Giles, . 685	Stracathro, 320	
Moonzie (Fife), 449	Partick, . 646	St Kilda, . 111	Strachan, . 268	
Mordington, 752	Parton, . 878	St Madoes, 392	Strachur, . 534	Walls (Shetland), 12
Morebattle, 801	Peebles, . 768	St Marys, . 282	Straiton, . 617	Walls (Orkney), 32
Morham, . 712	Pencaitland, 716	St Martins, 393	Stralachlan, 534	Walston, . 658
Mortlach, . 162	Penicuik, . 697	St Michaels, 668	Stranraer, 899	Wamphray, 853a
Morton, . 843	Penninghame, 895	St Monance (or Abercrombie), 454	Strath, . 119	Wandell and Lamington, 659
Morvern, . 528	Penpont, . 845	St Mungo, . 847	Strathblane, 491	Wanlockhead, 852b
Moulin, . 384	Persie, . 386b	St Nicholas, 168	Strathdon, 240	Watten, . 42
Mousewald, 844	Perth, . 387	St Ninians, 488	Strathfillan, 394b	Weem, . 398
Moy and Dala- rossie, . 105	Peterculter, 231	St Peters, . 282	Strathmartine, 307	Wemyss, . 459
Muckairn, . 529	Peterhead, 232	St Quivox, &c., 612	Strathmiglo, 457	West Calder, 701
Muckhart, . 385	Pettinain, . 653	St Vigean, 319	Strathoykell, 71	Westerkirk, 854
Muiravonside, 486	Petty, . 106	Salen (Argyll), 548	Strathy, . 50	West Kilbride, 620
Muirkirk, . 607	Pitsligo, . 233	Saline (Fife), 455	Strichen, . 241	West Linton, 773
Murroes, . 313	Pittenweem, 452	Salton, . 719	Stromness, . 30	Westray, . 33
Musselburgh, 689	Polmont, . 487	Sanday, . 26	Stronsay, . 31	Westruther, 756
Muthill, . 386	Polwarth, . 754	Sandness, . 12	Sunart, . 505	Whalsay and Skerries, 7
	Port-Glasgow, 574	Sandsting and Aithsting, 9	Swinton, . 755	Whitburn, 673
Nairn, . 123	Portlethen, 251	Sandwick, . 27	Symington (Ayr), . 618	Whitekirk and Tynninghame, 723
Neilston, . 572	Port of Men- teith, . 388	Sandwick & Cun- ningsburgh, 3	Symington (Lanark), 657	Whiteness and Weisdale, 10
Nenthorn, . 753	Portmoak, 464	Sanguhar, . 848	Tain, . 82	Whithorn, 900
Nesting, . 7	Portnahaven, 547	Savoch, . 237b	Tannadice, 321	Whitsome, 757
New Abbey, 877	Portobello, 684	Scone, . 394a	Tarbat, . 83	Whittinghame, 724
Newbattle, . 695	Portpatrick, 896	Scoonie, . 456	Tarbert, . 535	Wick, . 43
Newburgh, 450	Portree, . 114	Scourie, . 49	Tarbolton, 619	Wigtown, . 901
Newburn, . 451	Premnay, . 234	Seafie, . 167	Tarland, . 242	Wilton, . 810
New Cumnock, 608	Prestonkirk, 717	Selkirk, . 778	Tarves, . 243	Wiston and Ro- berton, . 660
New Deer, 225	Prestonpans, 718		Tealing, . 322	
New Galloway, 868	Queensferry, 670		Temple, . 700	Yarrow, . 779
New Kilpatrick, 500	Rafford, . 140		Tenandry, 394c	Yester (or Gif- ford), . 725
Newhills, . 226	Raasay, . 114		Terregles, . 880	Yetholm, . 811
Newington, 685	Rathen, . 235		Teviothead, 809	
Newlands, . 767	Ratho, . 698		Thurso, . 41	
New Ardrossan, 576			Tibbermore, 395	
New Luce, . 893				
New Machar, 227a				
New Monkland, 651				

